

# c'joy

## Less is more fun!

Less weight, lower price, pure caravan joy! The c'joy has everything you need for the life of freedom. Thanks to its compact size and low weight, it is also suitable for smaller cars. Depending on the towing vehicle, it can also be driven with a Class B driver's licence. In spite of its compact size, it has lots of space for two or more passengers; all at an affordable price. Have a joyful journey!

## Upholstery




+ Clipper upholstery



+ Portobello upholstery \*

## Wood décor



+ Sambesi Oak wood décor

\*optionally available

## Technical info\*

|                                    |                |
|------------------------------------|----------------|
| Technically permissible total mass | 1100 - 1200 kg |
| Overall length, approx.            | 617 - 716 cm   |
| Overall width, approx.             | 212 cm         |
| <b>Overall height, approx.</b>     | <b>261 cm</b>  |

\* Maximum values partly not possible for all models or only in connection with certain options.

## Plus factors

- + The perfect caravan for beginners: great value and it has everything you need
- + No fear of narrow passages: one of the narrowest caravans in its class with a 2.12 m width
- + Lightweight: It can be towed with a small car with standard Class B driver's licence (depending on towing vehicle)
- + Protects you from bad weather: roof, front and rear made of robust GRP
- + You don't have to make compromises: you can bring as much as you need as there is lots of storage space and high load capacity



# c'joy

## Technical info



| c'joy   |    | 410 LK   | 420 QSH                      | 460 LE                                     | 480 FSH                      | 480 QLK  |
|---|----|--|------------------------------|--|------------------------------|--|
| Standard chassis                                    |    | Lightweight chassis, 1100 kg                           | Lightweight chassis, 1100 kg | Lightweight chassis, 1200 kg               | Lightweight chassis, 1200 kg | Lightweight chassis, 1200 kg                           |
| Overall length, approx.                             | cm | 624  | 617                          | 674  | 707                          | 716  |
| Overall width, approx.                              | cm | 212  | 212                          | 212  | 212                          | 212  |
| Overall height, approx.                             | cm | 261  | 261                          | 261  | 261                          | 261  |
| Headroom in living area, approx.                    | cm | 198  | 198                          | 198  | 198                          | 198  |
| Insulation floor / side walls / roof                | mm | 38 / 28 / 28   | 38 / 28 / 28                 | 38 / 28 / 28                               | 38 / 28 / 28                 | 38 / 28 / 28   |
| Tire size   |    | 185 R14C 8PR   | 185 R14C 8PR                 | 185 R14C 8PR                               | 185 R14C 8PR                 | 185 R14C 8PR   |
| Bed dimension: Front bed, L x W, approx.            | cm | 190 x 140 - 115  | 195 x 150                    | 190 x 100 - 90                             | 200 x 160                    | 190 x 150  |
| Bed dimension: Central / middle bed, L X W, approx. | cm | -  | 170 x 90 - 80                | -  | 170 x 90                     | 190 x 120  |
| Bed dimension: Rear bed, L x W, approx.             | cm | 190 x 65 / 190 x 70 / 2x 190 x 70<br>○ / 190 x 60<br>○ | -                            | 200 x 80 / 195 x 80 / 200 - 195 x 190<br>○ | -                            | 190 x 60 / 190 x 70 / 2x 190 x 60<br>○ / 190 x 70<br>○ |
| Sleeping berths                                     |    | 4 / 5 ○  | 3                            | 3  | 3                            | 6 / 7 ○  |
| Unladen weight, approx.                             | kg | 841  | 839                          | 882  | 942                          | 946  |
| Mass in running order, approx.                      | kg | 874  | 872                          | 915  | 975                          | 979  |
| Maximum load, approx.                               | kg | 226  | 228                          | 285  | 225                          | 221  |
| Technically permissible total mass                  | kg | 1100   | 1100                         | 1200                                       | 1200                         | 1200   |
| Heating   |    | S 3004, 3.5 kW<br>Gas                                  | S 3004, 3.5 kW<br>Gas        | S 3004, 3.5 kW<br>Gas                      | S 3004, 3.5 kW<br>Gas        | S 3004, 3.5 kW<br>Gas                                  |
| Refrigerator volume incl. freezer, approx.          | l  | 142 (15)   | 142 (15)                     | 86 (11)                                    | 142 (15)                     | 86 (11)  |
| Water supply incl. boiler (reduced volume) ca.      | l  | 12   | 12                           | 12   | 12                           | 12   |

# Standard equipment

| 410 LK | 420 QSH | 460 LE | 480 FSH | 480 QLK |
|--------|---------|--------|---------|---------|
|--------|---------|--------|---------|---------|

| Chassis  |   |   |   |   |
|--|---|---|---|---|
| Zinc-plated chassis with inertia braking system with reversing automatic   | ⊙ | ⊙ | ⊙ | ⊙ |
| Chassis features   |   |   |   |   |
| Lightweight zinc-plated corner steadies  | ⊙ | ⊙ | ⊙ | ⊙ |
| High-quality brand-name tyres, designed for a speed of 100 km/h  | ⊙ | ⊙ | ⊙ | ⊙ |
| Single-axle premium steel wheel set 185 R14 C 8 PR, up to 1.600 kg   | ⊙ | ⊙ | ⊙ | ⊙ |
| Exterior features  |   |   |   |   |
| Glass bottle locker for 2 x 11 kg  | ⊙ | ⊙ | ⊙ | ⊙ |
| Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium                                       | ⊙ | ⊙ | ⊙ | ⊙ |
| Front, rear and roof made of robust GRP  | ⊙ | ⊙ | ⊙ | ⊙ |
| Standard window, graphite grey   | ⊙ | ⊙ | ⊙ | ⊙ |
| Two-piece entrance door  | ⊙ | ⊙ | ⊙ | ⊙ |
| Exterior design  |   |   |   |   |
| Sides in hammer finish, white  | ⊙ | ⊙ | ⊙ | ⊙ |
| Access locker doors  |   |   |   |   |
| Access locker door rear right 560x1150 mm  | ⊙ | — | — | ⊙ |
| Interior design  |   |   |   |   |
| Sambesi Oak wood décor   | ⊙ | ⊙ | ⊙ | ⊙ |
| Clipper upholstery   | ⊙ | ⊙ | ⊙ | ⊙ |
| Textile equipment  |   |   |   |   |
| 7-zones cold foam mattress single bed right standard   | — | — | ⊙ | — |
| 7-zones cold foam mattress single bed left standard  | — | — | ⊙ | — |
| Cold foam double bed mattress  | — | ⊙ | — | ⊙ |
| Furniture layouts  |   |   |   |   |
| AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards              | ⊙ | ⊙ | ⊙ | ⊙ |
| Seating lounge converts to bed   | ⊙ | ⊙ | ⊙ | ⊙ |
| Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds | ⊙ | ⊙ | ⊙ | ⊙ |
| Bunk beds with safety net and ladder   | ⊙ | — | — | ⊙ |
| Bunk bed with 2 sleeping berths, foldable  | ⊙ | — | — | ⊙ |
| Kitchen  |   |   |   |   |
| Large fridge with 142 l volume and 15 l freezer  | ⊙ | ⊙ | — | ⊙ |
| Practical 3-flames cooker with manual ignition   | ⊙ | ⊙ | ⊙ | ⊙ |
| Bathroom   |   |   |   |   |
| Trendy washbasin made of stainless steel   | ⊙ | ⊙ | ⊙ | ⊙ |
| Shower tray  | ⊙ | ⊙ | ⊙ | ⊙ |
| Skylight with mosquito net   | ⊙ | ⊙ | ⊙ | ⊙ |
| Heating  |   |   |   |   |
| Gas heating S 3004 with automatic ignition   | ⊙ | ⊙ | ⊙ | ⊙ |
| Electrical installation  |   |   |   |   |
| Awning light 12V   | ⊙ | ⊙ | ⊙ | ⊙ |
| 12 V power supply throughout vehicle   | ⊙ | ⊙ | ⊙ | ⊙ |
| CEE external output socket for 230V on-board electrics   | ⊙ | ⊙ | ⊙ | ⊙ |
| Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer       | ⊙ | ⊙ | ⊙ | ⊙ |
| Water supply   |   |   |   |   |
| Fresh water tank 20 l  | ⊙ | ⊙ | ⊙ | ⊙ |
| Electric water supply  | ⊙ | ⊙ | ⊙ | ⊙ |

# PACKAGES C'JOY

| Package                                    | Dynamic Package (9241) | Dynamic Package (9242) | Dynamic Package (12359) |
|--|------------------------|------------------------|-------------------------|
| ACS stabiliser                             | x                      | x                      | x                       |
| Octagon shock absorber                     | x                      | x                      | x                       |
| Spare wheel carrier in gas locker          | x                      | x                      | x                       |
| Fresh water tank 44 l                      | x                      | x                      | x                       |
| Mobile 22 l waste water tank               | x                      | x                      | x                       |
| Access locker door front right 1000x420 mm | x                      |                        |                         |
| Access locker door rear right 1000x420 mm  |                        | x                      |                         |
| Access locker door front right 750x300 mm  |                        |                        | x                       |

| Package                 | Autonomy Package I (10011) | Autonomy Package II (10012) |
|-------------------------|----------------------------|-----------------------------|
| Battery (95 Ah)         | x                          | x                           |
| Battery charger         | x                          | x                           |
| Central 12V main switch | x                          | x                           |
| Voltage display         | x                          | x                           |
| Fan 12V for S 3004      | x                          |                             |

## Touring Package c'joy (9243)

Hot-water supply

Hot-air system

Skylight, 700 x 500 mm

Flyscreen door

# Optional extras

|   | Included in package | Additional weight | Code | 410 LK | 420 QSH | 460 LE | 480 FSH | 480 QLK |
|---|---------------------|-------------------|------|--------|---------|--------|---------|---------|
| <b>Chassis</b>  |                     |                   |      |        |         |        |         |         |
| Weight upgrade to 1.200 kg  | —                   | 0                 | 134  | ○      | ○       | —      | —       | —       |
| Weight upgrade to 1.300 kg  | —                   | 0                 | 135  | —      | ○       | —      | —       | —       |
| Weight upgrade to 1.360 kg (without chassis change)                       | —                   | 0                 | 9619 | —      | —       | ○      | ○       | ○       |
| Weight upgrade to 1.360 kg (with chassis change)                          | —                   | 0                 | 9619 | ○      | ○       | —      | —       | —       |
| Weight upgrade to 1.500 kg  | —                   | 24                | 136  | —      | —       | —      | ○       | ○       |
| <b>Chassis features</b>   |                     |                   |      |        |         |        |         |         |
| ATC Trailer Control   | —                   | 4                 | 748  | ○      | ○       | ○      | ○       | ○       |
| Corner steadies incl. large-area support feet                             | —                   | 1                 | 9138 | ○      | ○       | ○      | ○       | ○       |
| Draw bar cover  | —                   | 3                 | 434  | ○      | ○       | ○      | ○       | ○       |
| Wheel trims for 14" tyres   | —                   | 2                 | 276  | ○      | ○       | ○      | ○       | ○       |
| Alloy wheel 185 R14 C LI 102, up to 1.600 kg                              | —                   | 0                 | 836  | ○      | ○       | ○      | ○       | ○       |
| Spare steel wheel 185 R14 C 8 PR, up to 1.600 kg                          | —                   | 18                | 831  | —      | ○       | —      | ○       | ○       |
| Spare steel wheel 185 R14 C 8 PR, up to 1.600 kg <sup>1)</sup>            | —                   | 18                | 831  | ○      | —       | ○      | —       | —       |
| Spare alloy wheel 185 R14 C LI 102, up to 1.600 kg                        | —                   | 17                | 837  | —      | ○       | —      | ○       | ○       |
| Spare alloy wheel 185 R14 C LI 102, up to 1.600 kg <sup>1)</sup>          | —                   | 17                | 837  | ○      | —       | ○      | —       | —       |
| <b>Exterior features</b>  |                     |                   |      |        |         |        |         |         |
| Spare wheel carrier in gas locker   | DP                  | 1                 | 432  | —      | ○       | —      | ○       | ○       |
| Front window  | —                   | 4                 | 982  | ⊙      | ○       | ⊙      | ○       | ○       |
| Kitchen window, sliding (change of window shape)                          | —                   | 2                 | 6406 | ○      | ○       | ○      | ○       | ○       |
| Opening window in bathroom  | —                   | 3                 | 1028 | ○      | ○       | ○      | ○       | ○       |
| Skylight Mini Heki  | —                   | 5                 | 786  | ○      | ○       | ○      | ○       | ○       |
| Skylight, 700 x 500 mm  | TP                  | 8                 | tba  | ○      | ○       | ○      | ○       | ○       |
| Flyscreen door  | TP                  | 2.5               | 360  | ○      | ○       | ○      | ○       | ○       |
| <b>Access locker doors</b>  |                     |                   |      |        |         |        |         |         |
| Access locker door front left 1000x420 mm                                 | —                   | 2                 | 6415 | —      | ○       | —      | —       | ○       |
| Access locker door front right 1000x420 mm                                | DP                  | 2                 | 6416 | —      | ○       | —      | ○       | ○       |
| Access locker door rear left 1000x420 mm                                  | —                   | 2                 | 6417 | —      | —       | ○      | —       | —       |
| Access locker door rear right 1000x420 mm                                 | DP                  | 2                 | 6418 | —      | —       | ○      | —       | —       |
| Access locker door front right 750x300 mm                                 | DP                  | 2                 | 6420 | ○      | —       | —      | —       | —       |
| <b>Interior design</b>  |                     |                   |      |        |         |        |         |         |
| Portobello upholstery   | —                   | 0                 | 9239 | ○      | ○       | ○      | ○       | ○       |
| <b>Textile equipment</b>  |                     |                   |      |        |         |        |         |         |
| Bed cover for single bed mattresses in upholstery colour                  | —                   | 0                 | 6377 | —      | —       | ○      | —       | —       |
| Bed cover for double bed mattress in upholstery colour                    | —                   | 0                 | 6377 | —      | ○       | —      | ○       | —       |
| Bed cover for double bed mattress and 2 bunk beds in colour of upholstery | —                   | 0                 | 6377 | ○      | —       | —      | —       | ○       |
| Bed cover for double bed mattress and 3 bunk beds in colour of upholstery | —                   | 0                 | 6377 | ○      | —       | —      | —       | ○       |
| <b>Furniture layouts</b>  |                     |                   |      |        |         |        |         |         |
| Bunk bed with 3 sleeping berths, not foldable                             | —                   | 20                | 200  | ○      | —       | —      | —       | ○       |
| Single beds convert to double bed   | —                   | 5                 | 685  | —      | —       | ○      | —       | —       |
| <b>Multimedia</b>   |                     |                   |      |        |         |        |         |         |
| Preparation for flat screen TV (antenna cable and TV bracket)             | —                   | 2                 | 678  | ○      | ○       | ○      | ○       | ○       |
| Multifunctional external connection, 12 V, 220 V, TV and SAT              | —                   | 1                 | 611  | ○      | ○       | ○      | ○       | ○       |
| <b>Heating</b>  |                     |                   |      |        |         |        |         |         |
| Ultraheat additional heating for S 3004, electric 220 V                   | —                   | 2                 | 364  | ○      | ○       | ○      | ○       | ○       |
| Fan 12V for S 3004  | AP                  | 2                 | 177  | ○      | ○       | ○      | ○       | ○       |
| Hot-air system  | TP                  | 9.5               | 142  | ○      | ○       | ○      | ○       | ○       |
| <b>Air Conditioning</b>   |                     |                   |      |        |         |        |         |         |
| Pre-wiring for A/C  | —                   | 0                 | 172  | ○      | ○       | ○      | ○       | ○       |
| <b>Electrical installation</b>  |                     |                   |      |        |         |        |         |         |
| Additional lighting through LED spotlights                                | —                   | 2                 | 9692 | ○      | ○       | ○      | ○       | ○       |

# Optional extras

|  | Included in package | Additional weight | Code    | 410 LK | 420 QSH | 460 LE | 480 FSH | 480 QLK |
|--|---------------------|-------------------|---------|--------|---------|--------|---------|---------|
| USB port for spotlight bar   | —                   | 0                 | 9989    | ○      | ○       | ○      | ○       | ○       |
| <b>Water supply</b>  |                     |                   |         |        |         |        |         |         |
| Fresh water tank 44 l  | DP                  | 3                 | 9240    | ○      | ○       | ○      | ○       | ○       |
| Mobile 22 l waste water tank   | DP                  | 2.5               | 367     | ○      | ○       | ○      | ○       | ○       |
| Hot-water supply   | TP                  | 15                | 123     | ○      | ○       | ○      | ○       | ○       |
| Shower equipment with shower fittings and curtain                              | —                   | 5                 | 1097    | ○      | ○       | ○      | ○       | ○       |
| <b>Gas supply</b>  |                     |                   |         |        |         |        |         |         |
| Gas detection system   | —                   | 0                 | 10058   | ○      | ○       | ○      | ○       | ○       |
| <b>Packages</b>  |                     |                   |         |        |         |        |         |         |
| Dynamic Package <sup>2)</sup>  | —                   | 17.5              | 9241    | —      | ○       | —      | ○       | ○       |
| Dynamic Package <sup>2)</sup>  | —                   | 17.5              | 9242    | —      | —       | ○      | —       | —       |
| Dynamic Package <sup>2)</sup>  | —                   | 17.5              | 12359   | ○      | —       | —      | —       | —       |
| Touring Package c'joy  | —                   | 37.5              | 9243    | ○      | ○       | ○      | ○       | ○       |
| Autonomy Package I <sup>3)</sup>   | —                   | 32                | 10011   | ○      | ○       | ○      | ○       | ○       |
| Autonomy Package II  | —                   | 30                | 10012   | ○      | ○       | ○      | ○       | ○       |
| <b>Accessories - Highlights (orderable via Dethleffs Original Accessories)</b> |                     |                   |         |        |         |        |         |         |
| Retrofittable multifunctional rail   | —                   | 0                 | 3269437 | ○      | ○       | ○      | ○       | ○       |
| Caravan "cellar"   | —                   | 0                 | 3103933 | ○      | ○       | ○      | ○       | ○       |
| Organiser apron  | —                   | 0                 | 3103940 | ○      | ○       | ○      | ○       | ○       |
| Floor skirt  | —                   | 0                 | 3103943 | ○      | ○       | ○      | ○       | ○       |
| Fit cover mono axle  | —                   | 0                 | 3103953 | ○      | ○       | ○      | ○       | ○       |

○ Optional extra — Not possible ● Standard ◆ Mandatory

DP Dynamic Package TP Touring Package AP Autonomy Package