

# c'joy

## Less is more fun!

Less weight, less price, pure caravan pleasure. The c'joy has everything you need to experience great freedom. Thanks to its compact dimensions and low weight, it is also suitable for small cars and, depending on the towing vehicle, can be driven with a simple class B driving licence. Nevertheless, it offers enough space for two or more people. And all that at a low price. This makes holidays fun!

## Upholstery



+ Upholstery Timor



+ Upholstery Kapan

○

## Wood décor



+ Wood décor Tindari Bora

○ optionally available

## Technical info

Overall length, approx.	622 - 714 cm
Overall width, approx.	212 cm
Overall height, approx.	265 / - 265 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Plus factors

- + The perfect caravan for beginners: great value and it has everything you need
- + No fear of narrow passages: one of the narrowest caravans in its class with a 2.12 m width
- + Lightweight: It can be towed with a small car with standard Class B driver's licence (depending on towing vehicle)
- + Protects you from bad weather: roof, front and rear made of robust GRP
- + You don't have to make compromises: you can bring as much as you need as there is lots of storage space and high load capacity



# c'joy

## Technical info



c'joy		410 LK	420 QSH	460 LE	480 FSH	480 QLK
Standard chassis		Lightweight chassis, 1100 kg	Lightweight chassis, 1100 kg	Lightweight chassis, 1200 kg	Lightweight chassis, 1200 kg	Lightweight chassis, 1200 kg
Overall length, approx.	cm	622	625	675	708	714
Body length approx.	cm	499	503	553	593	593
Overall width, approx.	cm	212	212	212	212	212
Overall height, approx.	cm	265	265	265	265	265
Circumferential dimension awning approx.	cm	914	918	968	1008	1008
Headroom in living area, approx.	cm	198	198	198	198	198
Thickness floor / side walls / roof	mm	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28
Tire size		185 R14C 8PR	185 R14C 8PR	185 R14C 8PR	185 R14C 8PR	185 R14C 8PR
Bed dimension: Front bed, L x W, approx.	cm	190 x 140 - 115	195 x 150	190 x 100 - 90	200 x 160	190 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm		170 x 90 - 80		170 x 90	190 x 120
Bed dimension: Rear bed, L x W, approx.	cm	190 x 65 / 190 x 70 / 2x 190 x 70 ○ / 190 x 60 ○		200 x 80 / 195 x 80 / 200 - 195 x 190 ○		190 x 60 / 190 x 70 / 2x 190 x 60 ○ / 190 x 70 ○
Sleeping berths standard / max.		4 / 5 ○	3	3	3	6 / 7 ○
Unladen weight, approx.	kg	927	897	937	1002	1047
Mass in running order (+/-5%)*	kg	960	930	970	1035	1080
Maximum load, approx.	kg	140	170	230	165	120
Technically permissible maximum laden mass*	kg	1100	1100	1200	1200	1200
Heating		S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas
Refrigerator volume (thereof freezer), approx.	l	131,5 (15)	131,5 (15)	83 (8,2)	131,5 (15)	131,5 (15)
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	12 / 12	12 / 12	12 / 12	12 / 12	12 / 12
Sockets: 12 V / 230 V / USB		0 / 3 / 0	0 / 3 / 0	0 / 3 / 0	0 / 3 / 0	0 / 2 / 0

# Standard equipment

410 LK	420 QSH	460 LE	480 FSH	480 QLK
--------	---------	--------	---------	---------

	410 LK	420 QSH	460 LE	480 FSH	480 QLK
<b>Chassis</b>					
Chassis galvanised, with overrun braking system and automatic reverse	●	●	●	●	●
Tyres on steel wheels 185 R14 C 8 PR, up to and including 1.600 kg	●	●	●	●	●
<b>Chassis features</b>					
High-quality brand-name tyres, designed for a speed of 100 km/h	●	●	●	●	●
Lightweight corner steadies	●	●	●	●	●
<b>Exterior features</b>					
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium	●	●	●	●	●
Front, rear and roof made of robust GRP	●	●	●	●	●
Two-piece entrance door	●	●	●	●	●
Opening windows, insulated and double-glazed (graphite grey) with blackout and mosquito blinds	●	●	●	●	●
Storage space for 2 gas bottles with 11 kg filling weight each	●	●	●	●	●
<b>Exterior design</b>					
Sides in hammer finish, white	●	●	●	●	●
<b>Access locker doors</b>					
Access locker door rear right side 560x1150 mm	●	—	—	—	●
<b>Interior design</b>					
Upholstery Timor	●	●	●	●	●
Wood décor Tindari Bora	●	●	●	●	●
<b>Textile equipment</b>					
7-zones cold foam mattress single bed, left side, standard	—	—	●	—	—
7-zones cold foam mattress single bed, right side, standard	—	—	●	—	—
Cold foam double bed mattress	—	●	—	●	●
<b>Furniture layouts</b>					
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards	●	●	●	●	●
Bunk beds with safety net and ladder	●	—	—	—	●
Seating lounge converts to bed	●	●	●	●	●
Bunk bed with 2 sleeping berths, foldable	●	—	—	—	●
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds	●	●	●	●	●
<b>Interior features</b>					
Smoke detector	●	●	●	●	●
<b>Kitchen</b>					
Practical 3-flames cooker with manual ignition	●	●	●	●	●
Spacious fridge with 83 liters volume and 8,2 liters freezer compartment	—	—	●	—	—
Spacious refrigerator with 131.5 litre capacity and 15 litre freezer compartment	●	●	—	●	●
<b>Bathroom</b>					
Shower tray	●	●	●	●	●
Shapely washbasin	●	●	●	●	●
Skylight with mosquito net	●	●	●	●	●
<b>Heating</b>					
Gas heating S 3004 with automatic ignition	●	●	●	●	●
<b>Electrical installation</b>					
Awning light 12V	●	●	●	●	●
CEE external output socket for 230V on-board electrics	●	●	●	●	●
12 V power supply throughout vehicle	●	●	●	●	●
Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer	●	●	●	●	●
<b>Water supply</b>					
Electric water supply	●	●	●	●	●
Fresh water canister 12 l	●	●	●	●	●

# PACKAGES C'JOY

Package	Dynamic Package (13094)	Dynamic Package (13274)	Dynamic Package (13275)
Safety coupling	x	x	x
Shock absorber	x	x	x
Fresh water tank 44 l	x	x	x
Mobile 22 l waste water tank	x	x	x
Spare wheel carrier in gas locker	x	x	x
Access locker door front right side 1000x420 mm	x		
Access locker door rear right side 1000x420 mm		x	
Access locker door front right side 750x300 mm			x
Additional weight (kg)*	24.6	24.6	24.6

Package	Autonomy Package I (10011)	Autonomy Package II (10012)
Battery (95 Ah)	x	x
Battery charger	x	x
Central 12V main switch	x	x
Voltage display	x	x
Fan 12V for S 3004	x	
Additional weight (kg)*	32	30

Touring Package (9243)	
Hot-water supply	
Hot-air system	
Skylight 700 x 500 mm	
Flyscreen door	
Additional weight (kg)*	37.5

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	410 LK	420 QSH	460 LE	480 FSH	480 QLK
<b>Chassis</b>								
17" alloy wheels in Dethleffs design (single axle)	—	10	11608	○	○	○	○	○
Tyres on aluminium wheels 185 R14 C LI102, up to and including 1600 kg	—	0	836	○	○	○	○	○
<b>Weight upgrade</b>								
Weight upgrade to 1.200 kg (without chassis change)	—	0	134	○	○	—	—	—
Weight upgrade to 1.300 kg (without chassis change)	—	0	135	—	○	—	—	—
Weight upgrade to 1.360 kg (without chassis change)	—	0	9619	○	○	○	○	○
Weight upgrade to 1.500 kg	—	24	136	—	—	—	○	○
<b>Chassis features</b>								
Drawbar cover	—	2.5	13098	○	○	○	○	○
ETS Plus stabilisation system	—	5.3	10764	○	○	○	○	○
Spare tyre with alloy wheel 185 R14 C LI 102, up to and including 1.600 kg	—	17	837	—	○	—	○	○
Spare tyre with steel wheel 185 R14 C 8 PR, up to and including 1.600 kg	—	18	831	—	○	—	○	○
Wheel trims for 14" tyres	—	2	276	○	○	○	○	○
<b>Exterior features</b>								
Front window	—	4	982	●	○	●	○	○
Flyscreen door	TP	2.5	360	○	○	○	○	○
Kitchen window, sliding (change of window shape)	—	2	6406	○	○	○	○	○
Opening window in bathroom	—	3	1028	○	○	○	○	○
Rear window	—	4	1108	—	—	○	—	—
Skylight 700 x 500 mm	TP	8	11575	○	○	○	○	○
Spare wheel carrier in gas locker	DP	1	432	—	○	—	○	○
<b>Access locker doors</b>								
Access locker door front left side 1000x420 mm	—	2	6415	—	○	—	—	○
Access locker door front right side 1000x420 mm	DP	2	6416	—	○	—	○	○
Access locker door front right side 750x300 mm	DP	2	6420	○	—	—	—	—
Access locker door rear left side 1000x420 mm	—	2	6417	—	—	○	—	—
Access locker door rear right side 1000x420 mm	DP	2	6418	—	—	○	—	—
<b>Interior design</b>								
Upholstery Kapan	—	0	13226	○	○	○	○	○
<b>Furniture layouts</b>								
Bunk bed with 3 sleeping berths, not foldable	—	20	200	○	—	—	—	○
Single beds convert to double bed	—	5	685	—	—	○	—	—
<b>Multimedia</b>								
Multifunctional external connection, 12 V, 220 V, TV and SAT	—	1	611	○	○	○	○	○
Preparation for flat screen TV (antenna cable and TV bracket)	—	2	678	○	○	○	○	○
<b>Heating</b>								
Ultraheat additional heating for S 3004, electric 220 V	—	2	364	○	○	○	○	○
Fan 12V for S 3004	AP	2	177	○	○	○	○	○
Hot-air system	TP	9.5	142	○	○	○	○	○
<b>Air Conditioning</b>								
Pre-wiring for A/C	—	0	172	○	○	○	○	○
<b>Electrical installation</b>								
Additional lighting through LED spotlights	—	2	9692	○	○	○	○	○
USB port for spotlight bar	—	0	9989	○	○	○	○	○
<b>Water supply</b>								
Hot-water supply	TP	15	123	○	○	○	○	○
Fresh water tank 44 l	DP	3	9240	○	○	○	○	○
Mobile 22 l waste water tank	DP	2.5	367	○	○	○	○	○
Shower equipment with shower fittings and curtain	—	5	1097	○	○	○	○	○

# Optional equipment\*

	Included in package	Additional weight (kg)*	Code	410 LK	420 QSH	460 LE	480 FSH	480 QLK
<b>Gas supply</b>								
Gas detection system	—	0	10058	○	○	○	○	○
<b>Packages</b>								
Autonomy Package I <sup>2)</sup>	—	32	10011	○	○	○	○	○
Autonomy Package II	—	30	10012	○	○	○	○	○
Dynamic Package <sup>1)</sup>	—	24.6	13094	—	○	—	○	○
Dynamic Package <sup>1)</sup>	—	24.6	13274	—	—	○	—	—
Dynamic Package <sup>1)</sup>	—	24.6	13275	○	—	—	—	—
Touring Package	—	37.5	9243	○	○	○	○	○
<b>Miscellaneous</b>								
Registration documents	—	0	15151	◆	◆	◆	◆	◆

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication

TP Touring Package DP Dynamic Package AP Autonomy Package