

Esprit A Class



The Esprit combines modern design in Nordic style with excellent upper-class comfort. Its heated double floor with frost-proof water installation makes it a winterproof all-year-round companion. 26 cm high, it offers usable, additional storage space.

Technical info

Overall length, approx.	781 cm
Overall width, approx.	233 cm
Overall height, approx.	298 cm
Headroom in living area, approx.	205 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Kari upholstery




+ Nubia upholstery

○



+ Individual genuine leather ○



+ Rubino real leather upholstery

○

Wood décor




+ Noce Nagano wood décor


○ optionally available

Plus factors

- + Winter-proof: heated double floor with frost-protected water installation
- + Perfect driving characteristics: premium low platform chassis with 145 mm lowering and up to 4.5 t max. authorised weight
- + Big, comfortable pull-down bed (200x150 cm), electrically operated
- + Large rear garage with door on both sides, 250 kg surface load, GRP anti-slip flooring, fleece cover, lashing rails, lighting and one-hand operation
- + Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking



Esprit A Class



Esprit A Class		I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform
Emission standards		Euro VI-E	Euro VI-E	Euro VI-E	Euro VI-E
Overall length, approx.	cm	781	781	781	781
Overall width, approx.	cm	233	233	233	233
Overall height, approx.	cm	298	298	298	298
Headroom in living area, approx.	cm	205	205	205	205
Towable load braked/unbraked	kg	1750 (750)	1750 (750)	1750 (750)	1750 (750)
Wheelbase, approx.	mm	4500	4500	4500	4500
Bed dimension: Front bed, L x W, approx.	cm	200 x 150	200 x 150	200 x 150	200 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	206 x 123 - 88 ○	-	206 x 123 - 88 ○	-
Bed dimension: Rear bed, L x W, approx.	cm	200 x 160	200 x 160	215 x 80 / 220 x 80 / 210 x 200 - 193	215 x 80 / 220 x 80 / 210 x 200 - 193
Sleeping berths standard / max.		4 / 5 ○	4	4 / 5 ○	4
Standard engine		180 Multijet 3 Power	180 Multijet 3 Power	180 Multijet 3 Power	180 Multijet 3 Power
kW (bhp)		132 (180)	132 (180)	132 (180)	132 (180)
Mass in running order*	kg	3430 (3259 - 3602)*	3430 (3259 - 3602)*	3430 (3259 - 3602)*	3430 (3259 - 3602)*
Manufacturer-specified mass for optional equipment*	kg	427	447	427	447
Technically permissible maximum laden mass*	kg	4250	4250	4250	4250
Permitted number of seats (including driver)*		4 - 5 ○	4	4 - 5 ○	4
Refrigerator volume (thereof freezer), approx.	l	136 (23) / 177 (35) ○	136 (23) / 177 (35) ○	136 (23) / 177 (35) ○	136 (23) / 177 (35) ○
Waste water tank, approx.	l	156	156	156	156
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	166 / 20	166 / 20	166 / 20	166 / 20



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Esprit A Class



Esprit A Class		I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
Measurement storage opening left (W x H)	cm	100 x 105	100 x 105	100 x 80 / 100 x 110 ○	100 x 80 / 100 x 110 ○
Measurement storage opening right (W x H)	cm	100 x 105	100 x 105	100 x 80 / 100 x 110 ○	100 x 80 / 100 x 110 ○

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
--------------	--------------	-------------	--------------

Fiat chassis			
Fiat Ducato Maxi ALKO low-platform wide-track rear axle (4,250 kg) MultiJet 180 (2.2 l / 180 hp) Heavy Duty, 9-speed torque converter automatic transmission	●	●	●
Steel rims 16" (225/75 R16C) incl. wheel trims	●	●	●
Fiat chassis features			
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●	●
Anti-theft device	●	●	●
Crosswind Assist	●	●	●
Cruise control	●	●	●
Dashboard with aluminium application	●	●	●
Driver and passenger airbags	●	●	●
Driver and passenger detection	●	●	●
Emergency Brake Assist with pedestrian and cyclist detection	●	●	●
Front-wheel drive	●	●	●
Leather steering wheel and gear knob with leather sleeve	●	●	●
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	●	●	●
Wireless phone charger in the central console	●	●	●
10" DAB+ Naviceiver incl. Wireless Apple CarPlay & Android Auto, Camper Navigation and Steering Wheel Remote Control	●	●	●
Additional protection for radiator through grille at front of vehicle	●	●	●
Automatic Brake Assist after a collision	●	●	●
Captain's chair with integrated headrest, rotatable, height and tilt adjustable incl. two padded armrests	●	●	●
Cup holder in the centre of the dashboard	●	●	●
Diesel tank 90 litre incl. 19L AdBlue tank	●	●	●
Digital speedometer with large, digital 7" display	●	●	●
Driver's cab automatic A/C	●	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●	●
Pleated privacy blind in the windscreen can be adjusted horizontally and laterally for the best insulation	●	●	●
Trailer Stability Assist	●	●	●
Tyre inflation kit and towing eye	●	●	●
Exterior features			
70 cm wide habitation door with window and blind	●	●	●
Bedroom window right and left	●	●	●
Flyscreen habitation door	●	●	●
Rear moulding with third brake light, integral tail lights incl. LED strip and rear spoiler with rounded rear panel	●	●	●
Side panels and rear panel in smooth aluminium sheets	●	●	●
Double floor storage, some of which can be loaded across almost the entire vehicle width	●	●	●
Floor thickness: 43 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●
GRP roof	●	●	●
Habitation access with comfortable coupe entrance	●	●	●
Habitation access with comfortable, wide, electric step	●	●	●
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof	●	●	●
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed	●	●	●
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove	●	●	●
Skylight 40 x 40 cm above the lounge	●	●	●
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens	●	●	●
Exterior design			
Exterior body painted in white	●	●	●
Interior design			
Kari upholstery	●	●	●
Noce Nagano wood décor	●	●	●
Textile equipment			

Standard equipment

	I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●	●
Furniture layouts				
Low single-beds for comfortable access and high headroom	—	—	●	●
No steps in living room	●	●	●	●
Overhead lockers in the rear area	—	—	●	●
Shoe cabinet in entrance area	●	●	●	●
Wardrobe to the left and right of the queen-size bed	●	●	●	●
AirPlus overhead locker rear ventilation to avoid condensation	●	●	●	●
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts	●	—	●	—
Cosy lounge seating group with free-standing, rigid table base	—	●	—	●
Electric pull-down bed in the driver's cab	●	●	●	●
Floor-to-ceiling wooden sliding door to the bedroom	●	●	●	●
High-level double bed	●	●	—	—
Option to convert single beds to double bed	—	—	●	●
Overhead locker doors with soft-close function	●	●	●	●
Kitchen				
Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking	●	●	●	●
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (136 l)	●	●	●	●
Bathroom				
Additional window in bathroom	●	●	●	●
Shower panel and bathroom accessories in black	●	●	●	●
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	●	●	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	●	●	●	●
Shower grid	●	●	●	●
Heating				
Digital control element for hot-air heating	●	●	●	●
Gas hot-air heating 6kW with hot-water boiler	●	●	●	●
Heating in the seating unit for optimum heat distribution, built-in	●	●	●	●
Electrical installation				
Awning light 12 V	●	●	●	●
LED lighting throughout the vehicle	●	●	●	●
Leisure battery AGM, 95 Ah	●	●	●	●
Luxus on-board control panel	●	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●	●
Automatic switch-on/disconnect for starter battery, body battery and refrigerator	●	●	●	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●	●	●	●
Number of sockets 1x 12V, 7x 230V, 2x USB	●	●	●	●
Water supply				
Switch for water pump	●	●	●	●
Pressurised water pump system	●	●	●	●
Gas supply				
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	●	●	●	●

PACKAGES ESPRIT A CLASS

Package	Esprit GT Package White (12193)	Esprit GT Package Grey (12195)
Preparation for radio system incl. sound package in the driver's cabin	x	x
DAB+ radio antenna mounted on the roof	x	x
Driver's cab door left	x	x
Panoramic skylight 75x105 cm incl. illuminated roof lining in the lounge	x	x
Indirect ambient lighting above the overhead lockers	x	x
Rear corner steadies (2 pieces)	x	x
Electric windscreen blinds	x	x
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	x	x
Extractor fan (extracted air) with draught stopper	x	x
Integrated single-lens reversing camera	x	x
Central locking for the driver's cab, habitation and garage door	x	x
LED low beam	x	x
SKA captain seat with air suspension	x	x
Lateral sun shades, as a roller blind for driver and passenger	x	x
Panoramic skylight 75x105 cm in the bedroom	x	x
Interior design GT incl. extended kitchen back panel	x	x
Exterior design GT Advance White (A Class front partially painted black, large GT White sticker, skid plate red)	x	
Alloy wheels Dethleffs 16 "	x	x
Exterior design GT Advance Grey (A Class front partially painted black, large GT Grey sticker, skid plate red)		x
Additional weight (kg)	125	125

Package	Lithium Package 1 (7488)	Lithium Package 2 (7489)
Victron PowerAssist and PowerControl	x	x
High-current module	x	x
Electrical block EBL 111	x	x
Victron control panel above the habitation door	x	x
Victron Energy MultiPlus charging/inverter combination 1600W/70A	x	
153 Ah lithium battery	x	
307 Ah lithium battery		x
Victron Energy MultiPlus charging/inverter combination 3000W/120A		x
Additional weight (kg)	63	113



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Travel Package (12192)

Preparation for radio system incl. sound package in the driver's cabin
DAB+ radio antenna mounted on the roof
Driver's cab door left
Panoramic skylight 75x105 cm incl. illuminated roof lining in the lounge
Indirect ambient lighting above the overhead lockers
Rear corner steadies (2 pieces)
Electric windscreen blinds
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter
Extractor fan (extracted air) with draught stopper
Integrated single-lens reversing camera
Central locking for the drive's cab, habitation and garage door

Additional weight (kg)

67.5

Light Moments (11137)

Illuminated entrance handle
Indirect lighting in the bathroom with illuminated shower panel
Plinth lighting throughout the vehicle
Roof lining with indirect lighting
Kitchen back panel illuminated
Dimmable, indirect ambient lighting on the walls

Additional weight (kg)

10.5

Pre-wiring kit (11350)

Pre-wiring for solar
Pre-wiring for roof A/C
Pre-wiring for satellite system
Pre-wiring for first reversing camera
Pre-wiring for second reversing camera

Additional weight (kg)

7

△ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
Fiat chassis							
Alloy wheels Dethleffs 16 "	GT	0	8045	○	○	○	○
Weight upgrade							
Load increase 4,500 kg	—	0	1585	○	○	○	○
Fiat chassis features							
Air suspension front and rear axle (2 axles)	—	55	1796	○	○	○	○
Air suspension rear axle (2 axles)	—	45	1658	○	○	○	○
Electric windscreen blinds	TR-P, GT	8	1782	○	○	○	○
Reinforced spring for front axle	—	0	1889	○	○	○	○
SKA captain seat with air suspension	GT	36	7505	○	○	○	○
Additional seating area	—	11	435	○	—	○	—
Hydraulic lifting jacks with automatic levelling and weighing function	—	72	9663	○	○	○	○
LED low beam	GT	1.5	7152	○	○	○	○
Seat heating and ventilation of the seat area ^{20) 21)}	—	0	11147	○	○	○	○
Tow bar (check permissible gross towing weight for trailer operation)	—	35	273	○	○	○	○
Exterior features							
Bike rack for 3 bikes (lowerable)	—	10	7482	○	○	○	○
Bike rack for 3 bikes (rear)	—	9	938	○	○	○	○
Omnistor cassette awning 5.0 m (manual)	—	54	697	○	○	○	○
Panoramic skylight 75x105 cm incl. illuminated roof lining in the lounge	TR-P, GT	12	849	○	○	○	○
Interior design							
Individual genuine leather ^{20) 22)}	—	0	9785	○	○	○	○
Nubia upholstery	—	0	10442	○	○	○	○
Rubino real leather upholstery ²⁰⁾	—	0	10443	○	○	○	○
Textile equipment							
Carpet, loose	—	8	851	○	○	○	○
Furniture layouts							
Bed convert for seating lounge transverse	—	9	1944	○	—	○	—
High-level single beds incl. comfortable access via steps	—	5	652	—	—	○	○
Isofix child seat bracket for third and fourth seat facing direction of travel	—	5	8125	○	—	○	—
Overhead lockers in the driver's cab instead of pull-down bed	—	0	679	○	○	○	○
Kitchen							
Fridge (177 l), can be opened on both sides, with integrated oven	—	20	290	○	○	○	○
Extractor fan (extracted air) with draught stopper	TR-P, GT	2	344	○	○	○	○
Winter cover for refrigerator vents	—	1	282	○	○	○	○
Bathroom							
Ceramic toilet ²³⁾	—	25	7243	○	○	○	○
Macerator toilet with waste-holding tank	—	22	1625	○	○	○	○
Multimedia							
Additional 22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) ²⁴⁾	—	5	7490	○	○	○	○
Additional flat-screen TV bracket	—	3	1809	○	○	○	○
Automatic satellite system 65 Twin	—	13	7670	○	○	○	○
Flat-screen TV bracket	—	3	325	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) ²⁾	—	3	1799	○	○	○	○
32" flat-screen TV ²⁾	—	7	9807	○	○	○	○
Integrated single-lens reversing camera ⁹⁾	TR-P, GT	5	7636	○	○	○	○
Second reversing camera in rear moulding ⁹⁾	—	1	11541	○	○	○	○
Sound package in living area ¹⁸⁾	—	10	9964	○	○	○	○
Top view 360° camera	—	6	7173	○	○	○	○
Heating							
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	—	2	330	○	○	○	○
Heat exchanger for hot-water heating ¹⁵⁾	—	7	565	○	○	○	○
Hot-water carpet for the driver's cab ¹⁵⁾	—	10	6709	○	○	○	○
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	—	40	761	○	○	○	○
Air Conditioning							
Roof A/C	—	34	609	○	○	○	○
Electrical installation							
Solar power system 100 watt	—	15	922	○	○	○	○
Water supply							
Outdoor shower installed in rear garage (hot/cold water)	—	1	1574	○	○	○	○
Gas supply							
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	TR-P, GT	2	1577	○	○	○	○
Outdoor gas socket gas pressure 30 mbar	—	1	878	○	○	○	○
Safety							
2 kg fire extinguisher	—	3.5	1878	○	○	○	○
Alarm system (for door with central locking)	—	5	322	○	○	○	○
Safe	—	12.5	323	○	○	○	○
Smoke detector	—	0.5	1891	○	○	○	○
Packages							
Light Moments	—	10.5	11137	○	○	○	○
Esprit GT Package Grey ⁹⁾	—	125	12195	○	○	○	○
Esprit GT Package White ⁹⁾	—	125	12193	○	○	○	○
Lithium Package 1 ⁷⁾	—	63	7488	○	○	○	○
Lithium Package 2 ⁷⁾	—	113	7489	○	○	○	○
Pre-wiring kit	—	7	11350	○	○	○	○
Travel Package ⁹⁾	—	67.5	12192	○	○	○	○
Miscellaneous							
Registration documents	—	0	15152	◆	◆	◆	◆

○ Optional extra — Not possible ● Standard ◆ Mandatory △ Not yet known at the time of publication

GT GT Package TR-P Travel Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.