Esprit A Class



The Esprit combines modern design in Nordic style with excellent upper-class comfort. Its heated double floor with frost-proof water installation makes it a winterproof all-year-round companion. 26 cm high, it offers usable, additional storage space.

Technical info	
Overall length, approx.	781 cm
Overall width, approx.	233 cm
Overall height, approx.	298 cm
Headroom in living area, approx.	205 cm

Maximum values partly not possible for all models or only in connection with certain options.

Plus factors

- + 180 hp (136 kW) Multijet engine, 9-speed torque converter automatic transmission, automatic climate control, multifunction leather steering wheel and much more.
- + Ideal driving characteristics: Premium low-frame chassis with 145 mm lowering and up to 4.5 t gross vehicle weight
- + Absolute winter resistance due to heated raised floor with installation laid frost-protected
- + Lifetime Plus superstructure technology with absolutely rot-proof and durable wall construction
- Spacious rear garage, with doors on both sides, 250 kg surface load, anti-slip floor covering, fleece lining, lashing rails, lighting as well as one-hand operation and 2-point locking system
- Gourmet kitchen with 3-burner stove, generous drawers with soft-close retraction and central locking, cutting board, apothecary pull-out, and much more.
- + Large, comfortable pull-down bed with 200 x 150 cm lying surface, high-quality cold foam mattress and wooden slatted frame. Electrically operated



Upholstery



+ Upholstery Kari



+ Rubino real leather upholstery O



+ Real leather

+ Upholstery Nubia

Wood décor



+ Wood décor Noce Nagano

O optionally available









Esprit A Class Technical info

Esprit A Class		I 7150-2 DBM	l 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
Standard chassis		Fiat Ducato Maxi AL- KO Low Platform	Fiat Ducato Maxi AL- KO Low Platform	Fiat Ducato Maxi AL- KO Low Platform	Fiat Ducato Maxi AL- KO Low Platform
Emission standards		Euro VI-E	Euro VI-E	Euro VI-E	Euro VI-E
Overall length, approx.	cm	781	781	781	781
Overall width, approx.	cm	233	233	233	233
Overall height, approx.	cm	298 ¹⁾	298 ¹⁾	298 ¹⁾	298 ¹⁾
Headroom in living area, approx.	cm	205	205	205	205
Towable load braked/unbraked	kg	1750 / 750	1750 / 750	1750 / 750	1750 / 750
Wheelbase, approx.	mm	4500	4500	4500	4500
Bed dimension: Front bed, L x W, approx.	cm	200 x 150	200 x 150	200 x 150	200 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	206 x 123 - 88 O		206 x 123 - 88 O	
Bed dimension: Rear bed, L x W, approx.	cm	200 x 160	200 x 160	215 x 80 / 220 x 80 / 210 x 200 - 193	215 x 80 / 220 x 80 / 210 x 200 - 193
Sleeping berths standard / max.		4 / 5 O	4	4 / 5 0	4
Standard engine		180 MultiJet 3 Power	180 MultiJet 3 Power	180 MultiJet 3 Power	180 MultiJet 3 Power
kW (bhp)		132 (180)	132 (180)	132 (180)	132 (180)
Mass in running order (+/-5%) *	kg	3450 (3278 to 3623)*	3480 (3306 to 3654)*	3450 (3278 to 3623)*	3480 (3306 to 3654)*
Manufacturer-specified mass for optional equipment*	kg	437	417	427	397
Technically permissible maximum laden mass*	kg	4250	4250	4250	4250
Permitted number of seats (including driver) *		4 - 5 O	4	4 - 5 O	4
Refrigerator volume (thereof freezer), approx.	I	136 (23) / 177 (35) O	136 (23) / 177 (35) O	136 (23) / 177 (35) O	136 (23) / 177 (35) O
Waste water tank, approx.	I	156	156	156	156
Fresh water tank capacity, total/ Fresh water tank capacity driving filling	r at I	166 / 20	166 / 20	166 / 20	166 / 20
Measurement storage opening left (W x H)	cm	100 x 105	100 x 105	100 x 80 / 100 x 110 O	100 x 80 / 100 x 110 O
Measurement storage opening right (W x H)	cm	100 x 105	100 x 105	100 x 80 / 100 x 110 O	100 x 80 / 100 x 110 O

* INFO

The specified mass in running order is a default value defined in the typeapproval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

Fiat chassis				
Fiat Ducato Maxi ALKO low-platform wide-track rear axle (4,250 kg) MultiJet 180 (2.2 l / 132 kW / 180 hp) Heavy Duty, 9-speed torque converter automatic transmission	•	•	•	•
Steel rims 16" (225/75 R16C) incl. full wheel covers				
Fiat chassis features				
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	•	•	•	•
Additional protection for radiator through grille at front of vehicle				
Anti-theft device				
Automatic Brake Assist after a collision			•	
Captain seat with integrated headrest, rotatable, height and tilt adjustable incl. two padded armrests				
Crosswind Assist			•	•
Cruise control				
Cup holder in the centre of the dashboard			•	•
Dashboard with aluminium application				
Diesel tank 90 litre incl. 19L AdBlue tank	•		•	٠
Driver and passenger airbags				
Driver and passenger detection	•		•	٠
Driver's cab automatic A/C				
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	•		•	٠
Emergency Brake Assist with pedestrian and cyclist detection				
Front-wheel drive			•	
Leather steering wheel and gear knob withleather sleeve				
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)			•	
Pleated privacy blind in the windscreen can be adjusted horizontally and laterally for the best insulation				
Steering wheel with control elements			•	
Trailer Stability Assist				
Tyre inflation kit and towing eye			•	٠
Exterior features				
Dethleffs Exclusive rear light carrier with ShapeLine LED taillights, 3rd brake light integrated in rear spoiler and retracted rear wall	•	•	•	•
70 cm wide habitation door with window and blind				
Bedroom window right and left				
Double floor storage, some of which can be loaded across almost the entire vehicle width				
Floor thickness: 43 mm, side wall thickness: 34mm and roof thickness: 35 mm				
Flyscreen habitation door				
GRP roof			•	•
Habitation access with comfortable coupe entrance				
Habitation access with comfortable, wide, electric step	•		•	•
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof	•	•	•	•
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed	•		•	
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove	•	•	•	•
Side panels and rear panel in smooth aluminium sheets			•	٠
Skylight 40 x 40 cm above the seating lounge				
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens				
Exterior design				
Exterior body painted in white				
	,	,		
Interior design		<u> </u>		
Upholstery Kari	•	•		•
Wood décor Noce Nagano				
Textile equipment				

Standard aquipmont	DBM	DBL	EB	EBL
Standard equipment	I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBI
Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material				•
- Furniture layouts				
AirPlus overhead locker rear ventilation to avoid condensation				
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts				
Cosy lounge seating group with free-standing, rigid table base	_		_	
Double bed high			_	_
Electric pull-down bed in the driver's cab				
Floor-to-ceiling wooden sliding door to the bedroom	•			
Low single-beds for comfortable access and high headroom	_	—		
No steps in living room	•		•	
Option to convert single beds to double bed	—	—		
Overhead locker doors with soft-close function	•			٠
Overhead lockers in the rear area	-	—		
Shoe cabinet in entrance area				٠
Wardrobe to the left and right of the queen-size bed				
Kitchen				
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (136 l)	•	•	•	•
Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking	•	•	•	٠
Bathroom				
Additional window in bathroom	•	•	•	•
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head				
Large bathroom with separate shower and toilet with locking door to the lounge	•	•	•	
Shower grid	-		—	
Shower grid	•	-	•	-
Shower panel and bathroom accessories in black				
- Heating				
Digital control element for hot-air heating	•	•	•	•
Gas hot-air heating 6kW with hot-water boiler	•	•	•	
Heating in the seating unit for optimum heat distribution, built-in				
- Electrical installation				
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	•	•	•	•
Awning light 12 V	•		•	٠
Electric block with integrated overvoltage protection and separate ground fault circuit breaker				
LED lighting throughout the vehicle				
Leisure battery AGM, 95 Ah				
Luxus on-board control panel				
Number of sockets 1x 12V, 7x 230V, 2x USB				
Spotlights in the roof lining above the habitation door	•			
Water supply				
Pressurized water pump system	•	•	•	•
Switch for water pump				
Gas supply				
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	•		•	٠

PACKAGES ESPRIT A CLASS

Package	Dual Battery System Package 1 (7488)	Dual Battery System Package 2 (7489)
Victron PowerAssist and PowerControl	Х	Х
Electric block EBL 102	Х	Х
Victron control panel above the habitation door	Х	Х
Victron Energy MultiPlus charging/inverter combination 1600W/70A	Х	
168 Ah lithium battery	Х	
Victron Energy MultiPlus charging/inverter combination 3000W/120A		Х
336 Ah lithium battery		Х
Additional weight (kg)*	63	113

Travel Package (12192)

Preparation for radio system incl. sound package in the driver's cabin	
DAB+ radio antenna mounted on the roof	
Driver's cab door left	
Panoramic skylight 75x105 cm above the seating lounge	
Indirect ambient lighting above the overhead lockers	
Rear corner steadies (2 pieces)	
Electric windscreen blinds	
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	
Extractor fan (extracted air) with draught stopper	
Integrated single-lens reversing camera	
Central locking for the drive's cab, habitation and garage door	
Additional weight (kg)*	67.5

Light Moments (11137)

Illuminated entrance handle Indirect lighting in the bathroom with illuminated shower panel Pedestal lighting throughout the vehicle Roof lining with indirect lighting Kitchen back panel illuminated Dimmable, indirect ambient lighting on the walls

Additional weight (kg)*



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

11

Esprit GT Advance (13993)

Preparation for radio system incl. sound package in the driver's cabin DAB+ radio antenna mounted on the roof Driver's cab door left Panoramic skylight 75x105 cm above the seating lounge Indirect ambient lighting above the overhead lockers Rear corner steadies (2 pieces) Electric windscreen blinds Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter Extractor fan (extracted air) with draught stopper Integrated single-lens reversing camera Central locking for the drive's cab, habitation and garage door LED low beam Lateral sun shades, as a roller blind for driver and passenger Panorama skylight 70 x 50 cm in the bedroom Interior design GT incl. extended kitchen back panel Exterior design GT Advance (rear light moulding with black diffuser, I-front paint partially black, radiator grille with chrome piping, skidplate "red") Alloy wheels Dethleffs 16 " High characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights, 3rd brake light integrated in rear spoiler and retracted rear wall. Additional weight (kg) 73.8

Pre-wiring kit (11350)

Pre-wiring for solar Pre-wiring for roof A/C Pre-wiring for satellite system Pre-wiring for first reversing camera Pre-wiring for second reversing camera

Additional weight (kg)³

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

7.6

Optional equipment [*]	Included in package	Additional weight (kg)*	Code	I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	1 7150-2 EBL
Fiat chassis							
Alloy wheels Dethleffs 16 "	GT	-9.4	8045	0	0	0	0
Weight upgrade							
Weight upgrade 4,500 kg	_	0	1585	0	0	0	0
Fiat chassis features							
Additional seat ¹³⁾	_	17	435	0	-	0	_
Electric windscreen blinds	TR-P, GT	7	1782	0	0	0	0
Hydraulic lifting jacks with automatic levelling and weighing function	—	70	9663	0	0	0	0
LED low beam	GT	0.5	7152	0	0	0	0
Reinforced spring for front axle	_	3.75	1889	0	0	0	0
SKA captain seat with air suspension		20	7505	0	0	0	0
Seat heating and ventilation of the seat area ^{19) 20)}	-	0	11147	0	0	0	0
Tow bar (check permissible gross towing weight for trailer operation)	—	30	273	0	0	0	0
Exterior features							
Bike rack for 3 bikes (lowerable)	_	20.7	7482	0	0	0	0
Bike rack for 3 bikes (rear)		10.5	938	0	0	0	0
Omnistor cassette awning 5.0 m (manual)		40	697	0	0	0	0
Panoramic skylight 75x105 cm above the seating lounge	TR-P, GT	16.5	849	0	0	0	0
Interior design							
Real leather individual ^{19) 21)}		0	9785	0	0	0	0
Rubino real leather upholstery ¹⁹⁾	—	0	10443	0	0	0	0
Upholstery Nubia	_	0	10442	0	0	0	0
Textile equipment							
Carpet, loose	_	9.7	851	0	-	-	_
Carpet, loose	_	10	851	—	—	—	0
Carpet, loose	_	10.7	851	-	0	-	-
Carpet, loose	_	8.2	851	—	—	0	—
Furniture layouts							
Bed construction seating group transverse incl. lowerable table base	_	15.3	1944	0	_	0	_
High-level single beds incl. comfortable access via steps	_	24.5	652	-	-	0	0
ISOFIX child seat bracket for third and fourth seat facing direction of travel		4	8125	0	—	0	_
Overhead lockers in the driver's cab instead of pull-down bed	-	-40	679	0	0	0	0
Kitchen							
Extractor fan (extracted air) with draught stopper	TR-P, GT	1.5	344	0	0	0	0
Fridge (177 I), can be opened on both sides, with integrated oven	_	16	290	0	0	0	0
Winter cover for refrigerator vents	_	0.3	282	0	0	0	0
Bathroom							
Ceramic toilet ²²⁾	_	9.1	7243	0	0	0	0
Macerator toilet with waste-holding tank	_	44	1625	_	0		0



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment [*]	Included in package	Additional weight (kg)*	Code	I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) $^{8)}$	—	3.2	1799	0	0	0	0
32" flat-screen TV ⁸⁾	—	8	9807	0	0	0	0
Additional 22" flat-screen TV (incl. DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) $^{25)}$	—	3.5	7490	0	0	0	0
Additional flat-screen TV bracket	—	2	1809	0	0	0	0
Automatic satellite system 85 Twin	—	16	1637	0	0	0	0
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel	—	3.65	9582	0	0	0	0
Flat-screen TV bracket	—	2	325	0	0	0	0
Integrated single-lens reversing camera ²⁴⁾	TR-P, GT	1	7636	0	0	0	0
Second reversing camera in rear moulding ²⁴⁾	—	1	11541	0	0	0	0
Sound package in living area ²³⁾	_	9	9964	0	0	0	0
Top View 360° HD camera ²⁶⁾	—	4.5	7173	0	0	0	0
Heating							
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	-	1	330	0	0	0	0
Heat exchanger for hot-water heating ¹⁸⁾	_	7.5	565	0	0	0	0
Hot-water carpet for the driver's cab ¹⁸⁾	—	3.5	6709	0	0	0	0
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	_	40	761	0	0	0	0
Air Conditioning							
Roof A/C	_	38.5	609	0	0	0	0
Electrical installation							
Solar power system 100 watt	_	12.6	922	0	0	0	0
Water supply							
Outdoor shower installed in rear garage (hot/cold water)	_	2.4	1574	0	0	0	0
Gas supply							
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	TR-P, GT	2.5	1577	0	0	0	0
Outdoor gas socket gas pressure 30 mbar	—	1.3	878	0	0	0	0
Safety							
2 kg fire extinguisher	_	4	1878	0	0	0	0
Alarm system (for door with central locking)	_	0.5	322	0	0	0	0
Safe	_	4.7	323	_	0		_
Packages							
Dual Battery System Package 1 ¹¹⁾	_	63	7488	0	0	0	0
Dual Battery System Package 2 ¹¹⁾	_	113	7489	0	0	0	0
Esprit GT Advance ²⁴⁾	_	73.8	13993	0	0	0	0
Light Moments	_	11	11137	0	0	0	0
Pre-wiring kit	_	7.6	11350	0	0	0	0
Travel Package ²⁴⁾	_	67.5	12192	0	0	0	0
Miscellaneous							
Registration documents (CoC papers)	_	0	15152	*	٠	٠	*

🔿 Optional equipment — Not possible 🔹 Standard equipment 🔶 Mandatory 🛆 Not known at the time of publication

GT GT Package TR-P Travel Package

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and


explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footpates footnotes.

IMPORTANT INFORMATION FOR THE SELECTION OF YOUR MOTORHOMES

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Dethleffs specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.



Low Profile model overview


		Model 1	Model 2
Standard chassis		Fiat Ducato	Fiat Ducato
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	695
Overall width, approx.	cm	220	220
Overall height, approx.	cm	281	281
technically permissible maximum laden mass	kg	3499	3499
Mass in running order	kg	2.890 (2.746 - 3.035)*	2.982 (2.833 - 3.131)*
Permitted number of seats (including driver)		4	4
Manufacturer-specified mass for optional equipment	kg	245	149

2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is \pm 5 %. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Dethleffs weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you. Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

3. The permitted number of seats (including driver)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information" section




Low Profile model overview

		Model 1	Model 2
Standard chassis		Fiat Ducato	Fiat Ducato
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	695
Overall width, approx.	cm	220	220
Overall height, approx.	cm	281	281
technically permissible maximum laden mass	kg	3499	3499
Mass in running order	kg	2.890 (2.746 - 3.035)*	2.982 (2.833 - 3.131)*
Permitted number of seats (including driver)		4	4
Manufacturer-specified mass for optional equipment	kg	245	149

4. The manufacturer-specified mass for optional equipment...

... is a value set by Dethleffs per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle. Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.



5. 5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment."