

# Trend Low Profile




The bestseller in the Dethleffs model programme has been completely revised: Modern design, extensive standard equipment and practical new functions make the Trend the undisputed price/performance winner. A special comfort feature is the stepless IsoProtect living area floor, which extends from the driver's cabin to the bathroom. As a Low Profile model, the Trend has an opening window in the driver's cab bonnet as standard, for an airy, light-flooded interior.

## Technical info

Overall length, approx.	699 - 741 cm
Overall width, approx.	233 cm
Overall height, approx.	300 cm
Headroom in living area, approx.	205 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Upholstery




+ Upholstery Saros



+ Heron partial faux leather upholstery

○



+ Upholstery Yoko

○

## Wood décor




+ Wood décor Ashton

○ optionally available


## Plus factors

- + Lifetime Smart superstructure - with wood-free, GRP-clad underbody
- + Aerodynamic T-hood with pop-up window as standard
- + Exclusive rear design with top-entry rear wall, ShapeLine LED tail lights and 3rd brake light integrated into the rear spoiler
- + Large rear garage can be loaded on both sides, one-hand operation of the garage doors, lighting, 230 V socket and sturdy lashing rails
- + 70 cm wide habitation door with convenient coupe entrance
- + Level Iso-Protect comfort flooring in the living area without landings or steps
- + New overhead locker concept with handleless fronts and large storage volume incl. AirPlus overhead locker rear ventilation
- + Sleeping area: Outstanding sleeping comfort with 150 mm thick Evopore cold foam mattresses



# Trend Low Profile

## Technical info



Trend Low Profile		T 6817 EB	T 6877	T 7057 EB	T 7057 DBL
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6d Final	Euro 6d Final	Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	699	699	741	741
Overall width, approx.	cm	233	233	233	233
Overall height, approx.	cm	300 <sup>1)</sup>	300 <sup>1)</sup>	300 <sup>1)</sup>	300 <sup>1)</sup>
Headroom in living area, approx.	cm	205	205	205	205
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	3800	3800	4035	4035
Bed dimension: Front bed, L x W, approx.	cm	198 x 140 - 112 ○	198 x 140 ○	198 x 140 - 120 ○	198 x 140 ○
Bed dimension: Central / middle bed, L X W, approx.	cm	206 x 100 - 65 ○	210 x 118 - 80 ○	210 x 118 - 80 ○	206 x 110 - 88 ○
Bed dimension: Rear bed, L x W, approx.	cm	207 x 80 / 194 x 80 / 211 x 192 ○	212 x 162	214 x 80 / 212 x 80 / 211 x 201 ○	195 x 150
Sleeping berths standard / max.		2 / 5 ○	2 / 5 ○	2 / 5 ○	2 / 5 ○
Standard engine		140 Multijet 3	140 Multijet 3	140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)	103 (140)
Mass in running order (+/-5%)*	kg	△	△	2890 (2746 to 3035)*	2925 (2779 to 3071)*
Manufacturer-specified mass for optional equipment*	kg	△	△	270	235
Technically permissible maximum laden mass*	kg	3499	3499	3499	3499
Permitted number of seats (including driver)*		4	4 - 5 ○	4 - 5 ○	4
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○
Waste water tank, approx.	l	90	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20	116 / 20	116 / 20	116 / 20
Measurement storage opening left (W x H)	cm	85 x 75 / 85 x 110 ○	85 x 110	90 x 75 / 90 x 110 ○	90 x 110




\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm 5\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Trend Low Profile

## Technical info



Trend Low Profile		T 6817 EB	T 6877	T 7057 EB	T 7057 DBL
Measurement storage opening right (W x H)	cm	85 x 75 / 85 x 110 ○	85 x 110	90 x 75 / 90 x 110 ○	90 x 110



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm 5\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Trend Low Profile

## Technical info



Trend Low Profile		T 7057 EBL
Standard chassis		Fiat Ducato Light Low Platform
Emission standards		Euro 6d Final
Overall length, approx.	cm	741
Overall width, approx.	cm	233
Overall height, approx.	cm	300 <sup>1)</sup>
Headroom in living area, approx.	cm	205
Towable load braked/unbraked	kg	2000 / 750
Wheelbase, approx.	mm	4035
Bed dimension: Front bed, L x W, approx.	cm	198 x 140 ○
Bed dimension: Central / middle bed, L X W, approx.	cm	206 x 110 - 88 ○
Bed dimension: Rear bed, L x W, approx.	cm	211 x 80 / 207 x 80 / 211 x 198 ○
Sleeping berths standard / max.		2 / 5 ○
Standard engine		140 Multijet 3
kW (bhp)		103 (140)
Mass in running order (+/-5%)*	kg	2925 (2779 to 3071)*
Manufacturer-specified mass for optional equipment*	kg	235
Technically permissible maximum laden mass*	kg	3499
Permitted number of seats (including driver)*		4
Refrigerator volume (thereof freezer), approx.	l	137 (15) / 137 (15) ○
Waste water tank, approx.	l	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20
Measurement storage opening left (W x H)	cm	90 x 75 / 90 x 110 ○
Measurement storage opening right (W x H)	cm	90 x 75 / 90 x 110 ○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Standard equipment

	T 6817 EB	T 6877	T 7057 EB	T 7057 DBL	T 7057 EBL
<b>Fiat chassis</b>					
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 6-speed manual transmission	●	●	●	●	●
Steel rims 15" (215/70 R15C) incl. full wheel covers	●	●	●	●	●
<b>Fiat chassis features</b>					
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●	●	●	●
Anti-theft device	●	●	●	●	●
Automatic Brake Assist after a collision	●	●	●	●	●
Bumper painted in white	●	●	●	●	●
Captain seats for driver and front passenger, swivel function	●	●	●	●	●
Crosswind Assist	●	●	●	●	●
Cruise control	●	●	●	●	●
Cup holder in the centre of the dashboard	●	●	●	●	●
DAB+ radio antenna integrated into right exterior mirror	●	●	●	●	●
Daytime running lights integrated into headlights	●	●	●	●	●
Diesel tank 75 litre incl. 19L AdBlue tank	●	●	●	●	●
Driver and passenger airbags	●	●	●	●	●
Driver and passenger detection	●	●	●	●	●
Driver's cab manual A/C	●	●	●	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●	●	●	●
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator	●	●	●	●	●
Exterior colour chassis white	●	●	●	●	●
Front-wheel drive	●	●	●	●	●
GRP lightweight leaf spring	●	●	●	●	●
Height and tilt adjustment and double armrests for driver and passenger seat	●	●	●	●	●
Leather steering wheel and gear knob with leather sleeve	●	●	●	●	●
Padded double armrests, fabric cover	●	●	●	●	●
Trailer Stability Assist	●	●	●	●	●
Tyre inflation kit and towing eye	●	●	●	●	●
Widened rear axle	●	●	●	●	●
<b>Exterior features</b>					
Dethleffs Exclusive rear light carrier with ShapeLine LED taillights, 3rd brake light integrated in rear spoiler and retracted rear wall	●	●	●	●	●
70 cm wide habitation door	●	●	●	●	●
Bedroom window right and left	●	●	●	●	●
EPS insulation	●	●	●	●	●
Even Iso-Protect comfort floor in the living area without landings	●	●	●	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●	●	●
Flyscreen habitation door	●	●	●	●	●
GRP roof	●	●	●	●	●
Habitation access with comfortable coupe entrance	●	●	●	●	●
Habitation access with comfortable, wide, electric step	●	●	●	●	●
Lifetime Smart construction technology: rot-free floor construction with no wood inserts, with GRP cladding on the underslung and roof	●	●	●	●	●
Opening window in T-hood	●	●	●	●	●
Panorama skylight 70 x 50 cm in the living area	●	●	●	●	●
Rear garage: two garage door/hatches with one-hand operation, rear lowering (150 kg surface load), heated, with lashing rails, illuminated, 1 x 230 V socket	●	●	●	●	●
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	●	●	●	●	●
<b>Exterior design</b>					
Exterior body painted in white	●	●	●	●	●
<b>Interior design</b>					
Upholstery Saros	●	●	●	●	●
Wood décor Ashton	●	●	●	●	●
<b>Textile equipment</b>					

# Standard equipment

	T 6817 EB	T 6877	T 7057 EB	T 7057 DBL	T 7057 EBL
Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●	●	●
<b>Furniture layouts</b>					
AirPlus overhead locker rear ventilation to avoid condensation	●	●	●	●	●
Comfortable lounge seating group with 2 folding seats incl. 3-point belts incl. Isofix and free-standing, rigid table base	—	—	—	●	●
Double bed high in the rear, transverse	—	●	—	—	—
Floor-to-ceiling closet with pull-out step for convenient access to the bed	—	●	—	—	—
Floor-to-ceiling wooden sliding door to the bedroom	—	—	●	●	●
Front hood extension with plenty of storage space and two practical tensioning nets each on the right and left	●	●	●	●	●
Height-adjustable double bed	—	—	—	●	—
Low single-beds for comfortable access and high headroom	●	—	●	—	●
Modern entrance shelf with practical storage compartments and tension straps	●	●	●	●	●
Multifunctional storage space underneath the double bed incl. wardrobe, accessible from inside and outside, illuminated, bed frame adjustable	—	●	—	—	—
Overhead locker doors with soft-close function	●	●	●	●	●
Overhead lockers in the rear area	●	—	●	—	●
Seating area with mountable and extendible table and two integrated 3-point seatbelts	●	●	●	—	—
Two practical tension nets under the overhead locker in the rear bed	●	●	●	●	●
Two practical tension nets under the overhead locker in the rear bed	●	●	●	●	●
Wardrobe to the left and right of the queen-size bed	—	—	—	●	—
<b>Kitchen</b>					
Fridge (137 l)	●	●	●	●	●
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	●	●	●	●	●
Kitchen backsplash with spice rule	●	●	●	●	●
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	●	●	●	●	●
<b>Bathroom</b>					
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	●	●	●	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	—	—	●	●	●
<b>Heating</b>					
Digital control element for hot-air heating	●	●	●	●	●
Gas hot-air heating 6kW with hot-water boiler	●	●	●	●	●
Heating in the seating unit for optimum heat distribution, built-in	●	●	●	●	●
<b>Electrical installation</b>					
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	●	●	●	●	●
Awning light 12 V	●	●	●	●	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●	●	●	●	●
Functional lighting (surface-mounted and recessed spotlights)	●	●	●	●	●
LED lighting throughout the vehicle	●	●	●	●	●
Leisure battery AGM, 95 Ah	●	●	●	●	●
Number of sockets 1x 12V, 8x 230V, 4x USB	●	●	●	●	●
On-board control panel	●	●	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●	●	●
<b>Water supply</b>					
Fresh water tank in insulated and heated area	●	●	●	●	●
Submersible pump	●	●	●	●	●
<b>Gas supply</b>					
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	●	●	●	●	●

## PACKAGES TREND LOW PROFILE

Package	Package X (4m awning) (13734)	Package X (awning 4.5 m) (13734)	Package One (4m awning) (13732)	Package One (4.5m awning) (13732)	Package Two (4m awning) (13733)	Package Two (4.5m awning) (13733)
Integrated single-lens reversing camera	x	x	x	x	x	x
Omnistor cassette awning 4.0 m (manual)	x		x		x	
Omnistor cassette awning 4.5 m (manual)		x		x		x
Flat-screen TV bracket			x	x	x	x
Automatic HD satellite system 65 Twin			x	x	x	x
Flat screen 22" HD TV (incl. DVD player, HDMI, DVB-S2 satellite receiver and terrestrial DVB-T2 receiver)			x	x		
Flat screen 32" HD TV (incl. DVD player, HDMI, DVB-S2 satellite receiver and terrestrial DVB-T2 receiver)					x	x
Additional weight (kg)*	35	39	51.5	55.5	54.5	58.5

Package	Family Package T 6817, 7057 EB (13730)	Family Package T 6877 (13730)	Family Package T 7057 EBL (13730)	Family Package T 7057 DBL (13730)
Habitation door with window incl. blackout and central locking (incl. cab door)	x	x	x	x
Cab blackout blinds	x	x	x	x
Preparation for radio system incl. sound package in the driver's cabin	x	x	x	x
Indirect ambient lighting above the overhead lockers	x	x	x	x
Indirect ambient lighting on the walls	x	x	x	x
Kitchen back panel illuminated	x	x	x	x
Indirect lighting in the bathroom with illuminated shower panel	x	x	x	x
Entrance segment with indirect lighting	x	x	x	x
Clad seat chest side with indirect lighting	x	x		
Cosy L-shaped seating group with free-standing, lowerable table base and 2 integrated 3-point belts	x	x		
Option to convert single beds to double bed	x		x	
Additional weight (kg)*	28.3	20.8	18.8	11.3



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Package	Winter Comfort Package ALDE T (13736)	Winter Comfort Package ALDE T (13736)
Switch for water pump	x	x
Insulated under-floor pipes	x	x
Insulated waste water tank	x	x
Waste water tank and pipes electrically heated	x	x
Hot-water carpet for the driver's cab	x	x
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	x	
XPS insulation	x	
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel		x
XPS insulation		x
Additional weight (kg)*	67.2	69.2

Package	Winter Comfort Package hot-air heating (13735)	Winter Comfort Package hot-air heating (13735)
Switch for water pump	x	x
Insulated under-floor pipes	x	x
Insulated waste water tank	x	x
Waste water tank and pipes electrically heated	x	x
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	x	x
XPS insulation	x	
XPS insulation		x
Additional weight (kg)*	24.7	25.7



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



Package	Chassis Package (13729)	GT Package (13731)
Electric parking brake	x	x
Dashboard with aluminium application	x	x
Driver's cab automatic A/C	x	x
LED daytime running lights	x	x
Steering wheel with control elements	x	x
Diesel tank 90 litre incl. 19L AdBlue tank	x	x
Headlights with black rim	x	x
Front grille, high-gloss black with chrome trim	x	x
Skid plate high-gloss black	x	x
Alloy wheel Fiat 16 "	x	x
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens		x
Exterior design GT Advance (high rear light moulding with black diffuser, front I-paint partly black, radiator grille with chrome piping, skidplate "red")		x
Additional weight (kg)*	24.5	26.5

#### Assistance Package Fiat (12109)

Lane Keep Assist  
 Light Assist  
 High Beam Assist  
 Emergency Brake Assist with pedestrian and cyclist detection  
 Rain sensor  
 Traffic Sign Assist

Additional weight (kg)\*

0.5

#### Pre-wiring kit (11350)

Pre-wiring for solar  
 Pre-wiring for roof A/C  
 Pre-wiring for satellite system  
 Pre-wiring for first reversing camera  
 Pre-wiring for second reversing camera

Additional weight (kg)\*

7.6

△ Not known at the time of publication



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Optional equipment\*\*

Included in package	Additional weight (kg)*	Code	T 6817 EB	T 6877	T 7057 EB	T 7057 DBL	T 7057 EBL
---------------------	-------------------------	------	-----------	--------	-----------	------------	------------

Fiat chassis							
Alloy wheel Fiat 16 "	CH-P, GT-P	20	8922	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 9-speed torque converter automatic transmission	—	35	140A	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 6-speed manual transmission	—	0	180S	—	—	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 9-speed torque converter automatic transmission	—	35	180A	○	○	○	○
Fiat Ducato Maxi low platform (4,250 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 6-speed manual transmission	—	40	M180S	○	○	○	○
Fiat Ducato Maxi low platform (4,250 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 9-speed torque converter automatic transmission	—	40	M180A	○	○	○	○
Weight upgrade							
Weight upgrade 3,650 kg	—	0	10769	○	○	○	○
Fiat chassis features							
Additional seat <sup>13)</sup>	—	14.5	435	—	○	○	—
Rear corner steadies (2 pieces)	—	6	390	○	○	○	○
Tow bar (check permissible gross towing weight for trailer operation)	—	65	273	○	○	—	—
Tow bar (check permissible gross towing weight for trailer operation)	—	66	273	—	—	○	○
Exterior features							
Bike rack for 3 bikes (lowerable)	—	20.7	7482	○	○	○	○
Bike rack for 3 bikes (rear)	—	10.5	938	○	○	○	○
Double floor in rear garage	—	13	1890	—	○	—	—
Double floor in rear garage	—	12	1890	○	—	○	○
Roof vent with fan	—	1.5	7507	○	○	○	○
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens	GT-P	1	415	○	○	○	○
Interior design							
Heron partial faux leather upholstery	—	0	13726	○	○	○	○
Upholstery Yoko	—	0	13725	○	○	○	○
Textile equipment							
Carpet, loose	—	5.9	851	○	—	—	—
Carpet, loose	—	5.3	851	—	○	—	—
Carpet, loose	—	6.8	851	—	—	○	—
Carpet, loose	—	8.3	851	—	—	—	○
Carpet, loose	—	7.3	851	—	—	—	○
Furniture layouts							
Bed convert for seating lounge transverse	—	7	1944	○	—	—	—
Bed convert for seating lounge transverse	—	5.5	1944	—	○	—	—
Bed convert for seating lounge transverse	—	8	1944	—	—	○	—
Bed convert for seating lounge transverse	—	5	1944	—	—	—	○
Electric pull-down bed across the seating unit <sup>17)</sup>	—	65	13738	○	—	○	—
Electric pull-down bed across the seating unit <sup>17)</sup>	—	68	13738	—	○	—	—
Electric pull-down bed across the seating unit <sup>17)</sup>	—	71	13738	—	—	—	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

## Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	T 6817 EB	T 6877	T 7057 EB	T 7057 DBL	T 7057 EBL
High-level single beds incl. comfortable access via steps	—	2.5	652	○	—	○	—	○
ISOFIX child seat bracket for third and fourth seat facing direction of travel	—	4	8125	○	○	○	—	—
Option to convert single beds to double bed	FA-P	7.5	1883	○	—	○	—	○
<b>Kitchen</b>								
Fridge (137 l) with integrated oven	—	12	290	—	—	○	—	—
Fridge (137 l) with integrated oven	—	11	290	—	—	—	○	○
<b>Bathroom</b>								
Additional window in bathroom	—	5	372	○	○	○	○	○
Shower grid	—	2	1657	○	○	○	○	○
<b>Multimedia</b>								
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel	—	3.65	9582	○	○	○	○	○
Second reversing camera in rear moulding	—	1	11541	○	○	○	○	○
<b>Heating</b>								
Floor heating electric (partial) <sup>10)</sup>	—	5	763	○	○	○	○	○
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	WI-KO	1	330	○	○	○	○	○
Heat exchanger for hot-water heating <sup>18)</sup>	—	7.5	565	○	○	○	○	○
Hot-water carpet for the driver's cab <sup>18)</sup>	WI-KO	3.5	6709	○	○	○	○	○
Hot-water floor heating <sup>18)</sup>	—	11	1603	○	○	○	○	○
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	WI-KO	40	761	○	○	—	—	—
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	WI-KO	41	761	—	—	○	○	○
<b>Electrical installation</b>								
2nd Leisure battery Dual Battery System (Lithium), 140 Ah <sup>11)</sup>	—	19	13968	○	○	○	○	○
Second leisure battery AGM, 95 Ah	—	27	830	○	○	○	○	○
Solar power system 100 watt	—	12.6	922	○	○	○	○	○
<b>Water supply</b>								
Insulated waste water tank	WI-KO	11	13742	○	○	○	○	○
Outdoor shower (cold water)	—	0.5	793	○	○	○	○	○
Switch for water pump	WI-KO	0.2	397	○	○	○	○	○
<b>Gas supply</b>								
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	—	2.5	1577	○	○	○	○	○
<b>Safety</b>								
2 kg fire extinguisher	—	4	1878	○	○	○	○	○
Safe	—	4.7	13739	○	○	○	○	○
Smoke detector	—	0.2	1891	○	○	○	○	○
<b>Packages</b>								
Assistance Package Fiat	—	0.5	12109	○	○	○	○	○
Chassis Package	—	24.5	13729	○	○	○	○	○
Family Package T 6817, 7057 EB	—	28.3	13730	○	—	○	—	—
Family Package T 6877	—	20.8	13730	—	○	—	—	—



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	T 6817 EB	T 6877	T 7057 EB	T 7057 DBL	T 7057 EBL
Family Package T 7057 DBL	—	11.3	13730	—	—	—	○	—
Family Package T 7057 EBL	—	18.8	13730	—	—	—	—	○
GT Package	—	26.5	13731	○	○	○	○	○
Package One (4.5m awning)	—	55.5	13732	—	—	○	○	○
Package One (4m awning)	—	51.5	13732	○	○	—	—	—
Package Two (4.5m awning)	—	58.5	13733	—	—	○	○	○
Package Two (4m awning)	—	54.5	13733	○	○	—	—	—
Package X (4m awning)	—	35	13734	○	○	—	—	—
Package X (awning 4.5 m)	—	39	13734	—	—	○	○	○
Pre-wiring kit	—	7.6	11350	○	○	○	○	○
Winter Comfort Package ALDE T	—	67.2	13736	○	○	—	—	—
Winter Comfort Package ALDE T	—	69.2	13736	—	—	○	○	○
Winter Comfort Package hot-air heating	—	24.7	13735	○	○	—	—	—
Winter Comfort Package hot-air heating	—	25.7	13735	—	—	○	○	○
<b>Miscellaneous</b>								
Registration documents (CoC papers)	—	0	15152	◆	◆	◆	◆	◆

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory ▲ Not known at the time of publication

CH-P Chassis Package GT-P GT Package FA-P Family Package WI-KO Winter Comfort Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and


explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

# IMPORTANT INFORMATION FOR THE SELECTION OF YOUR MOTORHOMES

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

## 1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Dethleffs specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.



### Low Profile model overview

		Model 1	Model 2
Standard chassis		Fiat Ducato	Fiat Ducato
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	695
Overall width, approx.	cm	220	220
Overall height, approx.	cm	281	281
technically permissible maximum laden mass	kg	3499	3499
Mass in running order	kg	2.890 (2.746 - 3.035)*	2.982 (2.833 - 3.131)*
Permitted number of seats (including driver)		4	4
Manufacturer-specified mass for optional equipment	kg	245	149

## 2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is  $\pm 5\%$ . The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Dethleffs weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you. Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

### 3. The permitted number of seats (including driver)...

...is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information" section



### Low Profile model overview

		Model 1	Model 2
Standard chassis		Fiat Ducato	Fiat Ducato
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	695
Overall width, approx.	cm	220	220
Overall height, approx.	cm	281	281
technically permissible maximum laden mass	kg	3499	3499
Mass in running order	kg	2.890 (2.746 - 3.035)*	2.982 (2.833 - 3.131)*
● Permitted number of seats (including driver)		4	4
● Manufacturer-specified mass for optional equipment	kg	245	149

### 4. The manufacturer-specified mass for optional equipment...

... is a value set by Dethleffs per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.

### Optional extra

		Price €	Additional weight	Code	Model 1	Model 2
<b>Bathroom</b>						
Shower grid	—	359,-	9	1385	—	○
Additional window in bathroom	—	269,-	5	9845	○	○
<b>Multimedia</b>						
Automatic HD satellite system 65 Twin	—	549,-	15	713	○	—
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel		238,-	1.5	1657	○	●

### 5.5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment."