Globevan (Fiat)



based on Fiat

The Globevan is a real urban camper. It is so compact and flexible that it is just as convincing in everyday family life as on a camping trip! With an overall length of only 496 cm and a height of 199 cm, the Globevan fits in normal parking spaces and even in parking buildings. It offers up to 4 seats - and 4 sleeping berths when camping on the weekend - with foldable gas stove, fresh water tank and diesel heating.

Upholstery



+ Seat cover in decor Cran Blue

Wood décor



+ Wood décor Noce Nagano

Technical info

Overall length, approx.	496 cm
Overall width, approx.	201 cm
Overall height, approx.	199 / 199 cm

Maximum values partly not possible for all models or only in connection with certain options.

Plus factors

- Panorama view pop-up roof, optionally with roof racks (custom Parts)
- + Variable interior concept with rail floor
- + Flexible kitchen module with multifunction table
- + Roof rails on both sides for awning mounting or other accessories
- + High quality floor

Globevan (Fiat) Technical info



Globevan (Fiat)		
Standard chassis		Fiat Ulysee
Emission standards		Euro 6d Final
Overall length, approx.	cm	496
Overall width, approx.	cm	201
Overall height, approx.	cm	199 / 199 🔿
Bed dimension: Central / middle bed, L X W, approx.	cm	199 x 114
Sleeping berths standard / max.		4
Standard engine		Fiat Ulysee 2.0 I Diesel
kW (bhp)		106 (144)
Mass in running order (+/-5%)*		Δ
Manufacturer-specified mass for optional equipment*		Δ
Technically permissible maximum laden mass*	kg	3100
Permitted number of seats (including driver)*		4 11)
Waste water tank, approx.	I.	10
Bed dimension: pop-up roof, L X W, approx.	cm	200 x 120
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	T	10 / 10

O Optional equipment − Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

* INFO

The specified mass in running order is a default value defined in the typeapproval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

	_
Base vehicle Fiat	
FIAT ULYSEE 2,0L D; 106 kW (144hp) manual transmission	•
Base vehicle equipment Fiat	
E-kit for trailer hitch including 13-pin socket	•
12V - socket	•
17" alloy wheels	•
2 manual sliding doors	•
Air conditioning passenger compartment	•
Automatic air conditioning front	•
Bumpers and door handles In car colour	•
Comfort swivel seats for driver and front passenger single seats with fabric upholstery, armrest and lumbar support	•
Cruise control & speed limiter	•
Dark tinted side and rear windows	
Driver and passenger airbag	•
Driver and passenger seat with seat heating	
Electrically adjustable exterior mirrors	•
Fog light	•
Glove compartment	•
Heat & noise insulating windscreen	•
Interior mirror automatic dimming	•
Leather steering wheel	
Radio control on the steering wheel	•
Rear parking assistance	
Rear view camera	•
Separately opening rear window	•
Touchscreen radio DAB, incl. Bluetooth & smartphone integration via Apple CarPlay and Android Auto, 7" size) without navigation	•
Tyre kit (12Vcompressor & tyre foam cartridge)	•
Tyre pressure sensors	•
Visibility Package (light & rain sensor)	•
Exterior colour Fiat	
Gelato White	•
Exterior equipment	
Panorama view pop-up roof white	•
Roof rails on the right and left to accommodate a sun sail or awning	•
Habitation equipment	_
Driver and passenger seats rotate 180° with armrest	
Flexboard removable (sleeping bench extension) with mattress incl. hanging table for kitchen	
Furniture construction consisting of storage cupboard, rear roof cupboard, body battery, kitchen module with cooker, gas box and water supply).	
Multifunctional light strip dimmable with piping for stowage nets	
Multifunctional table with table support under Flexboard	•
Operating unit	•
Sandwich flooring with easy-care PVC surface	•
Stowage net under sleeping loft on multifunctional light strip	
Interior design	
Wood décor Noce Nagano	•
Textile equipment	
Seat cover in decor Cran Blue	•

PACKAGES GLOBEVAN (FIAT)

Comfort Package	(14159)
-----------------	---------

Electric parking brake on the drier's seat

Keyless system

Xenon headlights with cornering light in the bumper

Additional weight (kg)*

Navigation Package (14160)

E-Call / Connect Box

Multimedia Navi Pro with 7" touchscreen, navigation and Opel Connect and DAB+

Additional weight (kg)³

Trailer Package (14162)

Grip Control & Traction Control (only in combination with 17" alloy wheels Fiat) Removable tow hitch

Additional weight (kg)*

 \triangle Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

 \triangle

Δ

Optional equipment*	Included in package	Additional weight (kg)*	Code	
Base vehicle Fiat				
FIAT ULYSEE 2,0L D; 130 kW (177HP) automatic transmission	_	Δ	14106	0
Packages				
Comfort Package	_	Δ	14159	0
Navigation Package	—	Δ	14160	0
Trailer Package	_	Δ	14162	0
Base vehicle equipment Fiat				
Blind Spot Assist and Front Parking Aid	_	Δ	14107	0
Lane Assist	—	\triangle	14109	0
Spare tyre	_	Δ	14113	0
Exterior colour Fiat				
Cinema Black	_	0	14118	0
Colosseo Grey	—	Δ	14117	0
Maestro Grey	_	Δ	14116	0
Magnetic Bronze	—	0	14119	0
Exterior equipment				
Panorama view pop-up roof black	-	0	10306	0
Pop-up roof in vehicle color	_	0	9142	0
Habitation equipment				
16 litre cool box in the rear locker	—	13.75	9389	0
Gas shut-off valve for butane gas cylinders	_	0	12782	0
Mobile cooler between driver and passenger seat	-	13.5	9390	0
Two gooseneck lights with USB connections in the pop-up roof	-	0.3	10329	0
Heating				
Diesel parking heater with wall control panel and height switch	—	7.31	11606	0
Miscellaneous				
Registration documents (CoC papers)	—	0	15152	•

O Optional equipment − Not possible ● Standard equipment ♦ Mandatory △ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

TECHNICAL INFORMATION / FOOTNOTES

If you order your vehicle with additional equipment, you should check whether it makes sense or is necessary to increase the vehicle's weight! The optional equipment partially replaces the standard equipment.

FOOTNOTES


- 1) Only possible in comb. with the option "Automatic cab air conditioning" (Code 1310).
- 2) The options "Trailer coupling detachable" and "Electrical preparation trailer coupling" are not possible in combination.
- 3) A bike carrier cannot be mounted, because it would cover the rear sensors.
- 4) Not compatible with specially retrofitted radio, as no usable signal.
- 5) The options "Security package" (code 12109) and "Extended security package" (code 12110) are not possible in combination.
- 6) Already included with option diesel-electric heater Combi 6DE (code 330+1617).
- 7) Maxi chassis and automatic transmission are equipped with bicolor (silver-black) wheels.
- 8) Advantage: Equipment benefit included in the base price.
- 9) Advantage: Painted bumper in vehicle colour included in the base price.
- 10) Front with panoramic window (6432) and pop-up roof (10306) cannot be combined
- 11) Number of seats may still change

IMPORTANT INFORMATION FOR THE SELECTION OF YOUR MOTORHOMES

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Dethleffs specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.



Low Profile model overview


		Model 1	Model 2
Standard chassis		Fiat Ducato	Fiat Ducato
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	695
Overall width, approx.	cm	220	220
Overall height, approx.	cm	281	281
technically permissible maximum laden mass	kg	3499	3499
Mass in running order	kg	2.890 (2.746 - 3.035)*	2.982 (2.833 - 3.131)*
Permitted number of seats (including driver)		4	4
Manufacturer-specified mass for optional equipment	kg	245	149

2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is \pm 5 %. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Dethleffs weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you. Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

3. The permitted number of seats (including driver)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information" section




Low Profile model overview

		Model 1	Model 2
Standard chassis		Fiat Ducato	Fiat Ducato
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	695
Overall width, approx.	cm	220	220
Overall height, approx.	cm	281	281
technically permissible maximum laden mass	kg	3499	3499
Mass in running order	kg	2.890 (2.746 - 3.035)*	2.982 (2.833 - 3.131)*
Permitted number of seats (including driver)		4	4
Manufacturer-specified mass for optional equipment	kg	245	149

4. The manufacturer-specified mass for optional equipment...

... is a value set by Dethleffs per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle. Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.



5. 5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment."