

Technical info*	
Maximum authorised weight	4.500 - 7.200 kg
Length	733 - 886 cm
Width	233 - 235 cm
Height	304 - 345 cm
Chassis	Fiat AL-KO low platform / Fiat AL-KO low platform 3 axis / Iveco Daily ladder frame
Sleeping berths	4
Basic engine	2,3 MJET MAXI / 3,0 JTD
	96(130) - 132(180) kW(BHP)

* Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Amaro + Goa



+ Skylight (real leather, option)

Alpa plus factors

- + Huge panoramic U-shaped lounge with plenty of space to eat and linger
- + Great single beds comfort with easy access
- + Large, spacious double floor, which can also be loaded from the rear (rear doors with one-hand operation)
- + Large bathroom and dressing area
- + Winter-proof: Heated double floor with frost-protected water installation
- + Warm water heating is standard

Wood décor



+ Virginia Oak

Dep. on layout

Standard specification

Chassis (in addition to standard equipment, see p. 3)

- Low-vibration, electric and heated cab mirrors in bus style (two-piece) (only for A Class)
- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator (only for Coachbuilt)
- **For FIAT chassis only:**
- Multi-functional leather steering wheel and leather shift knob (only for A Class)
- Cup holder in cab dashboard (only for A Class)

Conversion

- Electric pull-down bed for single-bed use (without add-on element) (only for A Class)
- Floor thickness 43 mm, intermediate floor 20 mm, sidewall thickness 34 mm, roof thickness 35 (not for A 9820-2)
- Floor thickness 43 mm, intermediate floor 20 mm, sidewalls 44 mm, roof 45 mm (only for A 9820-2)
- Habitation door: 70 cm, flyscreen door, awning light, window
- Panoramic skylight 70x50 cm with flyscreen and blind over the pull-down bed (only for A Class)
- Panoramic skylight 75 x 105cm above the seating lounge
- Window left and right in sleeping area (only for A Class)
- Window for overcab (only for Coachbuilt)
- Stable, double glazed flush fitting windows with integrated blinds and flyscreens
- Double floor storage, to be loaded almost through the complete vehicle width
- Rear moulding: 3rd brake light, LED rear lights, dynamic indicator
- Rear garage: two garage doors, drop chassis extension (250 kg loading capacity), heated, incl. fixing loops, LED illumination, 1x 230 V power outlet, GRP Antislip floor cover, one-hand operation, non-woven fabric covered walls
- Automotive roof skirts optionally available with integrated awning (only for A Class)

- Cab blinds for best insulation and privacy protection (only for A Class)
- Captain seats: integrated headrest, two upholstered arm rests, rotating

On-board technology / Installations

- Gas bottle locker for 2 x 11kg bottles
- Starter battery and leisure battery with automatic switch-over (also for fridge)
- LED illumination for the interior
- Illuminated roof lining above the habitation door
- EBL with overvoltage protection
- Fresh water/waste water tank installed in double floor (insulated area)
- Warm water heating with automatic drain valve and shut-off valve for the sleeping area

Kitchen

- Gourmet kitchen: 3-flame cooker, spacious drawers with softclose function, cutting board, apothecary pull-out, waste bin and central locking
- Large fridge with freezer compartment and auto energy selection (AES)
- Kitchen overhead locker with illuminated roof lining
- MultiFlex rail system

Bathroom

- Shower grid
- Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder


Living area

- AirPlus ventilation system - for an optimised ventilation of the interior
- Overhead locker doors with softclose function
- High wardrobe with convenient laundry shelves in upper area (not for A 6820-2)
- Overhead lockers in the rear area

Interior

- Wood décor Virginia Oak with upholstery Amaro or Goa

Alpa A Class




ALPA		I 7820-2
Chassis type		Fiat AL-KO low platform 3 axis
Diesel tank/AdBlue tank	l	90 / 19
Emission class		Euro VI D
Length	cm	854
Width	cm	233
Height	cm	304
Internal height	cm	208
Towing weight braked/unbraked	kg	1800 ¹ / 750
Tyres		225/75R 16C
Wheel base	cm	460/80
Beds pull-down/ overcab	cm	2x (210x75)
Bed mid	cm	-
Bed rear	cm	210x150 ²
Alternative	cm	200x165
Sleeping berths		4 ²
Basic engine		2,3 MJET MAXI
kW (BHP)		96 (130)
Weight net	kg	3820
Mass in running order (MIRO)	kg	4010
Payload	kg	990
Maximum authorised weight	kg	5000
Designated passenger seats (standard weight)		2
Designated passenger seats (max. weight upgrade)		4 ³
Heating		ALDE WW
Fridge/ thereof freezer compartment	l	141 / 23
Water tank incl. boiler (red. volume)	l	166 (20)
Waste water tank volume	l	156
Awning size	m	6,0
Dimensions through-opening right stand./opt.	cm	105x85 / -
Dimensions through-opening left stand./opt.	cm	105x85 / -
Battery/ charging device	Ah/A	95 / 18
Power outlets	230V/12V/USB	8 / 1 / 2

¹ Considering the total towing weight of 6 t

² Only in combination with option „seating lounge converts into bed transverse“

³ Only in combination with the options "seat opposite direction to travel" and "additional cushion to make up bed"

Alpa Coachbuilt



ALPA		A 6820-2	A 7820-2	A 9820-2
Chassis type		Fiat AL-KO low platform	Fiat AL-KO low platform 3 axis	Iveco Daily ladderframe
Diesel tank/AdBlue tank	l	90 / 19	90 / 19	90 / 20
Emission class		Euro 6d temp	Euro VI D	Euro VI D
Length	cm	733	858	886
Width	cm	233	233	235
Height	cm	327	327	345
Internal height	cm	209	209	211
Towing weight braked/unbraked	kg	1750 ¹ / 750	1800 ¹ / 750	3500 ² / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	407	460 / 80	475
Beds pull-down/ overcab	cm	205x80 / 195x80	205x80/195x80	2x (210x80)
Bed mid	cm	-	-	-
Bed rear	cm	210x170 ³	210x150 ³	210x150 ³
Alternative	cm	210x155	210x155	210x150
Sleeping berths		4 ³	4 ³	4 ³
Basic engine		2,3 MJET MAXI	2,3 MJET MAXI	3,0 JTD
kW (BHP)		103 (140)	96 (130)	132 (180)
Weight net	kg	3190	3735	4530
Mass in running order (MIRO)	kg	3380	3925	4900
Payload	kg	1120	1075	1800
Maximum authorised weight	kg	4500	5000	6700
Designated passenger seats (standard weight)		2	2	2
Designated passenger seats (max. weight upgrade)		4 ⁴	4 ⁵	4 ⁶
Heating		ALDE WW	ALDE WW	ALDE WW
Fridge/ thereof freezer compartment	l	141 / 23	141 / 23	141 / 23
Water tank incl. boiler (red. volume)	l	140 (20)	140 (20)	230 (20)
Waste water tank volume	l	140	140	222
Awning size	m	5,0	6,0	6,0
Dimensions through-opening right stand./opt.	cm	95x105 / -	105x105 / -	105x105 / -
Dimensions through-opening left stand./opt.	cm	95x105 / -	105x105 / -	105x105 / -
Battery/ charging device	Ah/A	95 / 18	95 / 18	150 / 18
Power outlets	230V/12V/USB	6 / 1 / 2	7 / 1 / 2	7 / 1 / 2

¹ Considering the total towing weight of 6 t

² Considering the total towing weight of 10.2t

³ Only in combination with option „seating lounge converts into bed transverse“

⁴ Only in combination with option „single folding seat seating lounge left and right“ and „weight upgrade 4.800 kg“

⁵ Only in combination with the options "seat opposite direction to travel" and "additional cushion to make up bed"

⁶ Only in combination with the options "belt bench against the travel direction", "seating lounge converts into bed transverse" and "air suspension drive axle"

Packages

Fiat Chassis Package	ca. 24 kg	ca. 26 kg
Package components	A Class	Coachbuilt
Electric and heated exterior mirrors	⊙	✓
Automatic A/C	✓	✓
Cruise control	✓	✓
Passenger airbag	✓	✓
Leather steering wheel and shift knob with leather sleeve	✓	✓
Instruments in chrome	✓	✓
Radio pre-wiring with Sound Package	✓	✓
LED day-time-running lights	–	✓

Iveco Chassis Package (Code 9991)	ca. 11 kg
Package components	Coachbuilt
Wheel trims in chrome	✓
Multifunctional leather steering wheel	✓
Dethleffs Naviceiver incl. DAB+, truck navigation and bord control panel linking	✓
Radio pre-wiring with Sound Package	✓

Assistance Package Fiat (Code 9973)	Coachbuilt
Lane Keep Assist	✓
Light Assist	✓
High Beam Assist	✓
Full Brake Control	✓
Rain sensor	✓
Traffic Sign Assist	✓

Assistance Package Iveco (Code 9972)	Coachbuilt
Electric handbrake	✓
Crosswind Assist	✓
Hill Descent Control	✓
Active Lane Keep Assist	✓
Light Assist	✓
High Beam Assist	✓
Active Brake Assist with City Emergency Brake Function	✓
Rain sensor	✓
Tire pressure sensors	✓
Adaptive cruise control	✓

✓ included ⊙ Standard specification – not included

Packages

Family Package	ca. 53 kg	ca. 51 kg	ca. 45 kg	ca. 62 kg
Package components	Alpa	Grand Alpa	Grand Alpa Plus	Grand Alpa I
Sky Roof (2 x panoramic skylight 70x50cm crossways instead of panoramic skylight 75x105cm over the seating lounge in the rear)	✓	-	-	-
Sky Roof (2nd Panoramic skylight 75x105cm lengthwise over the seating lounge in the rear) incl. roof lining and lamp	-	✓	✓	✓
Corner steadies (2 pieces) in the rear for Fiat Chassis	✓	✓	-	✓
Corner steadies (2 pieces) in the rear for Iveco Chassis	-	-	✓	-
Cab blinds	✓	✓	-	⊙
Indirect illumination	✓	✓	✓	✓
Extractor fan	✓	✓	✓	✓
Indirect ambience illumination	✓	✓	✓	✓
Cab door N/S	⊙	⊙	⊙	✓
Central locking	✓	✓	✓	✓

Style Package	ca. 24 kg	ca. 16 kg
Package components	Alpa, Grand Alpa	Grand Alpa Plus
Panoramic skylight 70x50cm in overcab	✓	-
High-level rear moulding incl. roof rails	✓	✓
Styling Package (overcab design elements)	✓	✓

Electric Package II	ca. 114 kg
Package components	Overcab and A Class
Electric package 2 (2x 150 Ah battery instead of 1x 95 Ah battery. Victron Energy MultiPlus charging/inverter combination 3000/120, Victron PowerAssist and Power Control, Victron operation EBL 111, high current module)	✓

Dethleffs world of colours

For the ALPA smooth side variants you can choose from the following colour combinations (some at extra charge).

Coachbuilt

Chassis colour		Conversion colour	
		White	Titansilver Metallic
White	Code	standard	-
Silver	Code	-	9580

A Class

Chassis colour		Conversion colour	
		White	Titansilver Metallic
White	Code	standard	511

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

Options

	Additional weight (kg)	Code	I 7820-2	A 6820-2	A 7820-2	A 9820-2
Chassis/Base						
Fiat Ducato Multijet 160 (2,3l / 160 hp) incl. start-stop function	0	0	-	○	-	-
Fiat Ducato Multijet 160 (2,3 l / 160 hp) incl. start-stop function	0	0	○	-	○	-
Fiat Ducato Multijet 180 (2,3 l / 180 hp) incl. start-stop function	0	0	-	○	-	-
Iveco Daily 3,0 l JTD (210 bhp)(only in comb. with option "Torque converter automatic gearbox")	0	7560	-	-	-	○
9-gear converter automatic transmission (possible as from 140 hp engine; for 140 hp engine addit. costs for start-stop function)	18	10736	○	○	○	-
Torque converter automatic gearbox (ZF)	17	7706	-	-	-	○
Retarder (also available in comb. with converter; tank reduced to 70l)	125	1400	-	-	-	○
Weight upgrade 4.800 kg (incl. air suspension rear axle, reinforced springs front axle, aluminium complete wheel set with all-weather tires 225/65 R16)	40	8460	-	○	-	-
Weight upgrade 5.400 kg	25	7497	○	-	○	-
Weight upgrade 7.200kg	0	1636	-	-	-	○
Alloy wheels 16"	0	8045	-	○	-	-
Alloy wheels Dethleffs 16" for 3-axle	0	8045	○	-	○	-
Tow bar (please consider the total towing weight)	49	273	○	○	○	-
Tow bar	35	273	-	-	-	○
Single folding seats right and left seating lounge rear (only in comb. with weight upgrade 4.8t and option 1944)	41	1604	-	○	-	-
LED headlights (Iveco)	2	10626	-	-	-	○
Air suspension for driving axle (original Iveco)	30	41	-	-	-	○
Air suspension rear axle (ALKO)	35	1658	-	○	-	-
Air suspension front and rear axles (ALKO)	85	1796	-	○	-	-
Air suspension rear axle	35	1658	○	-	○	-
Air suspension front and rear axle	85	1796	○	-	○	-
Seats with seat belts, opposite driving direction (necessary for 4 pers. registration) incl. option 1944	9	9116	○	-	○	-
Seats with seat belts, opposite driving direction (necessary for 4 pers. registration) incl. option 1944 and option 41	9	9116	-	-	-	○
Bodywork exterior						
Alarm system for doors with central locking	4	322	○	○	○	○
Skylight (above large bathroom)	1	7507	○	○	○	○
Cassette awning Omnistor 5.0 m (manual)	54	697	-	○	-	-
Cassette awning Omnistor 6.0 m (manual)	61	560	-	-	○	○
Cassette awning Omnistor 6.0 m (electr.)	64	519	-	-	○	○
Cassette awning Omnistor 6.0 m (electr.)	64	519	○	-	-	-
Storage access in the rear	17	1732	○	○	○	○
Opening window in overcab	2	622	-	○	○	○
Bodywork interior						
Fire extinguisher 2 kg	4	1878	○	○	○	○
Smoke Detector	1	1891	○	○	○	○
Safe mounted	13	323	○	○	○	○
Double floor for rear garage	5	1890	-	○	○	○
Furniture layouts						
Bed convert for seating lounge	9	1944	○	○	○	○
Alternative overhead locker doors	0	1969	○	○	○	○
Upholstery						
Loose fitting carpets	8	851	○	○	○	○
Real leather Skylight	12	8032	○	○	○	○
Electrics/Installation						
2nd leisure battery 95 Ah	27	830	○	○	○	-
Solar system (2 x 60 W)	15	922	○	○	○	○
2nd leisure battery 150 Ah	27	830	-	-	-	○
Gas/Installation						
Exterior socket for gas 30mbar	1	878	○	○	○	○
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg aluminium gas bottle)	13	1577	○	○	○	○

	Additional weight (kg)	Code	I 7820-2	A 6820-2	A 7820-2	A 9820-2
Heating/Air-conditioning						
Roof A/C	34	609	○	○	○	○
Electrically heated overcab bed	3	1740	-	○	○	○
Cab warm water heating (only in comb. with warm water heating - cab carpets not possible)	10	6709	○	○	○	-
Warm water heating by smartphone app	0	7512	○	○	○	○
Heat exchanger	7	565	○	○	○	○
Kitchen						
Fridge (177 l), can be opened on both sides, with integrated oven	8	290	○	○	○	○
Bathroom						
Toilet ventilation	2	1681	○	○	○	○
Macerator toilet with waste-holding tank	22	1625	○	-	-	○
Multimedia systems						
Rear view camera (single camera) (only in comb. with option 9582 Dethleffs Naviceiver)	2	1642	○	○	○	○
Reversing camera (double camera) (only in comb. with option 9582 Dethleffs Naviceiver)	2	1641	○	○	○	○
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	○	○	○	○
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	○	○	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation and bord control panel linking	3,5	9582	○	○	○	○
Flatscreen bracket	3	325	○	○	○	○
32" TV (incl. bracket, DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) and Soundboard	15	9127	○	○	○	○
Additional flatscreen TV 22" (incl. DVB-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle)	4	7490	○	○	○	○
SAT system Flatsat 85 Twin	15	1637	○	○	○	○
Miscellaneous						
Registration documents	0	0	◆	◆	◆	◆

Alpa Plus factors interior



» Spacious, illuminated wardrobes with drawers (pic. Coachbuilt). Cab can be separated with a sliding door for additional cold and light protection



» Feel like at home: modern vitrine (not for A 6820-2)



» Much elbow room provided by the separate shower cubicle with Plexiglass doors



» Large 32" TV (option)



» Leather steering wheel and gear knob in dashboard with chrome rings for Fiat Chassis (multifunction steering wheel optional)



» Huge U-shape lounge and much elbow room



» Generous kitchen with 3-burner gas stove, rail system and central locking for the kitchen drawers



» Your spa with daylight and great comfort

Alpa

Plus factors exterior



» Roomy: large rear garage for transportation of bulky holiday luggage. All models are equipped with two garage doors as standard



» The window in Overcab N/S is standard, O/S is optionally available.



» Frost-protection: high, heated double floor with a lot of storage space.



» Garage door in the rear (option) for transportation of long items.



» Well-insulating and safe: automotive flush-fitting windows.



» Automotive roof skirt with integrated awning (option for A Class).



» Long-lasting Lifetime Plus conversion technology



» Robust: A 9820-2 based on Iveco chassis.