


Globetrotter XXL



Technical info*	
Maximum authorised weight	6.700 – 7.200 kg
Length	886 cm
Width	235 cm
Height	345 cm
Chassis	Iveco Daily ladderframe
Sleeping berths	6
Basic engine	3,0 JTD
	132 (180) kW (BHP)

* Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Bozen



+ Platinum



+ Meran (real leather, option)

Globetrotter XXL plus factors

- + Modern 3,0 l Euro VI D engine (132 kW/ 180 bhp)
- + IVECO chassis with rear wheel drive, twin tires, different driving assistance systems, upgraded cockpit and heated cab seats
- + Heated double floor with 360 mm of height for freeze-protected installations of hoses, pipes and water tanks. The radiant heat is used as floor heating.
- + Warm water heating with heat exchanger for engine pre-heating
- + Long-lasting Lifetime Plus conversion technology with 45 mm thick body construction
- + Master of autonomy with powerful 150 Ah battery and 230 l water tank

Wood décor



+ Almeria Ash White



Standard specification

Conversion

- Overcab bed fold-away
- Floor thickness 43 mm, intermediate floor 20 mm, sidewalls 44 mm, roof 45 mm
- Skylight 40 x 40cm above the lounge
- Overcab windows on both sides
- Stable, double glazed flush fitting windows with integrated blinds and flyscreens (Privacy Black)
- Habitation door: 70 cm, flyscreen, awning light, window, electric closing aid
- Rear garage: two garage doors, drop chassis extension (250 kg loading capacity), heated, incl. fixing loops, LED illumination, 1x 230 V power outlet, GRP antislip floor cover, one-hand operation, non-woven covered walls
- Rear moulding: 3rd brake light, LED rear lights, dynamic indicator, high-level moulding
- Double floor storage, to be loaded almost through the complete vehicle width, double floor height: 360 mm
- Captain seats: headrest, two upholstered arm rests, height-inclination adjustment, hydraulic

On-board technology / Installations

- Gas bottle locker with easy pull-out function for quick change of the gas bottles (2 x 11 kg)
- Starter battery and leisure battery with automatic switch-over (also for fridge)
- LED illumination for the interior
- Illuminated roof lining above the habitation door
- EBL with overvoltage protection
- Fresh water/waste water tank installed in double floor (insulated area)
- Warm water heating with automatic drain valve, shut-off valve for the sleeping area and engine heat exchange

Kitchen

- Gourmet kitchen: 3-flame cooker, spacious drawers with softclose function, cutting board, apothecary pull-out, waste bin and central locking
- Large fridge with freezer compartment and auto energy selection (AES)

- Kitchen overhead locker with illuminated roof lining
- Extractor fan (exhaust air)
- MultiFlex rail system

Bathroom

- Shower grid
- Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder


Living area

- AirPlus ventilation system - for an optimised ventilation of the interior
- Wardrobe left and right of the King bed
- Overhead lockers in the rear area (only for A 9000-2 EB)
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- Single beds can be converted to a large double bed
- No steps in living room
- Seat chest enlargement, fold-away with storage space
- Large mirror (only for A 9050-2 DBM)

Interior

- Wood décor Almeria Ash White with upholsteries Bozen or Platinum

Globetrotter XXL Coachbuilt



GLOBETROTTER XXL		A 9050-2 DBM	A 9000-2 EB
Chassis type		Iveco Daily ladderframe	Iveco Daily ladderframe
Diesel tank/AdBlue tank	l	90 / 20	90 / 20
Emission class		Euro VI D	Euro VI D
Length	cm	886	886
Width	cm	235	235
Height	cm	345	345
Internal height	cm	211	211
Towing weight braked/unbraked	kg	3500 ¹ / 750	3500 ¹ / 750
Tyres		225/75R 16C	225/75R 16C
Wheel base	cm	475	475
Beds pull-down/ overcab	cm	215x150	215x150
	Bed mid	cm 210/130x195/130	210/130x195/130
	Bed rear	cm 200x150	200x80 / 195x80
	Alternative	cm -	210x200/160
Sleeping berths		6	6
Basic engine		3,0 JTD	3,0 JTD
kW (BHP)		132 (180)	132 (180)
Weight net	kg	4620	4620
Mass in running order (MIRO)	kg	4990	4990
Payload	kg	1710	1710
Maximum authorised weight	kg	6700	6700
Designated passenger seats (standard weight)		4 (6) ²	4 (6) ²
Designated passenger seats (max. weight upgrade)		6 ²	6 ²
Heating		ALDE WW	ALDE WW
Fridge/ thereof freezer compartment	l	141 / 23	141 / 23
Water tank incl. boiler (red. volume)	l	230 (20)	230 (20)
Waste water tank volume	l	222	222
Awning size	m	6,0	6,0
Dimensions through-opening right stand./opt.	cm	105x120 / -	105x120 / -
Dimensions through-opening left stand./opt.	cm	105x120 / -	105x120 / -
Battery/ charging device	Ah/A	150 / 18	150 / 18
Power outlets	230V/12V/USB	7 / 2 / 3	7 / 2 / 3

¹ Considering the total towing weight of 10.2t

² Only in combination with option Safety Package II

Packages

Travel Package (Code 9575)

ca. 83 kg

Package components	Coachbuilt
Panoramic skylight 75x105 cm incl. illuminated roof lining in living area	✓
Central locking (cab door, habitation door, garage doors rear)	✓
Loose fitting carpets	✓
Ambience illumination	✓
Indirect illumination behind the curtains	✓
Corner steadies (Iveco)	✓
Reversing camera (double camera) (only in comb. with option 9582 Dethleffs Naviceiver)	✓
Roof A/C	✓

Assistance Package Iveco (Code 9972)

Package components	Coachbuilt
Electric handbrake	✓
Crosswind Assist	✓
Hill Descent Control	✓
Active Lane Keep Assist	✓
Light Assist	✓
High Beam Assist	✓
Active Brake Assist with City Emergency Brake Function	✓
Rain sensor	✓
Tire pressure sensors	✓
Adaptive cruise control	✓

Iveco Chassis Package (Code 9991)

ca. 11 kg

Package components	Coachbuilt
Wheel trims in chrome	✓
Multifunctional leather steering wheel	✓
Dethleffs Naviceiver incl. DAB+, truck navigation and bord control panel linking	✓
Radio pre-wiring with Sound Package	✓

Elektric Package II (Code 9997)

ca. 50 kg

Package components	Coachbuilt
Electric package 2 (2x 150 Ah battery instead of 1x 95 Ah battery. Victron Energy MultiPlus charging/inverter combination 3000/120, Victron PowerAssist and Power Control, Victron operation above habitation door, EBL 111, high current module)	✓

✓ included ● Standard specification – not included

Dethleffs world of colours

For the GLOBETROTTER XXL smooth side variants you can choose from the following colour combinations (some at extra charge).

Coachbuilt

Chassis colour		Conversion colour	
		White	Titansilver Metallic
White	Code	standard	-
Silver	Code	-	9580

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

Options

	Additional weight (kg)	Code	A 9050-Z DBM	A 9000-Z EB
Chassis/Base				
Iveco Daily 3,0 I JTD (210 bhp)(only in comb. with option "Torque converter automatic gearbox")	0	7560	○	○
Torque converter automatic gearbox (ZF)	17	7706	○	○
Retarder (also available in comb. with converter; tank reduced to 70l)	125	1400	○	○
Weight upgrade 7.200kg	0	1636	○	○
Tow bar	35	273	○	○
LED headlights (Iveco)	2	10626	○	○
Air suspension for driving axle (original Iveco)	30	41	○	○
Safety Package II: 3-point seatbelt for seat opposite driving direction	15	561	○	○
Bodywork exterior				
Alarm system for doors with central locking	4	322	○	○
Panoramic skylight 75x105 cm incl.illuminated roof lining in sleeping area	12	442	○	○
Skylight (above large bathroom)	1	7507	○	○
Cassette awning Omnistor 6.0 m (manual)	61	560	○	○
Cassette awning Omnistor 6.0 m (electr.)	64	519	○	○
Storage access in the rear	17	1732	○	○
Roof ladder and cross elements for railing	16	1754	○	○
Bodywork interior				
Fire extinguisher 2 kg	4	1878	○	○
Smoke Detector	1	1891	○	○
Double floor for rear garage	5	1890	○	○
Safe mounted	13	323	○	○
Furniture layouts				
Isofix - child seat bracket	5	8125	○	○
Alternative overhead locker doors	0	1969	○	○
U-shaped lounge	5	1870	○	○
Upholstery				
Real leather Meran	12	9543	○	○
Electrics/Installation				
Solar system (2 x 60 W)	15	922	○	○
Indirect illumination behind the curtains	3	9119	○	○
2nd leisure battery 150 Ah	27	830	○	○
Gas/Installation				
Exterior socket for gas 30mbar	1	878	○	○
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg aluminium gas bottle)	13	1577	○	○
Water supply/Installation				
Installed exterior shower (cold/hot water)	1	1574	○	○
Heating/Air-conditioning				
Electrically heated overcab bed	3	1740	○	○
Warm water heating by smartphone app	0	7512	○	○
Kitchen				
Fridge (177 l), can be opened on both sides, with integrated oven	8	290	○	○
Pre-wiring compressor fridge (no standard fridge installation)	u.r.	9598	○	○
Bathroom				
Toilet ventilation	2	1681	○	○
Macerator toilet with waste-holding tank	22	1625	○	○
Ceramic toilet	25	7243	○	○
Multimedia systems				
Rear view camera (single camera) (only in comb. with option 9582 Dethleffs Naviceiver)	2	1642	○	○
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	○	○
32" TV (incl. bracket, DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) incl. Sound Package Plus	15	9127	○	○

	Additional weight (kg)	Code	A 9050-Z DBM	A 9000-Z EB
Multimedia systems				
Additional flatscreen TV 22" (incl. DVB-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) incl. Sound Package	5	7490	○	○
SAT system Flatsat 85 Twin	15	1637	○	○
Miscellaneous				
Registration documents	0	0	◆	◆

Globetrotter XXLA Plus factors interior



» Quick seating group conversion to an additional sleeping place



» Driver's cab separable by wooden sliding door



» Anti-theft safe



» Extensively equipped driver's cab



» Multimedia: Dethleffs Naviceiver incl. DAB+ (option)



» Large kitchen worktop with extra space for the coffee machine



» Table top extension



» Sound system (option)

Globetrotter XXLA Plus factors exterior



» Sturdy habitation door with large window



» Huge rear garage accessible from three sides on request



» Large overcab with 200 x 155 cm lying surface



» Powerful roof air conditioner (option)



» GRP covered underfloor



» Comfortable gas bottle drawer



» Storage space in the double floor