



GENERATION Scandinavia

Technical Information

Standard specification

Chassis / Base vehicle

- System lightweight chassis
- Zinc-plated chassis with inertia braking system with reversing automatic
- ATC stabilising system
- AAA self-adjusting brake
- AKS stabiliser
- Octagon shock absorber
- Weight upgrade (see technical info)
- Alloy wheels
- Draw bar cover
- Light-weight steadies, galvanised incl. big feet
- Sidewall skirts with integrated side-marker lamps
- High-quality tires, engineered for a speed of 100 km/h

Conversion

- Front, rear, roof, sidewalls and floor with XPS insulation
- Front, rear and side walls in smooth sides with special stickers
- Robust GRP roof
- Front parts in gas locker area made of LFI (Long Fiber Injection), shock resistant, robust and repair-friendly
- Floor thickness: 42mm, sides/roof: 34mm
- Well-designed front and integral lamps in rear moulding with mid-level attachment
- Opening window (graphit grey), insulated and double-glazed; with blind and flyscreen
- Comfortable Coupé entrance, insulated
- Fully-insulated wheel houses
- Clear glass Mini Heki with blind and flyscreen
- Midi-Heki clear skylight with blind and flyscreen; integrated light spots
- Panoramic window (only for 695 BQT)
- Extra wide entrance door with window and flyscreen, one-piece
- Manoeuvring handles in chrome
- Access locker door

On-board installations

- Gas bottle locker for 2 x 11 kg bottles
- Space-saving gas locker door which opens upwards

- Floor of the gas bottle locker made of rot resistant and robust aluminium
- Heated and insulated 42 l waster water tank
- Rollable waste water tank in gas locker
- Spare wheel bracket in gas bottle locker
- Electrical water supply
- Pre-wiring for air-conditioning
- 12 V power supply all over the vehicle
- Compact electric block with 230V safety device and 12V fuse-box in wardrobe incl. powerful transformer 340W
- CEE external output socket for 230V on-board electrics
- Electric autarkic equipment incl. battery, charger with booster, display panel
- Awning light
- Gas control for gas hose
- LED light bar system 12V (head side bed and seating lounge)
- Variable USB power socket for light bar system
- Indirect lighting
- Gas exterior socket
- Functional multi-function exterior output socket 12V / 220V / TV and SAT
- Flatscreen bracket
- Spare wheel or break-down kit (depending on layout)
- Warm water floor heating
- Heating elements' operation by I-Net box and by App via Smartphone
- Waste water pipes insulated and heated
- Comfortable warm water heating

Kitchen

- High-quality 3-flame gas hob with electrical ignition and integrated oven
- Large fridge with 142 l with 15 l freezer (variances see technical data)
- Spacious drawers with softclose function
- Practical apothecary-style drawer (depending on layout)

Bathroom

- Skylight with flyscreen
- LED lights
- Shower tray
- Integrated design washbasin made of solid surface material

- Space-saving washbasin to easily stow inside the bathroom cabinet (only for 545 QMK)


Living comfort

- AirPlus - perfect air ventilation for the interior and ventilation of the overhead lockers and sideboards
- Adjustable and specially slatted bed frame with flexible rubber cores, adjustable for optimal use of storage compartments underneath the beds
- Ergonomic 7-zone cold foam mattress for all fixed beds and bunk beds
- Bunk beds with protection net and ladder
- Bunk bed with load capacity up to 80 kg
- Easy single bed conversion to double bed (only for 655 RE)
- Carpets looped and specifically designed for the respective living and sleeping areas
- Luxury bedspread
- Seating lounge converts to bed
- One-legged telescopic table, height-adjustable

Interior

- Wood décor Rosario Cherry with upholstery Scandi

Generation Scandinavia Technical info



GENERATION SCANDINAVIA		545 QMK	595 RK	655 RE	655 RFK	695 BQT
Width	cm	250	250	250	250	250
Length conversion/ total	cm	650 / 768	675 / 818	735 / 872	735 / 872	765 / 901
Total height/ awning size	cm	265 / 1045	265 / 1078	265 / 1133	265 / 1130	265 / 1160
Bed front	cm	195x135	230x180/130	230x210/135	230x135	-
Bed lengthwise	cm	230x115	-	-	200x140	230x115
Bed alternative	cm	-	-	195x230	-	-
Bed rear	cm	190x75 190x70	200x135/105	215x95 / 195x95	2x (185x75)	200x155
Sleeping berths		5 ¹	6 ¹	4 ¹	7 ¹	4 ¹
Mass in running order (MIRO)	kg	1735	1765	1945	1955	1970
Payload	kg	265	235	555	545	530
Maximum authorised weight	kg	2000	2000	2500	2500	2500
Max. weight upgrade	kg	-	-	-	-	-
Chassis single axle (1), tandem axle (2)		1	1	2	2	2
Heating		Warm water heating	Warm water heating	Warm water heating	Warm water heating	Warm water heating
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15	142 / 15	142 / 15	175 / 31
Tank volume fresh water/ waste water	l	38 / 42	38 / 42	38 / 42	38 / 42	38 / 42

¹ The number of sleeping berths depends on optional bed and/or lounge conversions and the choice of options

Packages


Shower Package

ca. 7 kg

Package components

- Shower equipment with fitting and curtain ✓
- City water connection ✓

Generation Scandinavia Standard Highlights



	545 QMK	595 RK	655 RE	655 RFK	695 BQT
Big feet	⊙	⊙	⊙	⊙	⊙
ATC stabilising system	⊙	⊙	⊙	⊙	⊙
Weight upgrade 2000kg incl. alloy wheel 225/70 R 15 C)	⊙	⊙	-	-	-
Weight upgrade 2500 kg	-	-	⊙	⊙	⊙
Alloy wheels and tires	-	-	⊙	⊙	⊙
Breakdown kit	⊙	-	⊙	⊙	-
Spare wheel single-axle	-	⊙	-	-	-
Draw bar cover	⊙	⊙	⊙	⊙	⊙
Smooth sides white with special stickers	⊙	⊙	⊙	⊙	⊙
Styrofoam insulation (front, rear, sides)	⊙	⊙	⊙	⊙	⊙
Design rear moulding with integral lights	⊙	⊙	⊙	⊙	⊙
Habitation door 70cm with window and Coupé entrance	⊙	⊙	⊙	⊙	⊙
Panoramic front window	-	-	-	-	⊙
Front window	-	⊙	⊙	⊙	⊙
Midi Heki, illuminated, with manual crank	⊙	⊙	⊙	⊙	⊙
Manoeuvring handles in chrome	⊙	⊙	⊙	⊙	⊙
Warm water heating	⊙	⊙	⊙	⊙	⊙
Warm water floor heating	⊙	⊙	⊙	⊙	⊙
Heating operation through iNet-box	⊙	⊙	⊙	⊙	⊙
Waste water pipes insulated and heated	⊙	⊙	⊙	⊙	⊙
A/C preparation	⊙	⊙	⊙	⊙	⊙
3-flames hob with electr. ignition and integrated oven	⊙	⊙	⊙	⊙	⊙
Electric Autarkic equipment	⊙	⊙	⊙	⊙	⊙
Multi-function exterior socket 12V, 220V, TV and SAT	⊙	⊙	⊙	⊙	⊙
External gas socket	⊙	⊙	⊙	⊙	⊙
USB port	⊙	⊙	⊙	⊙	⊙
Flat-screen TV preparation	⊙	⊙	⊙	⊙	⊙
Indirect lighting	⊙	⊙	⊙	⊙	⊙
Carpet looped	⊙	⊙	⊙	⊙	⊙
Dayspread	⊙	⊙	⊙	⊙	⊙
Single bed converts to double bed	-	-	⊙	-	-

Options

	Additional weight (kg)	Code	545 QMK	595 RK	655 RE	655 RPK	695 BQT
Chassis/Base							
Break-down kit	1	620	⊙	○	⊙	⊙	⊙
Bodywork exterior							
Front window	4	982	○	⊙	⊙	⊙	⊙
Rear window	4	1108	-	○	○	-	-
Flush fitting windows (not possible for front and rear windows)	3	7561	○	○	○	○	○
Access locker door 749mm x 297mm (front right)	2	1076	-	○	○	○	-
Access locker door 997mm x 419mm (rear left)	2,2	1081	-	⊙	○	-	⊙
Access locker door 997mm x 419mm (front left)	2,2	1079	○	-	-	-	-
Access locker door 1069mm x 299mm (front left)	2	1083	-	-	○	○	-
Bodywork interior							
Smoke detector	0,5	8949	○	○	○	○	○
Fire extinguisher 2 kg	3,5	843	○	○	○	○	○
Furniture layouts							
3 bunk beds, not foldable	20	200	-	-	-	○	-
Bed frame with adjustable head section	1	871	-	-	○	-	-
Kitchen							
Extractor fan	3	785	○	○	○	○	-
Kitchen worktop extension	1	1107	-	-	-	○	-
Upholstery							
7-zone WATERGEL mattress for double bed, made of heat-regulating material	4	8214	○	○	-	○	○
7-zone WATERGEL mattress for single bed left, made of heat-regulating material	2	8215	-	-	○	-	-
7-zone WATERGEL mattress for single bed right, made of heat-regulating material	2	8216	-	-	○	-	-
Corner head rests for lounge	2	9236	○	○	○	○	○
Gas installation							
DuoControl gas controller with crash sensor and EisEx	2,5	784	○	○	○	○	○
Water supply/Installation							
Exterior shower	2	396	○	○	○	○	○
Fresh water tank 70l	2,5	592	○	○	○	○	○
City water connection	2	414	○	○	○	○	○
Shower equipment with fitting and curtain	5	1097	○	○	○	○	○
Heating/Air-conditioning							
Roof A/C	35	8145	○	○	○	○	○
Connecting cable air-conditioning to heating (only in comb. with A/C)	u.r.	9115	○	○	○	○	○
Multimedia systems							
TV 22" incl. DVD and receiver	3,5	1103	○	○	○	○	○
Miscellaneous							
Registration documents	0	0	◆	◆	◆	◆	◆



to discover
per master:
Scandinavia

Rotate me
our all-inclu
Gene