

1/2020

INT



## Motorhomes 2020

Technical information

***Dethleffs***  
A friend of the family

# Dethleffs Plus Factors – Explanation of symbols

In the Dethleffs motorhomes, there are a lot of smart ideas and standard comfort features. Here we briefly present the most important ones with the corresponding symbols which can be found on the pages of the vehicle. More detailed information can be found at: [www.dethleffs.com/plus-factors](http://www.dethleffs.com/plus-factors)

## Family benefits



**3.5 t** Lightweight: 3.5 t vehicles licenced for 4 passengers and sufficient payload capacity



**142 l** Stay cool! Extra-large fridges with at least 142 litres and freezer compartment



**190 l** Stay cool! XXL fridges with at least 190 litres and freezer compartment



**Happy Family** Family-friendly: At least 4 sleeping berths without additional makeup



**Flexible** A comfortable pull-down bed offers additional sleeping berths (partly optional)

## Added comfort



**Ergonomic**: Comfortable captain seats with height/ inclination adjustment, upholstered arm rests and lateral support



**70 cm** Inviting: 70 cm XXL entrance door



**Practical**: Kitchen with large drawers and variable cooker cover for more working surface



**Elegant kitchen centre** with powerful burners and maxi drawers with central locking



**"SleepWell"**: Fixed beds with 7-zone mattresses and ergonomic wooden bed frames.



**Put your feet up**: Comfortable L-shaped lounge with free-standing table



**Freedom of movement**: Separate shower and the washing area can be connected to a big bathroom



**Easy entrance**: Thanks to lowered Coupé entrance step

## Added equipment



**Winter expert!** Excellent winterisation thanks to the elaborate double floor construction



**Winterproof**: Heated functional double floor with frost-protected water installation



**Winterproof**: Heated double floor with frost-protected water installation and additional storage space



**AirPlus** For a healthy indoor climate: Optimal rear ventilation of overhead lockers avoids condensation



**King of storage**: Particularly high rear garages thanks to Dethleffs drop chassis extension



**Height-adjustable Queens bed**: Comfortable entrance to bed or high garage



**95 Ah** More power: 95 Ah battery with AGM technology for higher performance, longer life and shorter charging time



**150 Ah** More power: 150 Ah battery with AGM technology for higher performance, longer life and shorter charging time

## Added safety



**More safety**: Electronic stabilizing program incl. important driving assistance systems



**Safe on the road**: Premium broad gauge low platform for secure and dynamic driving experience



**Well protected**: Robust GRP roof for hail protection

## Added longevity



**Long-lasting**: Rot-proof body construction without wood inserts and with GRP covered underfloor, roof and rear (rear depending on layout)



**Long-lasting**: Rot-proof floor construction without wood inserts and with GRP covered underfloor (roof and rear dep. on layout)

# Chassis specification

From the model year 2020 Dethleffs use three different chassis brands for their motorhomes: Fiat, Mercedes and Iveco. The following chassis specifications are installed as standard in every Dethleffs vehicle regardless of the model ranges. Another, range-related standard specifications you will find on the particular pages.



## Fiat Chassis

### Globebus, Trend, Pulse, Esprit Eighty Eight, Alfa (except Grand Alfa Plus)

- Front wheel drive
- Steel wheels 16"
- Fix & Go kit
- ABS/EBD
- ESP (Electronic Stabilizing Program)
- ASR
- Hill Holder
- Hill Descent Control
- Interruption of fuel supply and retraction of steering column (in case of a collision)
- Anti-theft device and revolution counter
- Day-time running lights integrated into the headlights
- Electrical window lift (for A Class only in conj. with the optional cab door)
- Break-down kit
- Driver airbag
- Booster included for automatic transmission and/or 160/180 hp engines

## Mercedes Chassis

### Globeline

- Rear-wheel drive
- Steel wheels 16"
- ABS/EBD
- ESP (Electronic Stabilizing Program)
- ASR
- Active brake Assist
- Crosswind Assist
- Lane Keep Assist
- Low beam Assist
- Adaptive brake light
- Keyless start function
- Mercedes Benz emergency call system
- Day-time running lights integrated into the headlights
- Electrical window lift and central locking for cab doors
- Driver airbag
- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator
- Alternator 200 Ah
- Brake-down kit

## Iveco Daily Chassis



### Grand Alfa Plus

- Rear wheel drive with twin tires
- Steel wheels 16"
- Wheel trims
- Spare wheel located under the vehicle rear
- ABS/EBD
- ASR
- Hill Holder
- Hydraulic Brake Assist
- Differential lock for drive axle
- Disc brake
- Large 90 l fuel tank
- Anti-theft device and revolution counter
- Day-time running lights integrated in the headlights
- Fog lights with static cornering light
- Driver airbag
- Passenger airbag
- Automated cab air-conditioning
- Dash tray with 2 x USB and Aux-in
- Electrical window lift
- Electric. adjustable and heatable cab mirrors
- Hydraulic captain seats
- Seat heating (cab)
- Driver and passenger seats in luxury design, hydraulic with 3-step adjustment
- Alternator 220 Ah
- Break-down kit







# Index

2	Dethleffs Plus Factors			
3	Chassis specification			
5	Content			
6 – 7	Conversion types			
8 – 23	Trend	Low Profile	A Class	Coachbuilt
24 – 33	Globebus	Low Profile	A Class	-
34 – 43	Pulse	Low Profile	A Class	-
44 – 51	Globeline	Low Profile	-	-
52 – 61	Esprit Eighty Eight	Low Profile	A Class	-
62 – 71	Alpa	-	A Class	Coachbuilt
72	Winter Comfort Packages			
73	Dethleffs – long-lasting quality			
74	General Information			

# Conversion types



## Low Profile

Low Profile models inspire with a low vehicle height and dynamic driving features. They are perfect for exciting journeys. All Low Profile models receive the maximum sleeping berths only in conjunction with the options pull-down bed, additional bed or lounge convert to bed (depending on layout).

























































## A Class

The driving experience with an A Class is beyond comparison: The large panoramic windscreen, the effective sound reduction and the spacious feel combine to make your journey an adventure.

























































## Coachbuilt

The cosy overcab bed is much loved by children and is also ideal for adults because of its large dimensions. When you do not use the overcab bed for sleeping it can be very useful for storing your holiday implements.

SINGLE BEDS											DOUBLE BEDS		
Globebus	Trend					Pulse			Globeline	Esprit Eighty Eight	XL XXL	Globebus	Trend
													
													
T 6 EB	T 6617 EB	T 6717 EB	T 7017 EB	T 7057 EB	T 7057 EBL	T 6811 EB	T 7051 EB	T 7051 EBL	T 6613 EB	T 7150-2 EB		T 7 DBM	T 6557 DBM
2,20 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m		2,20 m	2,33 m
													
													
I 6 EB	I 6617 EB	I 6717 EB	I 7017 EB	I 7057 EB	I 7057 EBL	I 6811 EB	I 7051 EB	I 7051 EBL		I 7150-2 EB	I 7850-2 EB	I 7 DBM	I 6557 DBM
2,20 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m		2,33 m	2,33 m	2,20 m	2,33 m
													
													
											A 9000-2 EB		
											2,35 m		



					BED CROSSWAYS					U-SHAPED LOUNGE			
					Pulse	Esprit Eighty Eight	XL XXL	Globebus	Trend	Alpa			
   					  								
   					  								
2,33 m					2,33 m	2,33 m	2,33 m	2,33 m	2,20 m				
   					  			 					
   					  			 					
2,33 m					2,33 m	2,33 m	2,33 m	2,33 m	2,20 m	2,33 m			
									  	  			
								  			  		
					2,35 m			2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,35 m

# Trend



Low Profile | A Class | Coachbuilt

## Technical info\*

Maximum authorised weight	3.499 – 5.000 kg
Length	651 – 860 cm
Width	233 cm
Height	290 – 327 cm
Chassis	Fiat AL-KO low platform 3 axis, Fiat high platform, Fiat low platform
Sleeping berths	3 – 6
Basic engine	2,3 MJET / 2,3 MJET MAXI
	88 (120) – 103 (140) kW(BHP)

\* Maximum value depends on layout and optional extras.

## Trend plus factors



not for Coachbuilt

- + Perfect price/performance ratio
- + Optional pull-down bed for all Low Profile models
- + Rot-proof Lifetime-Smart body construction
- + 142 l fridge with large freezer compartment
- + Extra wide entrance door (70 cm) with Coupé entrance (not for Coachbuilt)
- + Large garage for transportation of e-bikes (dep. on layout)
- + High payload capacity despite being licenced for 4 persons at 3.5 t total weight (not for A 7877-2)
- + Be better equipped in the Trend with the stylish Design Package (option) (not for Coachbuilt)



except A 7877-2



only A 7877-2



only A 7877-2



option for T



option for T/I 7057 DBM



Option for T/I



Option for T



dep. on layout



for T/I



# Standard specification

## Chassis (in addition to standard equipment, see p. 3)

- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator (not for A Class)
- Low-vibration, electric and heated cab mirrors in bus style (two-piece) (only for A Class)
- Steel wheels 15" (only for A 5887 and A 6977)

## Conversion

- Floor thickness: 42mm, sidewall thickness 34mm and roof thickness 35mm (only for Coachbuilt)
- Floor thickness: 49mm; sidewall thickness: 34mm; roof thickness: 35mm (not for Coachbuilt)
- Captain seats: integrated headrests, two armrests, rotating function
- Double floor storage, to be loaded almost through the complete vehicle width (only for A 7877-2)
- Pull-down bed (only for A Class)
- Height-adjustable queen bed (only for T/I 7057 DBL)
- Automotive rear moulding and 3rd brake light
- Rear garage: two garage doors (optional for Coachbuilt), drop chassis extension (150 kg loading capacity), heated incl. fixing loops, 1x 230 V power outlet
- Habitation door: 70cm
- Skylight 40 x 40cm above the lounge
- Window for overcab O/S (only for Coachbuilt)
- Cab blinds for best insulation and privacy protection (only for A Class)

## On-board technology / Installations

- Gas bottle locker for 2 x 11kg bottles
- Starter battery and leisure battery with automatic switch-over (also for fridge)
- EBL with overvoltage protection
- Illuminated roof lining above the habitation door
- Fresh water/ waste water tank installed in double floor (insulated area) (only for A 7877-2)

## Kitchen

- Gourmet kitchen with 3-flame hob, spacious drawers with softclose function and large worktop
- Large fridge with freezer compartment and auto energy selection (AES) (not for T/I 6617 EB)
- MultiFlex rail system (not for A 5887 and A 6977)
- Worktop extension: extendable or fold-away (only for T/I 6557 DBM and T/I 6617 EB)

## Bathroom

- All of our bathrooms are equipped with cabinets, storage compartments, hooks, large mirrors, halogen illumination and a height-adjustable shower head (depending on layout)
- Rotating bathroom for optimal use of space (only for T/I 6717 EB, A 5887 and A 6977)
- Shower grid (not for T/I 7057 DBL, T/I 7057 EBL, A 5887, A 6977 and A 7877-2)


## Living area

- AirPlus ventilation system - for an optimised ventilation of the interior
- Overhead locker doors with softclose function
- Wardrobe N/S and O/S next to the king bed
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- Children's beds and overcab bed with fall-out protection net and ladder
- Bunk bed loading up to 100kg
- No steps in living room (only for Coachbuilt)
- Convenient magnet pinboard in living area (only for A Class)

## Interior

- Wood décor Virginia Oak with upholstery Torcello, Gresso or La Rocca (only for Coachbuilt)
- Wood décor Topaz Apple with upholstery Torcello or Talk (not for Coachbuilt)

# Trend Low Profile



TREND		T 6557 DBM	T 6617 EB	T 6717 EB	T 6757 DBM	T 6757 DBL	T 7017 EB
Chassis type		Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform
Diesel tank/AdBlue tank	l	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19
Emission class		Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp
Length	cm	660	696	696	696	696	741
Width	cm	233	233	233	233	233	233
Height	cm	290	290	290	290	290	290
Internal height	cm	213	213	213	213	213	213
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	345	380	380	404	404	404
Beds pull-down/ overcab	cm	200x100 <sup>1</sup>	200x100 <sup>1</sup>	200x140/125 <sup>1</sup>	200x140/110 <sup>1</sup>	200x140 <sup>1</sup>	200x140 <sup>1</sup>
Bed mid	cm	160x105/80 <sup>2</sup>	170x105/80 <sup>2</sup>	170x105/80 <sup>2</sup>	160x105/80 <sup>2</sup>	-	210x115/80 <sup>3</sup>
Bed rear	cm	190x150	185x80 / 195x80	200x80 / 190x80	190x150	190x150	195x75 / 195x80
Alternative	cm	-	210x195/170 <sup>4</sup>	215x200/175 <sup>4</sup>	-	-	-
Sleeping berths		3 <sup>1</sup>	3 <sup>1</sup>	4 <sup>1</sup>	4 <sup>1</sup>	4 <sup>1</sup>	4 <sup>1</sup>
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		88 (120)	88 (120)	88 (120)	88 (120)	88 (120)	88 (120)
Weight net	kg	2565	2620	2620	2640	2685	2750
Mass in running order (MIRO)	kg	2745	2800	2800	2820	2865	2930
Payload	kg	754	699	699	679	634	569
Maximum authorised weight	kg	3499	3499	3499	3499	3499	3499
Designated passenger seats (standard weight)		4	4	4	4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4	4	4	4
Heating		Combi 6	Combi 6	Combi 6	Combi 6	Combi 6	Combi 6
Fridge/ thereof freezer compartment	l	142 / 15	90 / 9	142 / 15	142 / 15	142 / 15	142 / 15
Water tank incl. boiler (red. volume)	l	116 (20)	116 (20)	125 (20)	116 (20)	116 (20)	125 (20)
Waste water tank volume	l	90	90	90	90	90	90
Awning size	m	4,0	4,0	4,0	4,0	4,0	4,5
Garage sizes O/S standard/ option	cm	70x85 / -	75x115 / -	75x115 / -	75x85 / -	75x85 / -	95x55 / -
Garage sizes N/S standard/ option	cm	70x85 / -	75x115 / -	75x115 / -	75x85 / -	75x85 / -	95x55 / -
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V/USB	6 / 1 / 0	7 / 1 / 0	8 / 1 / 0	8 / 1 / 0	8 / 1 / 0	8 / 1 / 0

<sup>1</sup> Only in combination with option "electrical pull-down bed"

<sup>2</sup> Only in combination with option "additional bed"


<sup>3</sup> Only in combination with option "additional cushions to make up bed"

<sup>4</sup> Only in combination with option "bed converts single beds to double bed"

<sup>5</sup> Only in combination with option „electrical pull-down bed“ and „additional cushions to make up bed“


<sup>6</sup> Only in combination with optional 5th seat





T 7057 DBM	T 7057 DBL	T 7057 EB	T 7057 EBL
Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform
75 / 19	75 / 19	75 / 19	75 / 19
Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp
741	741	741	741
233	233	233	233
290	290	290	290
213	213	213	213
2000 / 750	2000 / 750	2000 / 750	2000 / 750
225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
404	404	404	404
200x140/125 <sup>1</sup>	200x140 <sup>1</sup>	200x140/125 <sup>1</sup>	200x140 <sup>1</sup>
210x125/80 <sup>3</sup>	-	210x125/80 <sup>3</sup>	-
190x150	190x150	210x80 / 205x80	205x80 / 210x80
-	-	215x210/205 <sup>4</sup>	210x195 <sup>4</sup>
5 <sup>5</sup>	4 <sup>1</sup>	5 <sup>5</sup>	4 <sup>1</sup>
2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
88 (120)	88 (120)	88 (120)	88 (120)
2700	2745	2700	2745
2880	2925	2880	2925
619	574	619	574
3499	3499	3499	3499
4	4	4	4
5 <sup>6</sup>	4	5 <sup>6</sup>	4
Combi 6	Combi 6	Combi 6	Combi 6
142 / 15	142 / 15	142 / 15	142 / 15
125 (20)	116 (20)	125 (20)	116 (20)
90	90	90	90
4,5	4,5	4,5	4,5
95x115 / -	95x115 / -	95x115 / -	95x115 / -
95x115 / -	95x115 / -	95x115 / -	95x115 / -
95 / 18	95 / 18	95 / 18	95 / 18
8 / 1 / 0	8 / 1 / 0	8 / 1 / 0	8 / 1 / 0

# Trend A Class




TREND		I 6557 DBM	I 6617 EB	I 6717 EB	I 6757 DBM	I 6757 DBL	I 7017 EB
Chassis type		Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform
Diesel tank/AdBlue tank	l	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19
Emission class		Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp
Length	cm	660	695	695	695	695	740
Width	cm	233	233	233	233	233	233
Height	cm	294	294	294	294	294	294
Internal height	cm	213	213	213	213	213	213
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	345	380	380	404	404	404
Beds pull-down/ overcab		195x150	195x150	195x150	195x150	195x150	195x150
Bed mid	cm	-	-	-	-	-	-
Bed rear	cm	190x150	185x80 / 195x80	200x80 / 190x80	190x150	190x150	195x75 / 195x80
Alternative	cm	-	210x195/170 <sup>2</sup>	215x200/175 <sup>2</sup>	-	-	-
Sleeping berths		4	4	4	4	4	4
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		88 (120)	88 (120)	88 (120)	88 (120)	88 (120)	88 (120)
Weight net	kg	2605	2680	2670	2700	2745	2775
Mass in running order (MIRO)	kg	2785	2860	2850	2880	2925	2955
Payload	kg	714	639	649	619	574	544
Maximum authorised weight		3499	3499	3499	3499	3499	3499
Designated passenger seats (standard weight)		4	4	4	4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4	4	4	4
Heating		Combi 6	Combi 6	Combi 6	Combi 6	Combi 6	Combi 6
Fridge/ thereof freezer compartment	l	142 / 15	90 / 9	142 / 15	142 / 15	142 / 15	142 / 15
Water tank incl. boiler (red. volume)	l	116 (20)	116 (20)	125 (20)	116 (20)	116 (20)	125 (20)
Waste water tank volume	l	90	90	90	90	90	90
Awning size		4,5	5,0	5,0	5,0	5,0	5,5
Garage sizes O/S standard/ option	cm	70x85 / -	75x115 / -	75x115 / -	75x85 / -	75x85 / -	95x55 / -
Garage sizes N/S standard/ option	cm	70x85 / -	75x115 / -	75x115 / -	75x85 / -	75x85 / -	95x55 / -
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V/USB	5 / 1 / 0	6 / 1 / 0	7 / 1 / 0	7 / 1 / 0	8 / 1 / 0	7 / 1 / 0

<sup>1</sup> Only in combination with option "additional cushions to make up bed"

<sup>2</sup> Only in combination with option "bed converts single beds to double bed"


<sup>3</sup> Only in combination with optional 5th seat





I 7057 DBM	I 7057 DBL	I 7057 EB	I 7057 EBL
Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform
75 / 19	75 / 19	75 / 19	75 / 19
Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp
740	740	740	740
233	233	233	233
294	294	294	294
213	213	213	213
2000 / 750	2000 / 750	2000 / 750	2000 / 750
225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
404	404	404	404
195x150	195x150	195x150	195x150
210x125/80 <sup>1</sup>	-	210x125/80 <sup>1</sup>	-
190x150	190x150	210x80 / 205x80	205x80 / 210x80
-	-	215x210/205 <sup>2</sup>	210x195 <sup>2</sup>
5 <sup>1</sup>	4	5 <sup>1</sup>	4
2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
88 (120)	88 (120)	88 (120)	88 (120)
2755	2790	2755	2790
2935	2970	2935	2970
564	529	564	529
3499	3499	3499	3499
4	4	4	4
5 <sup>3</sup>	4	5 <sup>3</sup>	4
Combi 6	Combi 6	Combi 6	Combi 6
142 / 15	142 / 15	142 / 15	142 / 15
125 (20)	116 (20)	125 (20)	116 (20)
90	90	90	90
5,5	5,5	5,5	5,5
95x115 / -	95x115 / -	95x115 / -	95x115 / -
95x115 / -	95x115 / -	95x115 / -	95x115 / -
95 / 18	95 / 18	95 / 18	95 / 18
7 / 1 / 0	7 / 1 / 0	7 / 1 / 0	7 / 1 / 0

# Trend Coachbuilt



TREND		A 5887	A 6977	A 7877-2
Chassis type		Fiat high platform	Fiat high platform	Fiat AL-KO low platform 3 axis
Diesel tank/AdBlue tank	l	75 / 19	75 / 19	90 / 19
Emission class		Euro 6d temp	Euro 6d temp	Euro 6d temp
Length	cm	651	706	860
Width	cm	233	233	233
Height	cm	319	319	327
Internal height	cm	198	198	209
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	1800 / 750
Tyres		215/70R 15C	215/70R 15C	225/75R 16C
Wheel base	cm	345	404	460/80
Beds pull-down/ overcab	cm	210x165	210x165	210x165
Bed mid	cm	185x130	185x130	195x130
Bed rear	cm	210x85/200x80	210x150/140	210x150
Alternative	cm	-	-	-
Sleeping berths		6	6	6
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET MAXI
kW (BHP)		88 (120)	88 (120)	103 (140)
Weight net	kg	2700	2755	3370
Mass in running order (MIRO)	kg	2865	2920	3560
Payload	kg	634	579	1440
Maximum authorised weight	kg	3499	3499	5000
Designated passenger seats (standard weight)		4	4	4
Designated passenger seats (max. weight upgrade)		6 <sup>1</sup>	6 <sup>1</sup>	6 <sup>1</sup>
Heating		Combi 6	Combi 6	Combi 6
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15	142 / 15
Water tank incl. boiler (red. volume)	l	107 (20)	107 (20)	160 (20)
Waste water tank volume	l	90	90	150
Awning size	m	4,0	4,5	6,0
Garage sizes O/S standard/ option	cm	65x120 / -	100x120 / -	105x135 / -
Garage sizes N/S standard/ option	cm	- / 65x120	- / 85x120	- / 105x135
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V/USB	3 / 1 / 0	3 / 1 / 0	7 / 1 / 0

<sup>1</sup> Only in combination with option "Safety Package"

# Packages

Family Package	ca. 37 kg	ca. 39 kg	ca. 21 kg
Package components	Low Profile	A Class	Coachbuilt
Flyscreen door	✓	✓	✓
Awning light 12 V	✓	✓	✓
Panoramic skylight 70x50 cm living room	✓	–	✓
Cab blinds	✓	⊙	✓
Window in T-hood	✓	–	–
Ambience illumination	✓	✓	✓
LED Illumination Package	✓	✓	✓
Habitation door with window and central locking (incl. cab door)	✓	✓	–
Height-/inclination adjustment for driver and passenger seats	✓	–	✓
Cab door N/S	⊙	✓	⊙
Panoramic skylight 75x105 cm in living room	–	✓	–
Captain seat with height/ inclination adjustment and upholstered arm rests	–	✓	–

Design Package	ca. 13 kg	ca. 13 kg
Package components	Low Profile	A Class
Wood décor Virginia Oak with upholstery Torcello, Gresso or La Rocca	✓	✓
White laminate for lounge table and kitchen surface	✓	✓
Backlit entrance area (high-gloss Magnolia) (dep. on layout)	✓	✓
Backlit chrome handle in entrance area (dep. on layout)	✓	✓
Wardrobe panel covered with fabrics incl. coat hook in chrome (dep. on layout)	✓	✓
Sockets and switches in Bicolor	✓	✓
L-shaped lounge (not for DBL/ EBL)	✓	✓
Shower console in black with bath accessories (tooth mug, soap tray, toilet roll holder) (dep. on layout)	✓	✓
Re-designed kitchen area (illuminated kitchen rear panel, kitchen panel N/S in Welsh White, handles and towel hook in chrome)	✓	✓

Fiat Chassis Package	ca. 26 kg	ca. 24 kg	ca. 26 kg
Package components	Low Profile	A Class	Coachbuilt
LED day-time-running lights	✓	–	✓
Electr. and heated cab mirrors	✓	⊙	✓
Automated A/C	✓	✓	✓
Cruise control	✓	✓	✓
Passenger airbag	✓	✓	✓
Radio pre-wiring with Sound Package	✓	✓	✓
Leather steering wheel and shift knob with leather sleeve	✓	✓	✓
Instruments in chrome	✓	✓	✓

Fiat Assistance Package	Low Profile	Coachbuilt
Package components	Low Profile	Coachbuilt
Lane Keep Assist	✓	✓
Light Assist	✓	✓
High Beam Assist	✓	✓
Full Brake Control	✓	✓
Rain sensor	✓	✓
Traffic Sign Assist	✓	✓

✓ included    ⊙ Standard specification    – not included



# Dethleffs world of colours

For the TREND range you can choose from the following colour combinations (some at extra charge).

## Low Profile

Chassis colour		Conversion colour	
<div>White</div>	Code	White	Titansilver Metallic
		standard	option

## A Class

Chassis colour		Conversion colour	
<div>White</div>	Code	White	Titansilver Metallic
		standard	option

## Coachbuilt

Chassis colour		Conversion colour	
<div>White</div>	Code	White	
		standard	

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.





## Options

Options

	Additional weight (kg)	Code	T 6657 DBM	T 6617 FB	T 6717 FB	T 6757 DBM	T 6757 DBL	T 7017 FB	T 7057 DBM	T 7057 DBL	T 7057 FB	T 7057 EBL	I 6557 DBM	I 6617 FB	I 6717 FB	I 6757 DBM	I 6757 DBL	I 7017 FB	I 7057 DBM	I 7057 DBL	I 7057 FB	I 7057 EBL	A 5887	A 6977	A 7877-2	
Chassis/Base																										
Fiat Ducato Multijet 140 (2,3 l / 140 hp)	0	0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fiat Ducato Multijet 160 (2,3 l / 160 hp) incl. start-stop function	0	0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Fiat Ducato Multijet 180 (2,3 l / 180 hp) incl. start-stop function	0	0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Fiat Ducato Maxi chassis (4.250 kg)	40	0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Weight upgrade 3.650kg	0	10769	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Alloy wheels 16"	0	8045	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Alloy wheels Dethleffs 16" for 3-axle	0	8045	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9-gear converter automatic transmission (possible as from 140 hp engine; for 140 hp engine addit. costs for start-stop function)	u.r.	10736	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tow bar (please consider the total towing weight)	35	273	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Rear corner steadies (2 pieces)	6	390	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Reinforced spring for front axle	0	1889	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Safety Package II: headrests and safety belts against driving direction	8	986	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Additional seat	11	435	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bodywork exterior																										
Panoramic skylight 70x50 cm above the pull-down bed	8	246	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Flush fitting windows	5	415	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Additional window in bathroom	5	372	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bike rack for 3 bikes (rear)	9	938	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bike rack for 3 bikes (lowerable)	10	7482	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cassette awning Omnistor 4.0 m	33	859	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cassette awning Omnistor 4.5 m	50	930	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cassette awning Omnistor 5.0 m (manual)	54	697	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cassette awning Omnistor 5.5 m	58	494	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cassette awning Omnistor 6.0 m (manual)	61	560	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Access locker door N/S	7	331	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bodywork interior																										
Double floor for rear garage	5	1890	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Safe mounted	13	323	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Fire extinguisher 2 kg	4	1878	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Smoke detector	1	1891	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Furniture layouts																										
Bed convert single beds to double bed	9	1883	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Seating lounge converts to bed	5	1944	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Rear bed with manual height-adjustment	15	9435	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Additional cushions to make up bed	3	339	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical pull-down bed in cab	55	680	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
U-shaped lounge	5	1870	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
U-shaped lounge with free-standing table (telescopic)	5	1870	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Isotfix - child seat bracket	5	8125	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Upholstery																										
Loose fitting carpets	8	851	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrics/Installation																										
2nd leisure battery 95 Ah	27	830	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Solar system (2 x 60 W)	15	922	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Gas/Installation																										
Exterior socket for gas 30mbar	1	878	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg aluminium gas bottle)	13	1577	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water supply/Installation																										
Insulated waste water tank	3	665	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	Additional weight (kg)	Code	T 6557 DBM	T 6617 EB	T 6717 EB	T 6757 DBM	T 6757 DBL	T 7017 EB	T 7057 DBM	T 7057 DBL	T 7057 EB	T 7057 EBL	I 6557 DBM	I 6617 EB	I 6717 EB	I 6757 DBM	I 6757 DBL	I 7017 EB	I 7057 DBM	I 7057 DBL	I 7057 EB	I 7057 EBL	A 5887	A 6977	A 7877-2	
Water supply/Installation																										
Switch for water pump	1	397	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Heating/Air-conditioning																										
Warm water heating	30-50	761	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	-	-	○
Cab warm water heating (only in comb. with warm water heating - cab carpets not possible)	10	6709	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	-	-	○
Warm water heating by smartphone app	0	7512	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	○
Alternative heating operation panel	1	6622	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
App operation for warm air heating (only in comb. with option 6622)	1	9659	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Floor heating (electrical)	9	763	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	-
Roof A/C	34	609	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Electrically heated overcab bed	3	1740	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	○	○	○
Heat exchanger	7	565	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	-	-	○
Kitchen																										
Fridge (142 l) and wardrobe	27	713	-	○	-	-	-	-	-	-	-	-	-	○	-	-	-	-	-	-	-	-	-	-	-	-
Fridge (142 l) with integrated oven and grill (only in comb. with option 713)	20	290	-	○	-	-	-	-	-	-	-	-	-	○	-	-	-	-	-	-	-	-	-	-	-	-
Large fridge with separated freezer compartment and integrated oven with grill (TecTower)	20	290	-	-	-	○	-	○	○	○	○	○	-	-	-	○	-	○	○	○	○	○	○	-	-	○
Extractor fan	2	344	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Bathroom																										
Shower grid	1,5	1657	⊙	⊙	⊙	⊙	⊙	⊙	⊙	○	⊙	○	⊙	⊙	⊙	⊙	⊙	⊙	⊙	○	⊙	○	○	○	○	○
Multimedia systems																										
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Flatscreen bracket	3	325	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
SAT system Flatsat Classic 65 Twin	13	7670	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Reversing cam (single cam) (only in comb. with the option 9582 Dethleffs Naviceiver)	2	1642	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Reversing cam (double cam) (only in comb. with the option 9582 Dethleffs Naviceiver)	2	1641	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Dethleffs Naviceiver incl. DAB+,truck navigation and bord control panel linking	3,5	9582	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Miscellaneous																										
Registration documents	0	0	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

# Trend T/I

## Plus factors interior



» T/I: Comfortable captain seats with height/inclination adjustment and integrated headrest (option)



» T: Optional pull-down bed with electrical operation available (interior height still 1,90 m)



» The AirPlus system avoids any condensation.



» The L-shaped lounge can be easily converted to an additional sleeping berth (option).



» T/I: Cab blinds protect from heat, cold and prying eyes (option for T)



» Childproof: Isofix bracket for child seats (option) (not available for T/I 7057 DBL and EBL).



» I: Large pull-down bed with wooden slatted frame and 7-zone mattress.



» I: Sophisticated ambience with the advantages of an A Class: even when the bed is pulled down the seating lounge still can be used.



» Practical: Storage compartment in entrance area (depending on model).



» Lounge conversion to belted passenger seats (for T/I 7057 DBL and EBL layouts).



» Quietly closing overhead locker doors. The optional indirect lighting creates a wonderful and cosy ambience during the evenings



# Trend T/I

## Plus factors exterior



» 70 cm wide entrance door and Coupé entrance if desired with window and central locking (option).



» T: Large opening skylight in cab (option).



» T: Stylish safety feature: LED day-time running lights (option).



» T: Prominent rear moulding.



» I: Easy to service: large engine bay opening for servicing all relevant parts.



» I: modern Dethleffs face.



» I: Coach-style mirrors for an unobstructed field of view.



» T/I 7017: Through-loading possibility under the single beds (95 x 55 cm).



» The garages of the single beds' layout are high and loadable from both sides. Two garage doors are standard



» Clever: Lighting and 230 V socket in rear garage.



» Wood-free and rot-free Lifetime-Smart floor construction (covered with GRP).



Additional information can be found at: [www.dethleffs.com/motorhomes/trend](http://www.dethleffs.com/motorhomes/trend)

## Trend A Plus factors interior



» The classic dinette can also be used without swivelling the driver's and passenger's seats. It can be easily converted to a comfortable bed for two.



» The Overcab bed is loved by children and adults alike. (Trend A 7877-2).



» Childproof: Isofix bracket for child seats (option).



» The optional indirect lighting creates a wonderful and cosy ambience during the evenings.



» Quietly closing overhead locker doors.



» Many 230 V sockets in living area and rear garage.



» Dethleffs Naviceiver (option) incl. navigation system and DAB+ radio reception. The display of on-board-control readings is possible.



» Cab blinds protect from heat, cold and prying eyes.



» Dethleffs Fiat chassis 9 gear automatic transmission optionally available



## Trend A

### Plus factors exterior



» Opening window in overcab provides light and air circulation.



» Stylish safety feature: LED daytime running lights (option).



» Prominent rear moulding.



» 70 cm wide entrance door with electrical entrance step if desired with window and central locking (option).



» Well protected against hail: durable GRP roof.



» Clever: Lighting and 230 V socket in rear garage.



» Stay safe with the standard ESP and other important driving assistance systems.




» There is a lot of storage space for your holiday implements and not only in the rear garage (A 7877-2).



» A 7877-2: High double floor with load-through possibility. Furthermore this vehicle basement is perfectly made for protecting the vehicle installations from cold temperatures.

# Globebus



## Technical info\*

Maximum authorised weight	3.499 – 3.650 kg
Length	599 – 698 cm
Width	220 cm
Height	281 cm
Chassis	Fiat Fiat low platform
Sleeping berths	3 – 4
Basic engine	2,3 MJET
	88 (120) kW(BHP)

\* Maximum value depends on layout and optional extras.

## Globebus plus factors



- + Plenty of space in the interior despite a width of only 2,2 m
- + Large L-shaped lounge with modern upholstery
- + Robust work surface extension in kitchen area (not in T/I 7)
- + Exclusive Gran Turismo (GT) Package (optional)
- + Compact and agile



not for T/I 1



Option for T/I 1



A Class



T/I 7

# Standard specification

## Chassis (in addition to standard equipment, see p. 3)

- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator (only for Low Profile)
- Low-vibration, electric and heated cab mirrors in bus style (two-piece) (only for A Class)
- Radiator grill offers additional protection (only for A Class)

## Conversion

- Floor thickness: 49mm; sidewall thickness: 34mm; roof thickness: 35mm
- Captain seats: integrated head rest, two upholstered arm rests, rotating, height-adjustable with inclination adjustment
- Pull-down bed (only for A Class)
- Height-adjustable queen bed (only for T/I 7)
- Automotive rear moulding with integral rear lights and integrated LED light bar and 3rd brake light
- Rear garage: two garage doors, drop chassis extension (150 kg loading capacity), heated, with fixing loops, illuminated, 1x 230 V power outlet
- Habitation door: 70cm, flyscreen door, awning light (not for T/I 1)
- Skylight 40 x 40cm above the lounge
- Window for T-hood (only for Low Profile)
- Cab blinds for best insulation and privacy protection (only for A Class)

## On-board technology / Installations

- Gas bottle locker for 2 x 11kg bottles
- Starter battery and leisure battery with automatic switch-over (also for fridge)
- EBL with overvoltage protection
- LED illumination for the interior
- Illuminated roof lining above the habitation door

## Kitchen

- Gourmet kitchen with 3-flame hob, spacious drawers with softclose function and large worktop
- Large fridge with freezer compartment and auto energy selection (AES) (not for T/I 1)

- Worktop extension: extendable or fold-away (not for T/I 7)

## Bathroom

- All of our bathrooms are equipped with cabinets, storage compartments, hooks, large mirrors, halogen illumination and a height-adjustable shower head (depending on layout)
- Rotating bathroom for optimal use of space (only for T/I 1)
- Shower grid (not for T/I 1)

## Living area


- AirPlus ventilation system - for an optimised ventilation of the interior
- Overhead locker doors with softclose function
- High wardrobe with convenient laundry shelves in upper area
- Wardrobe N/S and O/S next to the king bed
- Shoe cabinet in entrance area (only for T/I 7)
- Multi-functional storage space underneath the double bed incl. wardrobe, accessible from inside and out, illuminated, bed frame with adjustable shock absorbers (only for T/I 1)
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- Large mirror

## Interior

- Wood décor Rosario Cherry with upholstery Quadro or Atomic



# Globebus Low Profile




GLOBEBUS		T 1	T 6	T 7
Chassis type		Fiat low platform	Fiat low platform	Fiat low platform
Diesel tank/AdBlue tank	l	75 / 19	75 / 19	75 / 19
Emission class		Euro 6d temp	Euro 6d temp	Euro 6d temp
Length	cm	599	698	698
Width	cm	220	220	220
Height	cm	281	281	281
Internal height	cm	198	198	198
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	345	380	380
Beds pull-down/ overcab	cm	-	-	-
Bed mid	cm	155x95/90 <sup>1</sup>	175x95/90 <sup>1</sup>	155x95/90 <sup>1</sup>
Bed rear	cm	200x145	195x80 / 195x75	190 / 180x140
Alternative	cm	-	200x155 <sup>2</sup>	-
Sleeping berths		3 <sup>1</sup>	3 <sup>1</sup>	3 <sup>1</sup>
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		88 (120)	88 (120)	88 (120)
Weight net	kg	2485	2645	2645
Mass in running order (MIRO)	kg	2680	2820	2820
Payload	kg	819	679	679
Maximum authorised weight	kg	3499	3499	3499
Designated passenger seats (standard weight)		4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4
Heating		Combi 6	Combi 6	Combi 6
Fridge/ thereof freezer compartment	l	90 / 9 <sup>3</sup>	142 / 15	142 / 15
Water tank incl. boiler (red. volume)	l	114 (20)	114 (20)	114 (20)
Waste water tank volume	l	90	90	90
Awning size	m	3,0	4,0	4,0
Garage sizes O/S standard/ option	cm	75x100 / -	95x105 / -	95x100 / -
Garage sizes N/S standard/ option	cm	95x80 / -	95x105 / -	75x100 / -
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V/USB	6 / 1 / 2	6 / 1 / 2	6 / 1 / 2

<sup>1</sup> Only in combination with option "additional bed"

<sup>2</sup> Only in combination with option "bed converts single beds to double bed"

<sup>3</sup> 142l fridge instead of wardrobe optionally available

# Globebus A Class



GLOBEBUS		I 1	I 6	I 7
Chassis type		Fiat low platform	Fiat low platform	Fiat low platform
Diesel tank/AdBlue tank	l	75 / 19	75 / 19	75 / 19
Emission class		Euro 6d temp	Euro 6d temp	Euro 6d temp
Length	cm	599	695	695
Width	cm	220	220	220
Height	cm	281	281	281
Internal height	cm	198	198	198
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	345	380	380
Beds pull-down/ overcab	cm	185x150	185x150	185x150
	Bed mid	cm	-	-
	Bed rear	cm	200x145	195x80 / 195x75
	Alternative	cm	-	200x155 <sup>1</sup>
Sleeping berths		4	4	4
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		88 (120)	88 (120)	88 (120)
Weight net	kg	2535	2695	2695
Mass in running order (MIRO)	kg	2730	2890	2890
Payload	kg	769	609	609
Maximum authorised weight	kg	3499	3499	3499
Designated passenger seats (standard weight)		4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4
Heating		Combi 6	Combi 6	Combi 6
Fridge/ thereof freezer compartment	l	90 / 9 <sup>2</sup>	142 / 15	142 / 15
Water tank incl. boiler (red. volume)	l	114 (20)	114 (20)	114 (20)
Waste water tank volume	l	90	90	90
Awning size	m	4,0	5,0	5,0
Garage sizes O/S standard/ option	cm	75x100 / -	95x105 / -	95x100 / -
Garage sizes N/S standard/ option	cm	95x80 / -	95x105 / -	75x100 / -
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V/USB	6 / 1 / 2	6 / 1 / 2	6 / 1 / 2

<sup>1</sup> Only in combination with option "bed converts single beds to double bed"

<sup>2</sup> 142l fridge instead of wardrobe optionally available

# Packages

Fiat Chassis Package	ca. 26 kg	ca. 24 kg
Package components	Low Profile	A Class
LED day-time-running lights	✓	–
Electr. and heated cab mirrors	✓	⊙
Automated A/C	✓	✓
Cruise control	✓	✓
Passenger airbag	✓	✓
Radio pre-wiring with Sound Package	✓	✓
Leather steering wheel and shift knob with leather sleeve	✓	✓
Instruments in chrome	✓	✓

Fiat Assistance Package	
Package components	Low Profile
Lane Keep Assist	✓
Light Assist	✓
High Beam Assist	✓
Full Brake Control	✓
Rain sensor	✓
Traffic Sign Assist	✓

✓ included    ⊙ Standard specification    – not included

Family Package	ca. 25 kg	ca. 40 kg
Package components	Low Profile	A Class
Cab blinds	✓	⊙
Panoramic skylight 70x50 cm incl. roof lining in living area	✓	–
On-board control panel Luxus	✓	✓
Ambience illumination	✓	✓
Habitation door with window and central locking (incl. cab door)	✓	✓
Cab door N/S	⊙	✓
Panoramic skylight 75x105 cm incl. illuminated roof lining in living area	–	✓

GT package	white		silver		black	
	ca. 72 kg	ca. 81 kg	ca. 74 kg	ca. 81 kg	ca. 74 kg	ca. 81 kg
Package components	Low Profile	A Class	Low Profile	A Class	Low Profile	A Class
Components of the chassis package Low Profile	✓	–	✓	–	✓	–
Components of the chassis package A Class	–	✓	–	✓	–	✓
Components of the family package Low Profile	✓	–	✓	–	✓	–
Components of the family package A Class	–	✓	–	✓	–	✓
Chassis colour Silver	–	–	✓	–	–	–
Chassis colour Black, radiator grill Silver	–	–	–	–	✓	–
Exterior design GT White T (various stickers, red skid plate)	✓	–	–	–	–	–
Exterior design GT White I (various stickers, red skid palte, black A Class front)	–	✓	–	–	–	–
Exterior design GT Silver/Black T (various stickers, red skid plate)	–	–	✓	–	✓	–
Exterior design GT Silver/ Black I (various stickers, red skid plate, black A Class front)	–	–	–	✓	–	✓
Interior design GT (kitchen back wall black, switches and power outlets in bicolor)	✓	✓	✓	✓	✓	✓
Cab entrance step	✓	–	✓	–	✓	–
High-level rear moulding incl. roof rails	✓	✓	✓	✓	✓	✓
Flush-fitting windows	✓	✓	✓	✓	✓	✓
Alloy wheels 16" Fiat	✓	✓	✓	✓	✓	✓
Cab dashboard with aluminium applications	✓	✓	✓	✓	✓	✓

# Options

	Additional weight (kg)	Code	T1	T6	T7	I1	I6	I7
<b>Chassis/Base</b>								
Fiat Ducato Multijet 140 (2,3 l / 140 hp)	0	0	○	○	○	○	○	○
Fiat Ducato Multijet 160 (2,3 l / 160 hp) incl. start-stop function	0	0	○	○	○	○	○	○
Fiat Ducato Multijet 180 (2,3 l / 180 hp) incl. start-stop function	0	0	○	○	○	○	○	○
Weight upgrade 3.650kg	0	10769	○	○	○	○	○	○
Alloy wheels 16"	0	8045	○	○	○	○	○	○
9-gear converter automatic transmission (possible as from 140 hp engine; for 140 hp engine addit. costs for start-stop function)	u.r.	10736	○	○	○	○	○	○
Tow bar (please consider the total towing weight)	35	273	○	○	○	○	○	○
Rear corner steadies (2 pieces)	6	390	○	○	○	○	○	○
Reinforced spring for front axle	0	1889	–	–	–	○	○	○
Captain seat including seat heating and lateral support	2	1659	–	–	–	○	○	○
<b>Bodywork exterior</b>								
Panoramic skylight 70x50 cm above the pull-down bed	8	246	–	–	–	○	○	○
Flush fitting windows	5	415	○	○	○	○	○	○
Additional window in bathroom	5	372	–	–	○	–	–	○
Bike rack for 3 bikes (rear)	9	938	○	○	○	○	○	○
Bike rack for 3 bikes (lowerable)	10	7482	○	○	○	○	○	○
Cassette awning Omnistor 3.0 m	23	932	○	–	–	–	–	–
Cassette awning Omnistor 4.0 m	33	859	–	○	○	○	–	–
Cassette awning Omnistor 5.0 m (manual)	54	697	–	–	–	–	○	○
Alarm system for doors with central locking	4	322	○	○	○	○	○	○
<b>Bodywork interior</b>								
Double floor for rear garage	5	1890	○	○	○	○	○	○
Safe mounted	13	323	○	○	○	○	○	○
Fire extinguisher 2 kg	4	1878	○	○	○	○	○	○
Smoke detector	1	1891	○	○	○	○	○	○
<b>Furniture layouts</b>								
Bed convert single beds to double bed	9	1883	–	○	–	–	○	–
Additional cushions to make up bed	3	339	○	○	○	–	–	–
Isofix - child seat bracket	5	8125	○	○	○	○	○	○
<b>Upholstery</b>								
Loose fitting carpets	8	851	○	○	○	○	○	○
<b>Electrics/Installation</b>								
2nd leisure battery 95 Ah	27	830	○	○	○	○	○	○
Solar system (2 x 60 W)	15	922	○	○	○	○	○	○
<b>Gas/Installation</b>								
Exterior socket for gas 30mbar	1	878	○	○	○	○	○	○
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg aluminium gas bottle)	13	1577	○	○	○	○	○	○
<b>Water supply/Installation</b>								
Insulated waste water tank	3	665	○	○	○	○	○	○
Switch for water pump	1	397	○	○	○	○	○	○
<b>Heating/Air-conditioning</b>								
Alternative heating operation panel	1	6622	○	○	○	○	○	○
App operation for warm air heating (only in comb. with option 6622)	1	9659	○	○	○	○	○	○
Floor heating (electrical)	9	763	○	○	○	○	○	○
Roof A/C	34	609	○	○	○	○	○	○
<b>Kitchen</b>								
Fridge (142 l) instead of wardrobe	15	713	○	–	–	○	–	–
Extractor fan	2	344	○	○	○	○	○	○
<b>Bathroom</b>								
Shower grid	1,5	1657	○	⊙	⊙	○	⊙	⊙



	Additional weight (kg)	Code	T1	T6	T7	I1	I6	I7	
<b>Multimedia systems</b>									
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	○	○	○	○	○	○	
Flatscreen bracket	3	325	○	○	○	○	○	○	
SAT system Flatsat Classic 65 Twin	13	7670	○	○	○	○	○	○	
Reversing cam (single cam) (only in comb. with the option 9582 Dethleffs Naviceiver)	2	1642	○	○	○	○	○	○	
Reversing cam (double cam) (only in comb. with the option 9582 Dethleffs Naviceiver)	2	1641	○	○	○	○	○	○	
Dethleffs Naviceiver incl. DAB+, truck navigation and bord control panel linking	3,5	9582	○	○	○	○	○	○	
<b>Miscellaneous</b>									
Registration documents	0	0	◆	◆	◆	◆	◆	◆	

# Globebus

## Plus factors interior



» The lounge can be converted to a comfortable bed (option).



» I: The standard pull-down bed has a sleeping area of up to 150 cm in width.




» Useful: The extendable step for bed access with a storage box (T/I 1).



» The LED illumination with indirect light elements (option) provides atmospheric ambience. The overhead lockers are equipped with Softclose function.



» Comfortable kitchen worktop extension and rail system. Optionally with kitchen backwall (GT Package) and 142 l fridge and oven



» Childproof: Isofix bracket for child seats (option)



» T/I 1: Multi-functional storage compartment under the fold-away bed frame, also accessible from outside.



» T/I: Cab blinds protect from heat, cold and prying eyes (option for T)



» T/I: Large L-shaped seating lounge with wide passage way to the cab - for more elbow room



» I: Wrap-around windscreen with unique panoramic view.



» T/I: Comfortable captain seats with height/inclination adjustment and upholstered arm rests



» Dethleffs Fiat chassis 9 gear automatic transmission optionally available

# Globebus

## Plus factors exterior



» Extra-wide entrance door (70 cm) (not for T/I 1) with flyscreen door.



» Well-protected against hail: durable GRP roof.



» Wood-free and rot-free Lifetime Smart floor construction (covered with GRP).



» T: Large opening skylight in T-hood.



» High garage with 150 kg loading capacity. Two garage doors are standard.



» Standard black radiator grille. Stylish safety feature: LED daytime running lights (option)



» T/I: Prominent and safe: Integral rear lights with LED night-time-running lights.



» I: Coach-style mirrors for an unobstructed field of view.



» I: Prominent headlights, elegantly integrated in the new design.



» I: Easy to service: large engine bay opening for servicing all relevant parts.




» **Comprehensive assistance systems optionally available for all Dethleffs Low Profile and Coachbuilt vehicles with Fiat chassis with the following systems:** Hydraulic Brake Assist, Lane Keep Assist, Light Assist, Traffic sign Assist and rain sensor. Standard for Esprit Eighty Eight (T).



Additional information can be found at: [www.dethleffs.com/motorhomes/globebus](http://www.dethleffs.com/motorhomes/globebus)

# Pulse



Low Profile | A Class

## Technical info\*

Maximum authorised weight	3.499 – 4.250 kg
Length	699 – 741 cm
Width	233 cm
Height	300 cm
Chassis	Fiat low platform
Sleeping berths	3 – 4
Basic engine	2,3 MJET
	88 (120) kW(BHP)

\* Maximum value depends on layout and optional extras.

## Pulse plus factors



- + Harmonious light composition Light Moments (option) for many emotions and good spirits in the Pulse
- + Further development of the Dethleffs design language for more openness, brightness and clear forms and lines
- + High payload capacity despite being licenced for 4 persons at 3.5 t total weight
- + Innovative Maxi-Flex overhead locker with soft opening and intuitive operation
- + One-level floor in living room by IsoProtect Comfort floor



Option for T



not for T/I 7051 DBM/EB



for T/I 7051 DBM/EB



for all DBM



Option for T



except T/I 6811 EB



# Standard specification

## Chassis (in addition to standard equipment, see p. 3)

- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator (only for Low Profile)
- Low-vibration, electric and heated cab mirrors in bus style (two-piece) (only for A Class)

## Conversion

- Floor thickness: 49mm; sidewall thickness: 34mm; roof thickness: 35mm
- Captain seats: integrated head rest, two upholstered arm rests, rotating, height-adjustable with inclination adjustment
- Pull-down bed (only for A Class)
- Height-adjustable queen bed (not for T/I 6811 EB, T/I 7051 EB and I 7051 EBL)
- Rear moulding: 3rd brake light, Integral rear lights incl. LED strip, rear spoiler
- Rear garage: two garage doors with one-hand operation, drop chassis extension (150 kg loading capacity), heated, with fixing loops, illuminated, 1x 230 V power outlet
- Habitation door: 70cm, flyscreen door, awning light
- Skylight 40 x 40cm above the lounge
- Cab blinds for best insulation and privacy protection (only for A Class)

## On-board technology / Installations

- Starter battery and leisure battery with automatic switch-over (also for fridge)
- EBL with overvoltage protection
- LED illumination for the interior
- Illuminated roof lining above the habitation door
- Heating installed in seating lounge for an optimum heat distribution in living room

## Kitchen

- Gourmet kitchen with 3-flame hob, spacious drawers with softclose function and large worktop
- Large fridge with freezer compartment and auto energy selection (AES)

## Bathroom

- All of our bathrooms are equipped with cabinets, storage compartments, large mirrors, tooth mug and toilet paper holder
- Shower grid (not for T/I 7051 DBL and T/I 7051 EBL)

## Living area


- AirPlus ventilation system - for an optimised ventilation of the interior
- Wardrobe N/S and O/S next to the king bed
- Shoe cabinet in entrance area
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- No steps in living room
- Large mirror

## Interior

- Wood décor Rosario Anthracite with upholstery Beat or Dance



# Pulse Low Profile



PULSE		T 6651 DBM	T 6811 EB	T 7051 DBM	T 7051 DBL	T 7051 EB	T 7051 EBL
Chassis type		Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform
Diesel tank/AdBlue tank	l	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19
Emission class		Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp
Length	cm	699	699	741	741	741	741
Width	cm	233	233	233	233	233	233
Height	cm	300	300	300	300	300	300
Internal height	cm	205	205	205	205	205	205
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	380	380	404	404	404	404
Beds pull-down/ overcab	cm	200x105/90 <sup>1</sup>	200x105/80 <sup>1</sup>	200x140/110 <sup>1</sup>	200x140 <sup>1</sup>	200x140/110 <sup>1</sup>	200x140 <sup>1</sup>
Bed mid	cm	155x100/80 <sup>2</sup>	155x100/80 <sup>2</sup>	170x100/80 <sup>2</sup>	-	170x100/80 <sup>2</sup>	-
Bed rear	cm	190x160	195x80 / 205x80	190x160	190x160	210/185x80 / 200x80	205/185x80 210/195x80
Alternative	cm	-	210x190 <sup>3</sup>	-	-	210x190 <sup>3</sup>	210x190 <sup>3</sup>
Sleeping berths		3 <sup>1</sup>	3 <sup>1</sup>	4 <sup>1</sup>	4 <sup>1</sup>	4 <sup>1</sup>	4 <sup>1</sup>
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		88 (120)	88 (120)	88 (120)	88 (120)	88 (120)	88 (120)
Weight net	kg	2660	2670	2765	2820	2765	2820
Mass in running order (MIRO)	kg	2840	2850	2945	3000	2945	3000
Payload	kg	659	649	554	499	554	499
Maximum authorised weight	kg	3499	3499	3499	3499	3499	3499
Designated passenger seats (standard weight)		4	4	4	4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4	4	4	4
Heating		Combi 6	Combi 6	Combi 6	Combi 6	Combi 6	Combi 6
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15	190 / 15	142 / 15	190 / 15	142 / 15
Water tank incl. boiler (red. volume)	l	116 (20)	116 (20)	116 (20)	116 (20)	116 (20)	116 (20)
Waste water tank volume	l	90	90	90	90	90	90
Awning size	m	4,0	4,0	4,5	4,5	4,5	4,5
Garage sizes O/S standard/ option	cm	85x110 / -	85x75 / 85x110	90x110 / -	90x110 / -	90x85 / 90x110	90x85 / 90x110
Garage sizes N/S standard/ option	cm	85x110 / -	85x75 / 85x110	90x110 / -	90x110 / -	90x85 / 90x110	90x85 / 90x110
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V/USB	7 / 1 / 2	6 / 1 / 2	7 / 1 / 2	7 / 1 / 2	7 / 1 / 2	7 / 1 / 2


<sup>1</sup> Only in combination with option "electrical pull-down bed"

<sup>2</sup> Only in combination with option "additional bed"

<sup>3</sup> Only in combination with option "bed converts single beds to double bed"



# Pulse A Class



PULSE		I 6651 DBM	I 6811 EB	I 7051 DBM	I 7051 DBL	I 7051 EB	I 7051 EBL
Chassis type		Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform
Diesel tank/AdBlue tank	l	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19
Emission class		Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp
Length	cm	699	699	740	740	740	740
Width	cm	233	233	233	233	233	233
Height	cm	300	300	300	300	300	300
Internal height	cm	205	205	205	205	205	205
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	380	380	404	404	404	404
Beds pull-down/ overcab	cm	195x150	195x150	195x150	195x150	195x150	195x150
Bed mid	cm	-	-	-	-	-	-
Bed rear	cm	190x160	190x80 / 205x80	190x160	190x160	210/185x80 / 200x80	205/185x80 210x195x80
Alternative	cm	-	210x190 <sup>1</sup>	-	-	210x190 <sup>1</sup>	210x190 <sup>1</sup>
Sleeping berths		4	4	4	4	4	4
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		88 (120)	88 (120)	88 (120)	88 (120)	88 (120)	88 (120)
Weight net	kg	2770	2730	2800	2865	2800	2865
Mass in running order (MIRO)	kg	2950	2910	2980	3045	2980	3045
Payload	kg	549	589	519	454	519	454
Maximum authorised weight	kg	3499	3499	3499	3499	3499	3499
Designated passenger seats (standard weight)		4	4	4	4	4	4
Designated passenger seats (max. weight upgrade)		4	4	4	4	4	4
Heating		Combi 6	Combi 6	Combi 6	Combi 6	Combi 6	Combi 6
Fridge/ thereof freezer compartment	l	142 / 15	142 / 15	190 / 15	142 / 15	190 / 15	142 / 15
Water tank incl. boiler (red. volume)	l	116 (20)	116 (20)	116 (20)	116 (20)	116 (20)	116 (20)
Waste water tank volume	l	90	90	90	90	90	90
Awning size	m	4,5	4,5	5,0	5,0	5,0	5,0
Garage sizes O/S standard/ option	cm	85x110 / -	85x75 / 85x110	90x110 / -	90x110 / -	90x85 / 90x110	90x85 / 90x110
Garage sizes N/S standard/ option	cm	85x110 / -	85x75 / 85x110	90x110 / -	90x110 / -	90x85 / 90x110	90x85 / 90x110
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V/USB	7 / 1 / 2	6 / 1 / 2	7 / 1 / 2	7 / 1 / 2	7 / 1 / 2	7 / 1 / 2

<sup>1</sup> Only in combination with option "bed converts single beds to double bed"

# Packages

<b>Fiat Chassis Package</b>	ca. 26 kg	ca. 24 kg
Package components	Low Profile	A Class
LED day-time-running lights	✓	–
Electr. and heated cab mirrors	✓	⊙
Automated A/C	✓	✓
Cruise control	✓	✓
Passenger airbag	✓	✓
Radio pre-wiring with Sound Package	✓	✓
Leather steering wheel and shift knob with leather sleeve	✓	✓
Instruments in chrome	✓	✓

<b>Family Package</b>	ca. 33 kg	ca. 40 kg
Package components	Low Profile	A Class
Panoramic skylight 70x50 cm living room	✓	–
Cab blinds	✓	⊙
Habitation door with window and central locking (incl. cab door)	✓	✓
Window in T-hood	✓	–
On-board control panel Luxus	✓	✓
Ambience illumination	✓	✓
Cab door N/S	⊙	✓
Panoramic skylight 75x105 cm in living room	–	✓

<b>Light composition "Light Moments"</b>	ca. 12 kg	ca. 12 kg
Package components	Low Profile	A Class
4-level illumination (pedestal illumination in kitchen, lounge and sleeping area, wall area illumination, head lining illumination with ambient illumination)	✓	✓
Illuminated entry handle	✓	✓
Indirect illumination in bathroom with illuminated shower console	✓	✓

<b>Fiat Assistance Package</b>	Low Profile
Package components	Low Profile
Lane Keep Assist	✓
Light Assist	✓
High Beam Assist	✓
Full Brake Control	✓
Rain sensor	✓
Traffic Sign Assist	✓

✓ included    ⊙ Standard specification    – not included

# Packages

GT Package	white		silver		black	
	ca. 68 kg	ca. 69 kg	ca. 70 kg	ca. 69 kg	ca. 70 kg	ca. 69 kg
Package components	Low Profile	A Class	Low Profile	A Class	Low Profile	A Class
Components of chassis pack T	✓	–	✓	–	✓	–
Components of chassis pack I	–	✓	–	✓	–	✓
Components of family pack T	✓	–	✓	–	✓	–
Components of family pack I	–	✓	–	✓	–	✓
Chassis colour Silver	–	–	✓	–	–	–
Chassis colour Black, radiator grill Silver	–	–	–	–	✓	–
Exterior design GT white T (various stickers, red skid plate)	✓	–	–	–	–	–
Exterior design GT white I (various stickers, red skid plate, black A Class front)	–	✓	–	–	–	–
Exterior design GT Silver/Black T (various stickers, red skid plate)	–	–	✓	–	✓	–
Exterior design GT Silver/Black I (various stickers, red skid plate, black A Class front)	–	–	–	✓	–	✓
Cab entrance step	✓	–	✓	–	✓	–
Flush-fitting windows	✓	✓	✓	✓	✓	✓
Alloy wheels 16" Fiat	✓	✓	✓	✓	✓	✓
Cab dashboard with aluminium applications	✓	✓	✓	✓	✓	✓
Switches and power outlets in bicolor	✓	✓	✓	✓	✓	✓

✓ included    ⊙ Standard specification    – not included

Options					T 665T DBM	T 681T EB	T 705T DBM	T 705T DBL	T 705T EB	T 705T EBL	I 665T DBM	I 681T EB	I 705T DBM	I 705T DBL	I 705T EB	I 705T EBL
	Additional weight (kg)	Code														
Chassis/Base																
Fiat Ducato Multijet 140 (2,3 l / 140 hp)	0	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Fiat Ducato Multijet 160 (2,3 l / 160 hp) incl. start-stop function	0	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Fiat Ducato Multijet 180 (2,3 l / 180 hp) incl. start-stop function	0	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Fiat Ducato Maxi chassis (4.250 kg)	40	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Weight upgrade 3.650kg	0	10769	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Alloy wheels 16"	0	8045	○	○	○	○	○	○	○	○	○	○	○	○	○	○
9-gear converter automatic transmission (possible as from 140 hp engine; for 140 hp engine addit. costs for start-stop function)	u.r.	10736	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Tow bar (please consider the total towing weight)	35	273	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Rear corner steadies (2 pieces)	6	390	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Reinforced spring for front axle	0	1889	-	-	-	-	-	-	-	-	○	○	○	○	○	○
Captain seat including seat heating and lateral support	2	1659	-	-	-	-	-	-	-	-	○	○	○	○	○	○
Bodywork exterior																
Flush fitting windows	5	415	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Additional window in bathroom	5	372	○	○	○	○	●	●	○	○	○	○	○	○	●	●
Bike rack for 3 bikes (rear)	9	938	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Bike rack for 3 bikes (lowerable)	10	7482	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Cassette awning Omnistor 4.0 m	33	859	○	○	-	-	-	-	-	-	-	-	-	-	-	-
Cassette awning Omnistor 4.5 m	50	930	-	-	○	○	○	○	○	○	○	-	-	-	-	-
Cassette awning Omnistor 5.0 m (manual)	54	697	-	-	-	-	-	-	-	-	-	○	○	○	○	○
Alarm system for doors with central locking	4	322	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Bodywork interior																
Double floor for rear garage	5	1890	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Safe mounted	13	323	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Fire extinguisher 2 kg	4	1878	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Smoke detector	1	1891	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Furniture layouts																
Bed convert single beds to double bed	9	1883	-	○	-	-	○	○	-	○	-	○	-	-	○	○
Additional cushions to make up bed	3	339	○	○	○	-	○	-	-	-	-	-	-	-	-	-
High bed with overhead lockers (nicht benutzen)	0	652	-	○	-	-	○	○	-	○	-	○	-	-	○	○
Electrical pull-down bed in cab	55	680	○	○	○	○	○	○	-	-	-	-	-	-	-	-
Isofix - child seat bracket	5	8125	○	○	○	-	○	-	○	○	○	○	-	○	-	-
Upholstery																
Loose fitting carpets	8	851	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Electrics/Installation																
2nd leisure battery 95 Ah	27	830	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Solar system (2 x 60 W)	15	922	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Gas/Installation																
Exterior socket for gas 30mbar	1	878	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg aluminium gas bottle)	13	1577	○	○	○	○										

	Additional weight (kg)	Code	T 6651 DBM	T 6811 EB	T 7051 DBM	T 7051 DBL	T 7051 EB	T 7051 EBL	I 6651 DBM	I 6811 EB	I 7051 DBM	I 7051 DBL	I 7051 EB	I 7051 EBL
<b>Kitchen</b>														
Large fridge (190 l) with oven	20	290	–	–	○	–	○	–	–	–	○	–	○	–
Extractor fan	2	344	○	○	○	○	○	○	○	○	○	○	○	○
<b>Bathroom</b>														
Shower grid	1,5	1657	●	●	●	○	●	○	●	●	●	○	●	○
<b>Multimedia systems</b>														
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	○	○	○	○	○	○	○	○	○	○	○	○
Additional flatscreen TV 22"	4	7490	○	–	–	–	–	–	○	–	–	–	–	–
Flatscreen TV 32"	7	9807	○	○	○	○	○	○	○	○	○	○	○	○
Flatscreen bracket	3	325	○	○	○	○	○	○	○	○	○	○	○	○
Sound Package for living room (only in comb. with radio pre-wiring incl. Sound Package)	10	9964	○	○	○	○	○	○	○	○	○	○	○	○
SAT system Flatsat Classic 65 Twin	13	7670	○	○	○	○	○	○	○	○	○	○	○	○
Reversing cam (only in comb. with option 9582 "Dethleffs Naviceiver")	5	7636	○	○	○	○	○	○	○	○	○	○	○	○
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	○	○	○	○	○	○	○	○	○	○	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation and bord control panel linking	3,5	9582	○	○	○	○	○	○	○	○	○	○	○	○
<b>Miscellaneous</b>														
Registration documents	0	0	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

# Pulse

## Plus factors interior



- » Harmonious light composition in four levels - (optional Package Light Moments)  
Roof: illuminated roof lining as a stylish element  
Walls: ambience illumination of the shower console, walls and entrance module  
Floor: pedestal illumination in lounge area, kitchen and sleeping room  
Interior: functional illumination



- » 160 cm wide and height-adjustable double bed for optimal use of the garage



- » Low Profile models can be upgraded with a pull-down bed (interior height below pull-down bed 1,90 m).



- » One-level IsoProtect comfort floor in living area.



- » Innovative MaxiFlex overhead locker concept with soft opening. Thanks to the intelligent overhead locker construction the Pulse offers more storage room and freedom of moving (interior height 2,05 m).



- » Pretty seat frame trim for an optical separation of living room and the kitchen.



- » Compact but spacious bathroom with sliding door to the sleeping area



- » Multi-functional entrance module including a practical shoe box, a robust entrance handle and space for TV (option).



# Pulse

## Plus factors exterior



» Aerodynamic bodywork construction of the exterior. The modern rear spoiler includes an integrated reversing camera (option) as well as an extra large third brake light



» Outstanding design of the Low Profile hoods (window in T-hood as option available).



» Amazing rear design including the LED rear lights.



» Double mirror for an optimised field of view.



» New for A Class conversions - the Dethleffs front (picture shows the optional GT package)



» Wood-free and rot-free Lifetime Smart floor construction (covered with GRP).




» Well-designed and safe: day-time running lights (option for A Class).



» Practical one-hand operation of the garage doors. All Pulse models have two garage doors as standard.



# Globeline



## Technical info\*

Maximum authorised weight	3.499 – 4.100 kg
Length	696 cm
Width	233 cm
Height	300 cm
Chassis	Mercedes ladder frame
Sleeping berths	3
Basic engine	414 CDI
	105 (143) kW(BHP)

\* Maximum value depends on layout and optional extras.

## Globeline plus factors



- + Single bed layout with a total length below 7 m
- + Premium chassis and driving comfort thanks to Mercedes Benz Sprinter chassis
- + Comprehensive assistance systems on board
- + Optional Style Package available with black chassis, chromed radiator grill and flush fitting windows
- + Large rear garage for bulky luggage



# Standard specification

## Conversion

- Floor thickness: 49mm; sidewall thickness: 34mm; roof thickness: 35mm
- Captain seats: integrated headrests, two armrests, rotating function
- Automotive rear moulding with integral rear lights and integrated LED light bar and 3rd brake light
- Rear garage: two garage doors, drop chassis extension (150 kg loading capacity), heated, with fixing loops, illuminated, 1x 230 V power outlet
- Habitation door: 70cm
- Skylight 40 x 40cm above the lounge

## On-board technology / Installations

- Gas bottle locker for 2 x 11kg bottles
- Starter battery and leisure battery with automatic switch-over (also for fridge)
- EBL with overvoltage protection
- Illuminated roof lining above the habitation door
- Insulated fresh and waste water tank
- Heating installed in seating lounge for an optimum heat distribution in living room

## Kitchen

- Gourmet kitchen with 3-flame hob, spacious drawers with softclose function and large worktop
- MultiFlex rail system
- Worktop extension: extendable or fold-away

## Bathroom

- All of our bathrooms are equipped with cabinets, storage compartments, hooks, large mirrors, halogen illumination and a height-adjustable shower head (depending on layout)
- Shower equipment in black and accessoires(tooth mug, soap dish, toilet paper holder)
- Shower grid

## Living area


- AirPlus ventilation system - for an optimised ventilation of the interior
- Overhead locker doors with softclose function

- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- Comfortable L-shaped lounge
- Coat rack covered with fabrics; incl. chrome coat hooks
- Large mirror

## Interior

- Wood décor Virginia Oak with upholstery Torcello, Gresso or La Rocca

# Globeline Low Profile



GLOBELINE		T 6613 EB
Chassis type		Mercedes ladder frame
Diesel tank/AdBlue tank	l	71 / 22
Emission class		Euro VI D
Length	cm	696
Width	cm	233
Height	cm	300
Internal height	cm	205
Towing weight braked/unbraked	kg	2000 / 750
Tyres		235/65 R16 C
Wheel base	cm	367
Beds pull-down/ overcab	cm	200x95 <sup>1</sup>
	Bed mid	cm 160x100/80
	Bed rear	cm 185x80 / 195x80
	Alternative	cm 210x195/150 <sup>2</sup>
Sleeping berths		3 <sup>1</sup>
Basic engine		414 CDI
kW (BHP)		105 (143)
Weight net	kg	2725
Mass in running order (MIRO)	kg	2900
Payload	kg	599
Maximum authorised weight	kg	3499
Designated passenger seats (standard weight)		4
Designated passenger seats (max. weight upgrade)		4
Heating		Combi 6
Fridge/ thereof freezer compartment	l	90 / 9
Water tank incl. boiler (red. volume)	l	130 (20)
Waste water tank volume	l	100
Awning size	m	4,0
Garage sizes O/S standard/ option	cm	95x120 / -
Garage sizes N/S standard/ option	cm	95x120 / -
Battery/ charging device	Ah/A	95 / 18
Power outlets	230V/12V/USB	6 / 1 / 0

<sup>1</sup> Only in combination with option "pull-down bed"

<sup>2</sup> Only in combination with option "bed converts single beds to double bed"

# Packages

## Mercedes Chassis Package

ca. 53 kg

Package components	Low Profile
Multi function leather steering wheel incl. cruise control. For manual transmission incl. leather shift knob	✓
Combi instrument with colour display	✓
Digital DAB radio	✓
Multimedia system 10,25" touch screen incl. 3 years free map updates	✓
Cupholder front	✓
Electrical handbrake	✓
Passenger airbag	✓
Semi-automatic A/C in the driver's cab Tempmatic	✓
Alloy wheels	✓
All-season tires (FourSeason M+S with snow flake)	✓
Large 93 l diesel tank	✓
Reverse camera	✓

## Mercedes Assistance Package

ca. 38 kg

Package components	Low Profile
Automatic transmission 7G-TRONIC PLUS incl. HOLD function	✓
Active Distance Assist DISTRONIC	✓
Attention Assist	✓
Active Lane Keep Assist	✓
Rain sensor	✓
WetWiper system (wiper function)	✓
High Beam Assist	✓

## Family Package

ca. 37 kg

Package components	Low Profile
Flyscreen door	✓
Awning light 12 V	✓
Panoramic skylight 70x50 cm living room	✓
Cab blinds	✓
Habitation door with window and central locking (incl. cab door)	✓
Window in T-hood	✓
Ambience illumination	✓
LED Illumination Package	✓

## Mercedes Style Package

ca. 5 kg

Package components	Low Profile
Exterior colour Obsidian black metallic	✓
Bumper and mounting parts painted in vehicle colour, incl. radiator grill frame	✓
Radiator grill chromed	✓
Conversion colour silver	✓
Flush fitting windows	✓

✓ included    ● Standard specification    – not included

# Options

	Additional weight (kg)	Code	T 6613 EB
<b>Chassis/Base</b>			
Mercedes Benz Sprinter 416 CDI (120 kW / 163 hp) 4 cylinders	0	0	○
Mercedes Benz Sprinter 419 CDI (140 kW / 190 hp) 6 cylinders (only in comb. with 7G-Tronic Plus)	24	0	○
Weight upgrade 4.100kg	u.r.	10413	○
Alloy wheels	0	10298	○
Automatic transmission 7G-TRONIC PLUS incl. HOLD function	38	10292	○
LED high performance lights	u.r.	10295	○
Rear corner steadies (2 pieces)	6	390	○
<b>Bodywork exterior</b>			
Flush fitting windows	5	415	○
Bike rack for 3 bikes (rear)	9	938	○
Bike rack for 3 bikes (lowerable)	10	7482	○
Cassette awning Omnistor 4.0 m	33	859	○
<b>Bodywork interior</b>			
Double floor for rear garage	5	1890	○
Safe mounted	13	323	○
Fire extinguisher 2 kg	4	1878	○
Smoke detector	1	1891	○
<b>Furniture layouts</b>			
Bed convert single beds to double bed	9	1883	○
Additional cushions to make up bed	3	339	○
Electrical pull-down bed in cab	55	680	○
<b>Electrics/Installation</b>			
2nd leisure battery 95 Ah	27	830	○
<b>Gas/Installation</b>			
Exterior socket for gas 30mbar	1	878	○
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg aluminium gas bottle)	13	1577	○
<b>Water supply/Installation</b>			
Switch for water pump	1	397	○
<b>Heating/Air-conditioning</b>			
Warm water heating	30-50	761	○
Cab warm water heating (only in comb. with warm water heating - cab carpets not possible)	10	6709	○
Alternative heating operation panel	1	6622	○
App operation for warm air heating (only in comb. with option 6622)	1	9659	○
Floor heating (electrical)	9	763	○
Roof A/C	34	609	○
<b>Kitchen</b>			
Fridge (142 l) and wardrobe	27	713	○
Fridge (142 l) with integrated oven and grill (only in comb. with option 713)	20	290	○
Extractor fan	2	344	○
<b>Multimedia systems</b>			
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	○
Flatscreen TV 32"	7	9807	○
SAT system Flatsat Classic 65 Twin	13	7670	○
Shelf for smartphone and wireless charging	2	10264	○
<b>Miscellaneous</b>			
Registration documents	0	0	◆





# Globeline Plus factors interior



» Fully equipped: the kitchen worktop with three-burner stove, illuminated kitchen backwall and rail system as well as optional 142 l fridge/freezer compartment and oven



» Comfortable, modern, spacious - the popular single-bed layout has a lot to offer due to its compactness, including a generous bathroom or an optional pull-down bed.



» Generous L-shaped lounge with free-standing table for maximum legroom, Isofix (option)



» From comfortable single beds to a large double bed: the variable sleeping area in the rear




» Cab blinds protect from heat, cold and prying eyes (option).



» A suitable upholstery for every taste: the attractive upholstery design Torcello



» A suitable upholstery for every taste: the attractive upholstery design La Rocca



» A suitable upholstery for every taste: the attractive upholstery design Gresso



# Globeline

## Plus factors exterior



- » Comprehensive assistance systems as standard like ABS, ESP, ASR, EBV, emergency call system, Hill Start Assist, Breakdown management, Lane Keep Assist, Crosswind Assist and Low Beam Assist. Active Distance Assist DISTRONIC Plus and reversing camera are optional available.



- » Extra wide entrance door (70 cm) with Coupé entrance



- » Premium chassis and driving comfort with the rear-wheel drive Mercedes Benz Sprinter chassis



- » High and illuminated rear garage with 150 kg loading capacity and accessible from both sides. Two garage doors are standard.



- » Wood-free and rot-free Lifetime Smart floor construction (covered with GRP) mit insulated and heated water tank.



- » Style Package inclusive black chassis colour, chromed radiator grill and flush fitting windows (option)




- » Well-protected against hail: durable GRP roof.



- » Elegant rear with LED rear lights

# Esprit Eighty Eight



## Technical info\*

Maximum authorised weight	4.500 kg
Length	760 – 763 cm
Width	233 cm
Height	298 cm
Chassis	Fiat AL-KO low platform
Sleeping berths	3 – 4
Basic engine	2,3 MJET / 2,3 MJET MAXI
	103 (140) kW(BHP)

\* Maximum value depends on layout and optional extras.

## Esprit Eighty Eight plus factors



- + Extensive equipment package with many benefits for the 88th birthday of Dethleffs
- + Optimal winter suitability due to IsoProtect Plus function double floor and frost-proof installation
- + Ideal driving characteristics: Premium broad gauge low platform with the 145 mm lowering and weight increase to 4.5 t
- + Fiat Assistance Package fitted as standard on Low Profile vehicles
- + Dethleffs Naviceiver incl. Navigation, DAB+ radio receipt and display of operation panel in the cockpit



# Standard specification

## Chassis (in addition to standard equipment, see p. 3)

- Cab mirrors: electr. and heated, two-piece mirrors incl. dead angle mirror
- Radiator grill offers additional protection (only for A Class)

## Conversion

- Floor thickness: 43mm; intermediate floor: 30mm, sidewall/ roof thickness: 34mm
- Captain seats: integrated head rest, two upholstered arm rests, rotating, height-adjustable with inclination adjustment
- Iso Protect Plus functional double floor, heated, height of double floor: 125 mm
- Pull-down bed (only for A Class)
- Rear moulding: 3rd brake light, LED rear lights, dynamic indicator
- Rear garage: two garage doors, drop chassis extension (250 kg loading capacity), heated, incl. fixing loops, LED illumination, 1x 230 V power outlet, GRP Antislip floor cover, one-hand operation, non-woven fabric covered walls
- Habitation door: 70 cm, flyscreen door, awning light, window
- Skylight 40 x 40cm above the lounge
- Window for T-hood (only for Low Profile)
- Stable, double glazed flush fitting windows with integrated blinds and flyscreens
- Cab blinds for best insulation and privacy protection (only for A Class)

## On-board technology / Installations

- Gas bottle locker with easy pull-out function for quick change of the gas bottles (2 x 11 kg)
- Starter battery and leisure battery with automatic switch-over (also for fridge)
- EBL with overvoltage protection
- LED illumination for the interior
- Illuminated roof lining above the habitation door
- Insulated fresh and waste water tank
- Heating installed in seating lounge for an optimum heat distribution in living room
- Digital panel for warm air heating (operation with app possible)

## Kitchen

- Gourmet kitchen: 3-flame cooker, spacious drawers with softclose function, cutting board, apothecary pull-out, waste bin and central locking
- Kitchen overhead locker with illuminated roof lining
- Large fridge with freezer compartment and auto energy selection (AES)
- MultiFlex rail system

## Bathroom

- All of our bathrooms are equipped with cabinets, storage compartments, large mirrors, tooth mug and toilet paper holder

## Living area


- Overhead lockers in the rear area (only for T/I 7150-2 EB)
- Overhead locker doors with softclose function
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- Single beds can be converted to a large double bed
- No steps in living room
- Large mirror

## Interior

- Wood décor Virginia Oak with overhead locker doors in Master Gloss Cream design and upholstery Amaro or Goa



# Esprit Eighty Eight Low Profile




ESPRIT EIGHTY EIGHT		T 7150-2 DBM	T 7150-2 EB
Chassis type		Fiat AL-KO low platform	Fiat AL-KO low platform
Diesel tank/AdBlue tank	l	90 / 19	90 / 19
Emission class		Euro 6d temp	Euro 6d temp
Length	cm	763	763
Width	cm	233	233
Height	cm	298	298
Internal height	cm	203	203
Towing weight braked/unbraked	kg	1900 <sup>1</sup> / 750	1900 <sup>1</sup> / 750
Tyres		225/75R 16C	225/75R 16C
Wheel base	cm	430	430
Beds pull-down/ overcab	cm	-	-
	Bed mid	cm	175x105/80 <sup>2</sup>
	Bed rear	cm	200x150
	Alternative	cm	212x210/160
Sleeping berths		3 <sup>2</sup>	3 <sup>2</sup>
Basic engine		2,3 MJET	2,3 MJET
kW (BHP)		103 (140)	103 (140)
Weight net	kg	3168	3168
Mass in running order (MIRO)	kg	3351	3348
Payload	kg	1149	1152
Maximum authorised weight	kg	4500	4500
Designated passenger seats (standard weight)		4	4
Designated passenger seats (max. weight upgrade)		4	4
Heating		Combi 6	Combi 6
Fridge/ thereof freezer compartment	l	190 / 35	190 / 35
Water tank incl. boiler (red. volume)	l	160 (20)	160 (20)
Waste water tank volume	l	120	120
Awning size	m	4,5	4,5
Garage sizes O/S standard/ option	cm	95x75 / -	105x75 / 105x120
Garage sizes N/S standard/ option	cm	95x75 / -	105x75 / 105x120
Battery/ charging device	Ah/A	95 / 18	95 / 18
Power outlets	230V/12V/USB	7 / 1 / 2	7 / 1 / 2

<sup>1</sup> Considering the total towing weight of 6t

<sup>2</sup> Only in combination with option "additional bed"

# Esprit Eighty Eight A Class



ESPRIT EIGHTY EIGHT		I 7150-2 DBM	I 7150-2 EB
Chassis type		Fiat AL-KO low platform	Fiat AL-KO low platform
Diesel tank/AdBlue tank	l	90 / 19	90 / 19
Emission class		Euro 6d temp	Euro 6d temp
Length	cm	760	760
Width	cm	233	233
Height	cm	298	298
Internal height	cm	203	203
Towing weight braked/unbraked	kg	1750 <sup>1</sup> / 750	1750 <sup>1</sup> / 750
Tyres		225/75R 16C	225/75R 16C
Wheel base	cm	430	430
Beds pull-down/ overcab	cm	200x150	200x150
	Bed mid	cm	-
	Bed rear	cm	200x150
	Alternative	cm	212x210/160
Sleeping berths		4	4
Basic engine		2,3 MJET MAXI	2,3 MJET MAXI
kW (BHP)		103 (140)	103 (140)
Weight net	kg	3315	3315
Mass in running order (MIRO)	kg	3461	3461
Payload	kg	1039	1039
Maximum authorised weight	kg	4500	4500
Designated passenger seats (standard weight)		4	4
Designated passenger seats (max. weight upgrade)		4	4
Heating		Combi 6	Combi 6
Fridge/ thereof freezer compartment	l	190 / 35	190 / 35
Water tank incl. boiler (red. volume)	l	160 (20)	160 (20)
Waste water tank volume	l	120	120
Awning size	m	5,5	5,5
Garage sizes O/S standard/ option	cm	95x75 / -	105x75 / 105x120
Garage sizes N/S standard/ option	cm	95x75 / -	105x75 / 105x120
Battery/ charging device	Ah/A	95 / 18	95 / 18
Power outlets	230V/12V/USB	7 / 1 / 2	7 / 1 / 2

<sup>1</sup> Considering the total towing weight of 6t

# Dethleffs world of colours

For the ESPRIT EIGHTY EIGHT range you can choose from the following colour combinations (some at extra charge).

## Low Profile

Chassis colour		Conversion colour		
White	Code	White	Titansilver Metallic	Travertin Metallic
		standard	option	option
Silver	Code	-	option	

## A Class

Chassis colour		Conversion colour		
White	Code	White	Titansilver Metallic	Travertin Metallic
		standard	option	option

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

# Packages

## ESPRIT EIGHTY EIGHT Package

Package components	Low Profile	A Class
LED day-time-running lights	✓	-
Electrical and heated cab mirrors	✓	⊙
Automated air conditioning	✓	✓
Cruise control	✓	✓
Passenger airbag	✓	✓
Leather steering wheel and shift knob with leather sleeve	✓	✓
Dashboard with chrome rings	✓	✓
Pre-wiring for radio system with Sound Package	✓	✓
Panoramic skylight 70x50 cm in living room	✓	-
Panoramic skylight 75x105 cm in living room	-	✓
Cab blinds	✓	⊙
Indirect ambience illumination	✓	✓
Conversion door with central locking	✓	✓
Extractor fan	✓	✓
Cab door N/S	-	✓
Weight increase to 4.500 kg	✓	✓
Alloy wheels Dethleffs 16"	✓	✓
High-level characteristic rear moulding incl. roof rails	✓	✓
Lowerable bicycle rack (for 3 cycles)*	✓	✓
Cassette awning Omnistor (manual)*	✓	✓
Overhead locker door in Master Gloss Cream design	✓	✓
Flatscreen TV 22" *	✓	✓
Flatscreen bracket*	✓	✓
Automated SAT system 65 Twin*	✓	✓
Dethleffs Naviceiver incl. DAB+, Truck Navigation and interlinking with on-board panel*	✓	✓
Reversing cam*	✓	✓
Sticker „Esprit Eighty Eight“	✓	✓
Fiat Assistance Package	✓	-
• Lane Keep Assist		
• Low Beam Assist		
• High Beam Assist		
• Full Brake Control		
• Rain Sensor		
• Traffic Sign Assist		

\* components only available for the German market

# Options

	Additional weight (kg)	Code	T 7150-2 DBM	T 7150-2 EB	I 7150-2 DBM	I 7150-2 EB
<b>Chassis/Base</b>						
Fiat Ducato Multijet 160 (2,3l / 160 hp) incl. start-stop function	0	0	○	○	○	○
Fiat Ducato Multijet 180 (2,3 l / 180 hp) incl. start-stop function	0	0	○	○	○	○
9-gear converter automatic transmission (possible as from 140 hp engine; for 140 hp engine addit. costs for start-stop function)	u.r.	10736	○	○	○	○
Tow bar (please consider the total towing weight)	35	273	○	○	○	○
Rear corner steadies (2 pieces)	6	390	○	○	○	○
Reinforced spring for front axle	0	1889	–	–	○	○
Air suspension rear axle	35	1658	○	○	○	○
Air suspension front and rear axle	85	1796	○	○	○	○
Captain seat including seat heating and lateral support	2	1659	–	–	○	○
<b>Bodywork exterior</b>						
Roof ladder + cross elements for railing	16	1754	○	○	○	○
Panoramic skylight 70x50 cm above the pull-down bed	8	246	–	–	○	○
Panoramic skylight 75x105 cm (excl. illuminated roof lining) in sleeping area	12	442	○	○	○	○
Additional window in bathroom	5	372	○	○	○	○
Skylight (above large bathroom)	1	7507	○	○	○	○
Alarm system for doors with central locking	4	322	○	○	○	○
<b>Bodywork interior</b>						
Double floor for rear garage	5	1890	○	○	○	○
Safe mounted	13	323	○	○	○	○
Fire extinguisher 2 kg	4	1878	○	○	○	○
Smoke detector	1	1891	○	○	○	○
<b>Furniture layouts</b>						
Additional cushions to make up bed	3	339	○	○	–	–
High bed with overhead lockers	5	652	–	○	–	○
Overhead lockers in cab	0	679	–	–	○	○
<b>Upholstery</b>						
Loose fitting carpets	8	851	○	○	○	○
Real leather Skylight	12	8032	○	○	○	○
<b>Electrics/Installation</b>						
2nd leisure battery 95 Ah	27	830	○	○	○	○
Solar system (2 x 60 W)	15	922	○	○	○	○
<b>Gas/Installation</b>						
Exterior socket for gas 30mbar	1	878	○	○	○	○
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg aluminium gas bottle)	13	1577	○	○	○	○
<b>Heating/Air-conditioning</b>						
Warm water heating	30-50	761	○	○	○	○
Cab warm water heating (only in comb. with warm water heating - cab carpets not possible)	10	6709	○	○	○	○
Warm water heating by smartphone app	0	7512	○	○	○	○
Roof A/C	34	609	○	○	○	○
Heat exchanger	7	565	○	○	○	○
<b>Kitchen</b>						
Large fridge (190 l) with oven	20	290	○	○	○	○
<b>Bathroom</b>						
Ceramic toilet	25	7243	○	○	○	○
<b>Multimedia systems</b>						
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	○	○	○	○
<b>Miscellaneous</b>						
Registration documents	0	0	◆	◆	◆	◆

– not available   ○ option   ● Standard specification   u.r. upon request   ◆ mandatory





# Esprit Eighty Eight Plus factors interior



- » Overhead lockers with softclose function reach up into the cab hood with atmospheric indirect lighting.



- » Generous and comfortable L-shaped seating lounge with maximum legroom



- » Illuminated kitchen backwall with integrated rail system and automated central locking for the large drawers



- » Leather steering wheel and gear knob in dashboard with chrome rings (multi-functional steering wheel is optionally available).



- » Dethleffs Naviceiver incl. motorhome navigation, DAB+ radio reception and display of the on-board panel in the cockpit (option).



- » Perfect power with seven 230 V and two USB sockets.



- » Well-used: Floor compartments



- » Convenient reach of switches in the entrance area.



- » I: Sleeping comfort at its best. Pull-down bed with 200 x 150 cm.



- » T: Comfortable captain seats with height/ inclination adjustment and upholstered arm rests.



- » I: Comfortable captain seats with height/ inclination adjustment and belt integration.

# Esprit Eighty Eight Plus factors exterior



» Room for everything: High rear garages with 250 kg loading capacity (depending on layout) and accessible from both sides. Garage doors are equipped with locks with one-hand operation. An LED strip provides the necessary illumination. Two garage doors are standard



» T: Looks stylish and improves safety: LED daytime running lights.



» I: A touch of luxury: Chromed headlight bezel, LED daytime running lights and sight-proof grill for the radiator.




» Well-insulating and safe: Automotive flush-fitting windows.



» Extra wide entrance door (70 cm) with secure 2-point-locking system and central locking, window and flyscreen door.



» I: Double mirror for an optimal view.



» I: An additional warm air hose protects the windscreen from frost and condensation.



» Dethleffs Lifetime Plus: The wood-free underfloor is covered on both sides with GRP.



» Comfortable: Extendable gas bottle locker for an easy change of gas bottles.



Additional information can be found at: [www.dethleffs.com/motorhomes/esprit-eighty-eight](http://www.dethleffs.com/motorhomes/esprit-eighty-eight)

## Technical info\*

Maximum authorised weight	4.500 – 7.200 kg
Length	733 – 886 cm
Width	233 – 235 cm
Height	304 – 345 cm
Chassis	Fiat AL-KO low platform / Fiat AL-KO low platform 3 axis / Iveco Daily ladder frame
Sleeping berths	4
Basic engine	2,3 MJET MAXI / 3,0 JTD 103 (140) – 132 (180) kW(BHP)

\* Maximum value depends on layout and optional extras.

## Alpa plus factors



- + Huge panoramic U-shaped lounge with lots of space for enjoying meal times and relaxing
- + Great single beds comfort with easy access
- + Large, spacious double floor, which can also be loaded from the rear (rear flaps with one-hand operation)
- + Large bathroom and dressing area
- + Winter-proof: Heated double floor with freeze-protected water installation
- + Warm water heating is standard



(except A 9820-2)



(only for A 9820-2)



# Standard specification

## Chassis (in addition to standard equipment, see p. 3)

### • For FIAT chassis only:

- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator (only for Coachbuilt)
- Low-vibration, electric and heated cab mirrors in bus style (two-piece) (only for A Class)
- Multi-functional leather steering wheel and leather shift knob (only for A Class)
- Cup holder in cab dashboard (only for A Class)

## Conversion

- Floor thickness 43 mm, intermediate floor 20 mm, sidewall thickness 34 mm, roof thickness 35 (not for A 9820-2)
- Floor thickness 43 mm, intermediate floor 20 mm, sidewalls 44 mm, roof 45 mm (only for A 9820-2)
- Automotive roof skirts optionally available with integrated awning (only for A Class)
- Captain seats: integrated head rest, two upholstered arm rests, rotating, height-adjustable with inclination adjustment
- Double floor storage, to be loaded almost through the complete vehicle width
- Electr. pull-down bed (U-shaped single beds), no additional elements (only for A Class)
- Rear moulding: 3rd brake light, LED rear lights, dynamic indicator
- Rear garage: two garage doors, drop chassis extension (250 kg loading capacity), heated, incl. fixing loops, LED illumination, 1x 230 V power outlet, GRP Antislip floor cover, one-hand operation, non-woven fabric covered walls
- Habitation door: 70 cm, flyscreen door, awning light, window
- Panoramic skylight 70x50 cm with flyscreen and blind over the pull-down bed (only for A Class)
- Panoramic skylight 75 x 105cm above the seating lounge
- Window for overcab O/S (only for Coachbuilt)

- Window N/S and O/S in sleeping area (only for A Class)
- Stable, double glazed flush fitting windows with integrated blinds and flyscreens
- Cab blinds for best insulation and privacy protection (only for A Class)

## On-board technology / Installations

- Gas bottle locker for 2 x 11kg bottles
- Starter battery and leisure battery with automatic switch-over (also for fridge)
- EBL with overvoltage protection
- LED illumination for the interior
- Illuminated roof lining above the habitation door
- Fresh water/ waste water tank installed in double floor (insulated area)
- Warm water heating with automatic drain valve and shut-off valve for the sleeping area

## Kitchen

- Gourmet kitchen: 3-flame cooker, spacious drawers with softclose function, cutting board, apothecary pull-out, waste bin and central locking
- Kitchen overhead locker with illuminated roof lining
- Large fridge with freezer compartment and auto energy selection (AES)
- MultiFlex rail system

## Bathroom

- All of our bathrooms are equipped with cabinets, storage compartments, large mirrors, tooth mug and toilet paper holder
- Shower grid


## Living area

- AirPlus ventilation system - for an optimised ventilation of the interior
- Overhead lockers in the rear area
- Overhead locker doors with softclose function
- High wardrobe with convenient laundry shelves in upper area (not for A 6820-2)

## Interior

- Wood décor Virginia Oak with upholstery Amaro or Goa

# Alpa A Class



ALPA		I 7820-2
Chassis type		Fiat AL-KO low platform 3 axis
Diesel tank/AdBlue tank	l	90 / 19
Emission class		Euro 6d temp
Length	cm	854
Width	cm	233
Height	cm	304
Internal height	cm	208
Towing weight braked/unbraked	kg	1800 <sup>1</sup> / 750
Tyres		225/75R 16C
Wheel base	cm	460/80
Beds pull-down/ overcab	cm	2x (210x75)
Bed mid	cm	-
Bed rear	cm	210x150 <sup>2</sup>
Alternative	cm	200x165
Sleeping berths		4 <sup>2</sup>
Basic engine		2,3 MJET MAXI
kW (BHP)		103 (140)
Weight net	kg	3820
Mass in running order (MIRO)	kg	4010
Payload	kg	990
Maximum authorised weight	kg	5000
Designated passenger seats (standard weight)		2
Designated passenger seats (max. weight upgrade)		4 <sup>3</sup>
Heating		ALDE WW
Fridge/ thereof freezer compartment	l	141 / 23
Water tank incl. boiler (red. volume)	l	166 (20)
Waste water tank volume	l	156
Awning size		6,0
Garage sizes O/S standard/ option	cm	105x85 / -
Garage sizes N/S standard/ option	cm	105x85 / -
Battery/ charging device	Ah/A	95 / 18
Power outlets	230V/12V/USB	8 / 1 / 2


<sup>1</sup> Considering the total towing weight of 6t

<sup>2</sup> Only in combination with option "additional cushions to make up bed"

<sup>3</sup> Only in combination with the options "seat opposite direction to travel" and "additional cushion to make up bed"



# Alpa Coachbuilt



ALPA		A 6820-2	A 7820-2	A 9820-2
Chassis type		Fiat AL-KO low platform	Fiat AL-KO low platform 3 axis	Iveco Daily ladderframe
Diesel tank/AdBlue tank	l	90 / 19	90 / 19	90 / 20
Emission class		Euro 6d temp	Euro 6d temp	Euro VI D
Length	cm	733	858	886
Width	cm	233	233	235
Height	cm	327	327	345
Internal height	cm	209	209	211
Towing weight braked/unbraked	kg	1750 <sup>1</sup> / 750	1800 <sup>1</sup> / 750	3500 <sup>2</sup> / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	407	460 / 80	475
Beds pull-down/ overcab	cm	205x80 / 195x80	205x80/195x80	2x (210x80)
Bed mid	cm	-	-	-
Bed rear	cm	210x170 <sup>3</sup>	210x150 <sup>3</sup>	210x150 <sup>3</sup>
Alternative	cm	210x155	210x155	210x150
Sleeping berths		4 <sup>3</sup>	4 <sup>3</sup>	4 <sup>3</sup>
Basic engine		2,3 MJET MAXI	2,3 MJET MAXI	3,0 JTD
kW (BHP)		103 (140)	103 (140)	132 (180)
Weight net	kg	3190	3735	4530
Mass in running order (MIRO)	kg	3380	3925	4900
Payload	kg	1120	1075	1800
Maximum authorised weight	kg	4500	5000	6700
Designated passenger seats (standard weight)		2	2	2
Designated passenger seats (max. weight upgrade)		4 <sup>4</sup>	4 <sup>5</sup>	4 <sup>6</sup>
Heating		ALDE WW	ALDE WW	ALDE WW
Fridge/ thereof freezer compartment	l	141 / 23	141 / 23	141 / 23
Water tank incl. boiler (red. volume)	l	140 (20)	140 (20)	230 (20)
Waste water tank volume	l	140	140	222
Awning size	m	5,0	6,0	6,0
Garage sizes O/S standard/ option	cm	95x105 / -	105x105 / -	105x105 / -
Garage sizes N/S standard/ option	cm	95x105 / -	105x105 / -	105x105 / -
Battery/ charging device	Ah/A	95 / 18	95 / 18	150 / 18
Power outlets	230V/12V/USB	6 / 1 / 2	7 / 1 / 2	7 / 1 / 2

<sup>1</sup> Considering the total towing weight of 6t

<sup>2</sup> Considering the total towing weight of 10.2t

<sup>3</sup> Only in combination with option "additional cushions to make up bed"

<sup>4</sup> Only in combination with option „single folding seat seating lounge left and right“ and „weight upgrade 4.800 kg“

<sup>5</sup> Only in combination with the options "seat opposite direction to travel" and "additional cushion to make up bed"

<sup>6</sup> Only in combination with option "seats with seat belts opposite driving direction", "seating lounge converts to bed" and "air suspension drive axle"



# Packages

<b>Fiat Chassis Package</b>	ca. 24 kg	ca. 26 kg
Package components	A Class	Coachbuilt
Electr. and heated cab mirrors	⊙	✓
Automated A/C	✓	✓
Cruise control	✓	✓
Passenger airbag	✓	✓
Leather steering wheel and shift knob with leather sleeve	✓	✓
Instruments in chrome	✓	✓
Radio pre-wiring with Sound Package	✓	✓
LED day-time-running lights	–	✓

<b>Fiat Assistance Package</b>	
Package components	Coachbuilt
Lane Keep Assist	✓
Light Assist	✓
High Beam Assist	✓
Full Brake Control	✓
Rain sensor	✓
Traffic Sign Assist	✓

<b>Iveco Chassis Package</b>	ca. 11 kg
Package components	Coachbuilt
Wheel trims in chrome	✓
Multifunctional leather steering wheel	✓
Dethleffs Naviceiver incl. DAB+, truck navigation and bord control panel linking	✓
Radio pre-wiring with Sound Package	✓

<b>Iveco Assistance Package</b>	
Package components	Coachbuilt
Electric handbrake	✓
Crosswind Assist	✓
Hill Descent Control	✓
Active Lane Keep Assist	✓
Light Assist	✓
High Beam Assist	✓
Aktive Brake Assist with City Emergency Brake Function	✓
Rain sensor	✓
Tire pressure sensors	✓
Adaptive cruise control	✓

✓ included    ⊙ Standard specification    – not included

# Packages

Family Package	ca. 53 kg	ca. 51 kg	ca. 45 kg	ca. 62 kg
Package components	Alpa	Grand Alpa	Grand Alpa Plus	Grand Alpa I
Sky Roof (2 x panoramic skylight 70x50cm crossways instead of panoramic skylight 75x105cm over the seating lounge in the rear)	✓	-	-	-
Sky Roof (2nd Panoramic skylight 75x105cm lengthwise over the seating lounge in the rear) incl. roof lining and lamp	-	✓	✓	✓
Corner steadies (2 pieces) in the rear for Fiat Chassis	✓	✓	-	✓
Corner steadies (2 pieces) in the rear for Iveco Chassis	-	-	✓	-
Cab blinds	✓	✓	-	-
Indirect illumination	✓	✓	✓	✓
Extractor fan	✓	✓	✓	✓
Indirect ambience illumination	✓	✓	✓	✓
Cab door N/S	-	-	-	✓
Central locking	✓	✓	✓	✓

Style Package	ca. 24 kg	ca. 16 kg
Package components	Alpa, Grand Alpa	Grand Alpa Plus
Panoramic skylight 70x50cm in overcab	✓	-
High-level rear moulding incl. roof rails	✓	✓
Styling Package (overcab design elements)	✓	✓

Electric Package II	ca. 114 kg
Package components	Overcab and A Class
Electric package 2 (2x 150 Ah battery instead of 1x 95 Ah battery. Victron Energy MultiPlus charging/inverter combination 3000/120, Victron operation above habitation door, EBL 111, high current module)	✓

✓ included    ⊕ Standard specification    - not included

## Dethleffs world of colours

For the ALPA range you can choose from the following colour combinations (some at extra charge).

### Coachbuilt

Chassis colour	Conversion colour
	White    Titansilver Metallic
White	Code    standard    -
Silver	Code    -    option

### A Class

Chassis colour	Conversion colour
	White    Titansilver Metallic
White	Code    standard    option

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

# Options

	Additional weight (kg)	Code	I 7820-2	A 6820-2	A 7820-2	A 9820-2
<b>Chassis/Base</b>						
Fiat Ducato Multijet 160 (2,3l / 160 hp) incl. start-stop function	0	0	○	○	○	–
Fiat Ducato Multijet 180 (2,3 l / 180 hp) incl. start-stop function	0	0	○	○	○	–
Iveco Daily 3,0 l JTD (210 hp) (only in comb. with converter for automatic transmission)	0	7560	–	–	–	○
Weight upgrade 4.800kg	u.r.	8460	–	○	–	–
Weight upgrade 7.200kg	0	1636	–	–	–	○
Alloy wheels 16"	0	8045	–	○	–	–
Alloy wheels Dethleffs 16" for 3-axle	0	8045	○	–	○	–
9-gear converter automatic transmission (possible as from 140 hp engine; for 140 hp engine addit. costs for start-stop function)	u.r.	10736	○	○	○	–
Converter automated gearbox (ZF)	17	7706	–	–	–	○
Retarder (also available in comb. with converter; tank reduced to 70l)	125	1400	–	–	–	○
LED headlights (Iveco)	2	10626	–	–	–	○
Tow bar (please consider the total towing weight)	35	273	○	○	○	–
Tow bar	35	273	–	–	–	○
Air suspension for driving axle (original Iveco)	30	41	–	–	–	○
Air suspension rear axle	35	1658	–	○	–	–
Air suspension rear axle	35	1658	○	–	○	–
Air suspension front and rear axle	85	1796	–	○	–	–
Air suspension front and rear axle	85	1796	○	–	○	–
Seats with seat belts, opposite driving direction (necessary for 4 pers. registration) incl. option 1944	9	9116	○	–	○	–
Seats with seat belts, opposite driving direction (necessary for 4 pers. registration) incl. option 1944 and option 41	9	9116	–	–	–	○
Single folding seats right and left seating lounge rear (only in comb. with weight upgrade 4.8t and option 1944)	41	1604	–	○	–	–
<b>Bodywork exterior</b>						
Opening window in overcab	2	622	–	○	○	○
Skylight (above large bathroom)	1	7507	○	○	○	○
Cassette awning Omnistor 5.0 m (manual)	54	697	–	○	–	–
Cassette awning Omnistor 6.0 m (manual)	61	560	–	–	○	○
Cassette awning Omnistor 6.0 m (electr.)	64	519	–	–	○	○
Cassette awning Omnistor 6.0 m (electr.)	64	519	○	–	–	–
Storage access in the rear	17	1732	○	○	○	○
Alarm system for doors with central locking	4	322	○	○	○	○
<b>Bodywork interior</b>						
Double floor for rear garage	5	1890	–	○	○	○
Safe mounted	13	323	○	○	○	○
Fire extinguisher 2 kg	4	1878	○	○	○	○
Smoke detector	1	1891	○	○	○	○
<b>Furniture layouts</b>						
Seating lounge converts to bed	5	1944	○	○	○	○
Alternative overhead locker doors	0	1969	○	○	○	○
<b>Upholstery</b>						
Loose fitting carpets	8	851	○	○	○	○
Real leather Skylight	12	8032	○	○	○	○
<b>Electrics/Installation</b>						
2nd leisure battery 95 Ah	27	830	○	○	○	–
2nd leisure battery 150 Ah	27	830	–	–	–	○
Solar system (2 x 60 W)	15	922	○	○	○	○
<b>Gas/Installation</b>						
Exterior socket for gas 30mbar	1	878	○	○	○	○
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg aluminium gas bottle)	13	1577	○	○	○	○
<b>Heating/Air-conditioning</b>						
Cab warm water heating (only in comb. with warm water heating - cab carpets not possible)	10	6709	○	○	○	–

	Additional weight (kg)	Code	I 7820-2	A 6820-2	A 7820-2	A 9820-2
<b>Heating/Air-conditioning</b>						
Warm water heating by smartphone app	0	7512	○	○	○	○
Roof A/C	34	609	○	○	○	○
Electrically heated overcab bed	3	1740	–	○	○	○
Heat exchanger	7	565	○	○	○	○
<b>Kitchen</b>						
Large fridge (190 l) with oven	20	290	○	○	○	○
<b>Bathroom</b>						
Toilet ventilation	2	1681	○	○	○	○
Macerator toilet with waste-holding tank	22	1625	○	–	–	○
<b>Multimedia systems</b>						
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	○	○	○	○
Additional flatscreen TV 22"	4	7490	○	○	○	○
32" flatscreen TV with Sound Package Plus	15	9127	○	○	○	○
Flatscreen bracket	3	325	○	○	○	○
SAT system Flatsat 85 Twin	15	1637	○	○	○	○
Reversing cam (single cam) (only in comb. with the option 9582 Dethleffs Naviceiver)	2	1642	○	○	○	○
Reversing cam (double cam) (only in comb. with the option 9582 Dethleffs Naviceiver)	2	1641	○	○	○	○
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	○	○	○	○
Dethleffs Naviceiver incl. DAB+, truck navigation and bord control panel linking	3,5	9582	○	○	○	○
<b>Miscellaneous</b>						
Registration documents	0	0	◆	◆	◆	◆

# Alpa

## Plus factors interior



» Spacious, illuminated wardrobes with drawers (pic. Coachbuilt). Cab can be separated with a sliding door for additional cold and light protection.



» Feel like at home: modern vitrine (not for A 6820-2)



» Much elbow room provided by the separate shower cubicle with Plexiglass doors.



» Large 32" TV (option)



» Leather steering wheel and gear knob in dashboard with chrome rings (multi-functional steering wheel is optionally available).



» Huge U-shape lounge and much elbow room



» Generous kitchen with 3-burner gas stove, rail system and central locking for the kitchen drawers



» Your spa with daylight and great comfort.

# Alpa

## Plus factors exterior



» Roomy: large rear garage for transportation of bulky holiday luggage. All models are equipped with two garage doors as standard



» The window in Overcab N/S is standard, O/S is optionally available.



» Frost-protection: high, heated double floor with a lot of storage space.



» Garage door in the rear (option) for transportation of long items.



» Well-insulating and safe: automotive flush-fitting windows.



» Automotive roof skirt with integrated awning (option for A Class).



» Long-lasting Lifetime Plus conversion technology



» Robust: A 9820-2 based on Iveco chassis.



# Winter Comfort Packages

## Winterised and weatherproof, winterisation with Dethleffs

Winter camping is a trend and fascinating again and again. Thereby there is much depending on the right vehicle technique! Dethleffs have always been number one in producing winterised vehicles – especially in Scandinavian countries where the winterisation of a motorhome is extremely important.

For the perfect Dethleffs' comfort even during the winter time we offer you the optional winter packages with warm air or warm water heatings. Enjoy your winter holidays with the comfort by Dethleffs and the optional winter packages.

Winter Comfort Package warm air heating		Winter Comfort Package warm water heating	
(ca. 26 kg)		(ca. 73 kg)	
Package components	Globebus, Trend (except A 7877-2), Pulse, Globeline	Package components	Trend T/I, Pulse, Globeline
Warm air heating	⊙	Warm water heating	✓
Electrical element 230 V for warm air heating	✓	Warm water heating for cab	✓
Insulated waste water tank	✓	Insulated waste water tank	✓
Electr. heating for waste water tank + pipes	✓	Electr. heating for waste water tank + pipes	✓
Insulated under-floor pipes	✓	Insulated under-floor pipes	✓
Switch for water pump	✓	Switch for water pump	✓
XPS insulation	✓	XPS insulation	✓

Winter Comfort Package Luxus	Warm air heating* (ca. 39 kg)	Warm water heating** (ca. 40 kg)
Package components	Globebus, Pulse	Pulse
Additional battery (95 AH)	✓	✓
Cab carpets	✓	✓
Warm water floor heating	–	✓
Electrical floor heating	✓	–

✓ Package  
⊙ standard  
– not included

\* only in conj. with Winter Comfort Package warm air heating


\*\* only in conj. with Winter Comfort Package warm water heating

# Dethleffs – long-lasting quality

All Dethleffs motorhomes come with a 6-year water ingress warranty as standard.\*

**Also standard is the Dethleffs Lifetime Plus body construction on all models starting the ESPRIT EIGHTY EIGHT range.**

Using the latest findings, this new type of design combines an absolutely rot-proof and thus long-lasting wall construction for a healthy interior climate:



- ✓ Walls, roof and floor are constructed entirely without cold spots or wood inserts. Instead, rigid polyurethane struts ensure a high torsional stiffness.
- ✓ Strong GRP panels (glass-fiber reinforced plastic) on the roof and floor protect against damage from outside from hail, stones, salt water, etc.
- ✓ An extra thick layer of high density, hydrophobic, i.e. water-repellent XPS foam ensures excellent insulation properties.
- ✓ A 3 mm (floor 6 mm) thick plywood panel leading to the living area is both moisture-balancing and sound-absorbing.

Our ranges Globebus, Trend (T/I), Pulse and Globeline come as standard with the clever and rot-proof floor construction. We install PU struts instead of wooden inserts and cover the floor with thick GRP plate for high protection values.



\* provided that annual inspections are undertaken by a Dethleffs authorised workshop.

## General Information

The "Mass in Running Order" according to the European Regulations VO (EU) 1230/2012 includes the empty vehicle weight, the driver's weight calculated at 75 kg, a 90 % fuel capacity, filled water tank capacity (partly reduced capacity, see technical data), 1 x 11 kg gas bottle (100 % filled) and a cable reel.

The Maximum Authorised Weight must not be exceeded when optional extras and personal items are taken into account. The sizes and weights are approximate values. The mass in running order applies for a standard model without any optional extras.

The fitting of optional extras will increase the vehicle's weight and reduce the maximum user payload. When ordering your vehicle with options, please check if it makes sense to get a weight upgrade.

The towing weights stated in this Technical Information are technically determined maximum values based on the chassis. The real towing capacity can vary greatly due to the equipment installed retrospectively or ex works as well as the individual loading situation. The decisive factor is the effective weight of the towing vehicle and trailer determined during weighing. It is necessary that this total towing weight is adhered to and that the maximum authorised weight of the towing vehicle and trailer is adhered to.

The information about design, technical information, weights or dimensions is the value which is known at printing date. This information may change till vehicle purchases and/or delivery. All weights are approximate values. Factory deviations (+/- 5%) are possible and permitted. Subject to technical changes and error excepted.

The Motorhome Technical Information 01/2020 is valid from 15.08.2019. Dethleffs reserve the right to alter technical and material specifications and standard equipment at any time as material and conditions demand.

Please note: The price of Dethleffs products in various European countries will differ. This is due to differing levels of specification in the individual countries and varying rates of VAT or luxury tax.